

A_{Eo} : 1013 km²

PNP: NN + 410.55 m

Lage: 357.0 km oberhalb Mündung mittig



m³/s

Pegel : Blankenstein-Rosenthal

Nr. 570210

Gewässer : Saale

Gebiet : Obere Saale

| Tag | 2004 | | 2005 | | | | | | | | | | | | | |
|-----------------|-----------------------|-----------------------|------------------------|---------------|-------------------|-----------------------|---------------|---------------|-------------------------------|--------|--------|--------|-------------------------------|----------------|------------------|--|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | |
| 1. | 8.82 | 17.5 | 18.2 | 16.8 | R 13.3 | 20.3 | K 6.50 | K 3.70 | K 14.4 | K 3.70 | K 5.30 | K 7.80 | 3.70 | 3.30 | | |
| 2. | 7.64 | 16.1 | 32.9 | 16.1 | R 12.2 | 19.0 | K 6.10 | K 3.70 | K 11.6 | K 3.10 | K 5.30 | K 18.3 | 3.95 | 3.30 | | |
| 3. | 6.86 | 14.8 | 30.8 | 16.8 | R 11.1 | 16.3 | K 6.10 | K 3.50 | K 6.10 | K 23.1 | K 5.30 | K 14.4 | 3.95 | 3.30 | | |
| 4. | 6.11 | 13.5 | 28.7 | 15.4 | R 10.6 | 15.6 | K 9.64 | K 3.50 | K 4.20 | K 17.6 | K 4.90 | K 10.1 | 3.95 | 5.30 | | |
| 5. | 5.40 | 12.2 | 27.3 | 13.5 | R 10.1 | 15.0 | K 9.64 | K 3.50 | K 4.90 | K 9.15 | K 4.50 | K 9.15 | 4.50 | 31.0 | | |
| 6. | 5.06 | 11.1 | 28.7 | R 10.6 | R 10.1 | 13.8 | K 8.70 | K 3.95 | K 5.70 | K 6.50 | K 3.95 | K 7.80 | 4.50 | 24.6 | | |
| 7. | 5.75 | 10.6 | 28.0 | R 10.1 | R 9.15 | 16.9 | K 8.25 | K 5.70 | K 4.20 | K 8.25 | K 3.95 | K 7.35 | 3.95 | 15.0 | | |
| 8. | 7.64 | 9.68 | 24.5 | R 10.1 | R 9.15 | 17.6 | K 12.7 | K 4.20 | K 4.50 | K 8.70 | K 3.70 | K 7.35 | 3.95 | 12.7 | | |
| 9. | 7.64 | 8.82 | 21.7 | R 9.68 | R 8.70 | 15.6 | K 10.5 | K 3.50 | K 3.95 | K 6.90 | K 3.50 | K 6.50 | 3.95 | 11.6 | | |
| 10. | 7.64 | 8.42 | 19.6 | 10.6 | R 8.70 | 13.8 | K 9.15 | K 3.30 | K 3.95 | K 5.30 | K 3.70 | K 6.10 | 3.70 | 9.64 | | |
| 11. | 8.42 | 8.03 | 17.5 | 27.3 | R 8.70 | 12.2 | K 8.25 | K 3.30 | K 9.15 | K 3.95 | K 13.3 | K 5.70 | 3.70 | 8.70 | | |
| 12. | 10.6 | 6.86 | 16.1 | 74.6 | 10.1 | 11.1 | K 7.80 | K 3.30 | K 4.20 | K 3.95 | K 15.6 | K 5.70 | 3.70 | 7.80 | | |
| 13. | 16.1 | 6.86 | 16.1 | 168 | 10.1 | 10.1 | K 6.90 | K 3.10 | K 3.70 | K 3.70 | K 17.6 | K 5.70 | 3.70 | 7.80 | | |
| 14. | 16.1 | 6.86 | 14.8 | 94.4 | 9.64 | 10.1 | K 6.90 | K 3.10 | K 3.70 | K 3.95 | K 11.6 | K 5.70 | 3.70 | 7.35 | | |
| 15. | 12.8 | 6.11 | 13.5 | 67.5 | 10.1 | 9.64 | K 8.70 | K 3.50 | K 3.30 | K 15.6 | K 8.25 | K 6.10 | 3.50 | 7.35 | | |
| 16. | 11.1 | 5.40 | 11.7 | 52.3 | 14.4 | 9.15 | K 7.80 | K 3.10 | K 3.30 | K 16.9 | K 19.0 | K 5.70 | 4.20 | 21.7 | | |
| 17. | 11.7 | 7.25 | 10.6 | 43.4 | 48.9 | 8.70 | K 9.64 | K 2.70 | K 3.10 | K 9.64 | K 32.7 | K 4.90 | 4.50 | 42.3 | | |
| 18. | 23.8 | 10.6 | 11.7 | 36.2 | 128 | 9.15 | K 9.64 | K 2.90 | K 2.90 | K 6.50 | K 19.6 | K 4.50 | 4.90 | 22.4 | | |
| 19. | 72.8 | 9.68 | 14.8 | 31.8 | 113 | 12.7 | K 7.80 | K 2.70 | K 3.95 | K 5.70 | K 13.3 | K 4.50 | 4.50 | 17.6 | | |
| 20. | 59.5 | R 7.64 | 18.2 | 29.4 | 76.9 | 9.64 | K 6.90 | K 2.36 | K 3.70 | K 4.90 | K 11.1 | K 4.90 | 4.20 | 15.0 | | |
| 21. | 39.9 | G 4.39 | 74.6 | 26.5 | 55.8 | 8.25 | K 6.50 | K 2.70 | K 3.95 | K 5.70 | K 9.64 | K 4.20 | 4.20 | 13.8 | | |
| 22. | 37.8 | G 4.39 | 50.4 | 25.1 | 43.4 | 7.80 | K 5.70 | K 2.51 | K 5.70 | K 6.10 | K 8.70 | K 4.50 | 4.90 | 13.3 | | |
| 23. | 63.4 | G 5.75 | 35.7 | 23.8 | 40.2 | 6.90 | K 6.50 | K 2.90 | K 3.30 | K 29.4 | K 8.25 | K 4.50 | 4.20 | 12.7 | | |
| 24. | 53.9 | 38.4 | 32.2 | 21.0 | 36.2 | 6.50 | K 8.70 | K 2.51 | K 3.50 | K 28.7 | K 7.80 | K 5.30 | 4.20 | 14.4 | | |
| 25. | 39.9 | 45.5 | 28.7 | 18.3 | 33.5 | 6.90 | K 6.10 | K 2.90 | K 3.50 | K 16.9 | K 6.90 | K 4.50 | 4.20 | 20.3 | | |
| 26. | 31.5 | 32.2 | 25.2 | 17.6 | 36.2 | 9.64 | K 5.70 | K 5.70 | K 3.10 | K 13.3 | K 6.90 | K 4.20 | 3.70 | 19.6 | | |
| 27. | 27.3 | 25.2 | R 23.1 | 16.3 | 31.0 | 10.1 | K 4.90 | K 3.95 | K 3.10 | K 10.1 | K 6.90 | K 4.20 | 3.50 | 16.3 | | |
| 28. | 25.2 | 20.3 | R 21.7 | 14.4 | 27.9 | 10.1 | K 4.50 | K 3.10 | K 2.70 | K 8.25 | K 6.50 | K 4.20 | 3.70 | 14.4 | | |
| 29. | 23.1 | 16.8 | R 18.9 | 26.5 | 7.80 | 6.90 | K 4.20 | K 2.70 | K 2.70 | K 6.90 | K 6.50 | K 3.95 | 3.50 | 13.3 | | |
| 30. | 20.3 | 14.1 | R 17.5 | 26.5 | 6.90 | 6.90 | K 4.20 | K 11.1 | K 9.15 | K 6.50 | K 8.70 | K 3.70 | 3.50 | 11.6 | | |
| 31. | | 12.8 | 16.8 | | 23.8 | | K 4.20 | | K 5.70 | | | K 3.70 | | 11.1 | | |
| Tag | 6. | 21.+ | 17. | 9. | 9.+ | 24. | 29.+ | 20. | 28.+ | 2. | 9. | 30.+ | 15.+ | 1.+ | | |
| NQ | 5.06 | 4.39 | 10.6 | 9.68 | 8.70 | 6.50 | 4.20 | 2.36 | 2.70 | 3.10 | 3.50 | 3.70 | 3.50 | 3.30 | | |
| MQ | 22.5 | 13.4 | 24.2 | 32.8 | 29.5 | 11.6 | 7.38 | 3.62 | 4.93 | 9.83 | 9.43 | 6.30 | 4.01 | 14.1 | | |
| HQ | 87.2 | 50.4 | 85.4 | 210 | 139 | 22.4 | 14.4 | 23.1 | 19.6 | 40.2 | 40.2 | 21.7 | 6.90 | 53.5 | | |
| HQ Tag | 19. | 24.+ | 21. | 13. | 18. | 1. | 8. | 30. | 1. | 23.+ | 17. | 2. | 5.+ | 16. | | |
| h _N | mm | | | | | | | | | | | | | | | |
| h _A | mm | 58 | 35 | 64 | 78 | 78 | 30 | 20 | 9 | 13 | 26 | 24 | 17 | 10 | | |
| | | 1963/2004 | | 1964/2005 | | | | | | | | | | 42 Jahre | | |
| Jahr | | 1983 | 1991 | 1973 | 1964 | 1976 | 1974 | 1998 | 1976 | 1976 | 1976 | 1964 | 1964 | 1983 | 1991 | |
| NQ | m ³ /s | 0.960 | 1.30 | 1.35 | 1.88 | 2.04 | 2.09 | 1.70 | 0.718 | 0.306 | 0.593 | 0.590 | 0.590 | 0.960 | 1.30 | |
| MNQ | m ³ /s | 4.79 | 5.71 | 6.45 | 7.65 | 7.91 | 8.06 | 4.25 | 3.64 | 3.11 | 2.70 | 2.87 | 3.23 | 4.84 | 5.73 | |
| MQ | m ³ /s | 10.5 | 16.3 | 18.0 | 16.9 | 21.4 | 15.5 | 8.76 | 7.22 | 5.89 | 5.33 | 5.50 | 7.25 | 10.3 | 16.5 | |
| MHQ | m ³ /s | 34.1 | 60.2 | 67.3 | 59.3 | 65.1 | 38.9 | 27.2 | 26.3 | 21.8 | 20.1 | 18.9 | 24.3 | 32.8 | 61.3 | |
| HQ | m ³ /s | 192 | 180 | 251 | 210 | 166 | 177 | 172 | 134 | 124 | 128 | 123 | 128 | 192 | 180 | |
| HQ Jahr | | 1998 | 1993 | 1982 | 2005 | 1988 | 1988 | 1978 | 1965 | 1996 | 1970 | 1998 | 1998 | 1998 | 1993 | |
| Mh _N | mm | | | 48 | 40 | 57 | 40 | 23 | 18 | 14 | 14 | 19 | 26 | 44 | | |
| Mh _A | mm | 27 | 43 | | | | | | | | | | | | | |
| Hauptwerte | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschiedliche Dauertabelle | | | | Unterschiedliche Dauertabelle | | | |
| | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | |
| | Jahr | Datum | Winter | Sommer | Jahr | Datum | Jahr | Datum | Jahr | Datum | Jahr | Datum | Obere Hüllwerte | Mittlere Werte | Untere Hüllwerte | |
| | NQ | m ³ /s | 2.36 | am 20.06.2005 | 4.39 | 2.36 | 2.36 | am 20.06.2005 | 365 | 168 | 168 | 222 | 109 | 20.9 | | |
| | MQ | m ³ /s | 14.5 | | 22.2 | 6.92 | 13.0 | | 364 | 128 | 128 | 219 | 89.9 | 19.8 | | |
| | HQ | m ³ /s | 210 | am 13.02.2005 | 210 | 40.2 | 210 | am 13.02.2005 | 363 | 113 | 113 | 140 | 80.0 | 17.1 | | |
| | Nq | l/(skm ²) | 2.33 | | 4.33 | 2.33 | 2.33 | | 362 | 94.4 | 94.4 | 131 | 72.8 | 15.9 | | |
| | Mq | l/(skm ²) | 14.3 | | 21.9 | 6.83 | 12.8 | | 360 | 76.9 | 76.9 | 130 | 66.6 | 14.3 | | |
| | Hq | l/(skm ²) | 207 | | 207 | 39.7 | 207 | | 359 | 76.9 | 76.9 | 116 | 61.0 | 13.3 | | |
| | h _N | mm | | | 343 | 109 | 405 | | 358 | 76.9 | 76.9 | 115 | 57.6 | 13.2 | | |
| | h _A | mm | 451 | | | | | | 357 | 72.8 | 67.5 | 100 | 54.6 | 12.5 | | |
| | | | 1964/2005 (*) 42 Jahre | | | | 1964/2005 | | | | | | | | | |
| | NQ | m ³ /s | 0.306 | am 10.07.1976 | 0.960 | 0.306 | 0.306 | am 10.07.1976 | 356 | 67.5 | 55.8 | 99.0 | 52.1 | 12.2 | | |
| | MNQ | m ³ /s | 1.88 | | 3.24 | 2.07 | 2.04 | | 350 | 50.4 | 42.3 | 81.1 | 40.7 | 11.5 | | |
| | MQ | m ³ /s | 11.5 | | 16.5 | 6.66 | 11.5 | | 340 | 36.4 | 31.8 | 62.6 | 31.0 | 10.2 | | |
| MHQ | m ³ /s | 122 | | 116 | 51.3 | 122 | | 330 | 31.5 | 28.0 | 54.4 | 25.6 | 8.44 | | | |
| HQ | m ³ /s | 251 | am 05.01.1982 | 251 | 172 | 251 | am 05.01.1982 | 320 | 27.9 | 24.5 | 46.2 | 22.0 | 7.71 | | | |
| HQ ₁ | m ³ /s | | | | | | | 300 | 21.0 | 18.3 | 34.0 | 17.2 | 6.36 | | | |
| HQ ₅ | m ³ /s | | | | | | | 270 | 16.3 | 15.0 | 23.1 | 12.8 | 5.8 | | | |
| MNq | l/(skm ²) | 1.86 | | 3.20 | 2.04 | 2.01 | | 240 | 12.8 | 11.6 | 18.1 | 9.97 | 4.26 | | | |
| Mq | l/(skm ²) | 11.4 | | 16.3 | 6.57 | 11.4 | | 210 | 10.6 | 9.68 | 15.2 | 8.08 | 3.57 | | | |
| MHq | l/(skm ²) | 120 | | 115 | 50.6 | 120 | | 210 | 10.6 | 9.68 | 15.2 | 8.08 | 3.57 | | | |
| Mh _N | mm | | | 255 | 105 | 358 | | 183 | 9.64 | 8.70 | 13.2 | 6.79 | 3.07 | | | |
| Mh _A | mm | 358 | | | | | | 150 | 7.80 | 6.90 | 10.9 | 5.56 | 1.97 | | | |
| | | Niedrigwasser | | | | Hochwasser | | | | | | | | | | |
| | | m ³ /s | l/(skm ²) | Datum | m ³ /s | l/(skm ²) | cm | Datum | | | | | | | | |
| 1 | | 0.306 | 0.302 | 10.07.1976 | 251 | 248 | | 05.01.1982 | | | | | | | | |
| 2 | | 0.590 | 0.592 | 30.09.1964+ | 212 | 209 | | 23.01.1995 | | | | | | | | |
| 3 | | 0.960 | 0.948 | 16.09.1991 | 210 | 207 | | 13.02.2005 | | | | | | | | |
| 4 | | 0.960 | 0.948 | 15.11.1983 | 197 | 194 | | 06.02.1980 | | | | | | | | |
| 5 | | 0.960 | 0.948 | 18.09.1973 | 192 | 190 | | 01.11.1998 | | | | | | | | |
| 6 | | 1.09 | 1.08 | 16.10.1979 | 182 | 180 | | 07.02.1984 | | | | | | | | |
| 7 | | 1.22 | 1.20 | 08.06.1975 | 180 | 178 | | 22.12.1993 | | | | | | | | |
| 8 | | 1.22 | 1.20 | 09.09.1974+ | 177 | 175 | | 01.04.1988 | | | | | | | | |
| 9 | | 1.30 | 1.28 | 08.12.1991 | 172 | 170 | | 08.05.1978 | | | | | | | | |
| 10 | | 1.35 | 1.33 | 22.10.1985+ | 171 | 169 | | 03.01.2003 | | | | | | | | |

(*) Abflussjahr: 1.11. des Vorjahres bis 31.10.
 Die Durchflusswerte beinhalten nicht die Umflut durch das ZPR (die um den Pegel geführte Menge entspricht der Pumpenleistung von ca. 0,56 cbm/s im Durchschnitt).
 Vom 11.6.76-9.12.76 wurden die Q-Werte rückwirkend theoretisch ermittelt und das Jahr 1976 in die Statistik aufgenommen!
 3 Tage Grundeis, 20 Tage Randeis, 184 Tage Verkrautung

A_{Eo} : 1665 km²

PNP: NN + 230.07 m

Lage: 281.0 km oberhalb Mündung links



m³/s

Pegel : Kaulsdorf

Gewässer : Saale

Gebiet : Obere Saale

Nr. 570250

| Tag | 2004 | | 2005 | | | | | | | | | | | | |
|-----------------|-----------------------|------------------------|-----------------------|-------------|-------------------|-----------------------|---------------|-------------|--------|--|--------------|-----------------|------------------|------------------|----|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | |
| 1. | 13.9 | 31.9 | 60.6 | 34.9 | 26.9 | 30.5 | K 5.75 | K 6.02 | K 6.29 | 12.2 | K 14.0 | K 29.1 | 7.43 | 5.75 | |
| 2. | 7.32 | 28.4 | 57.9 | 43.8 | 26.9 | 30.5 | K 6.02 | K 6.02 | 15.7 | 9.01 | K 11.8 | K 29.5 | 6.56 | 5.52 | |
| 3. | 5.50 | 26.4 | 57.0 | 38.9 | 24.5 | 30.5 | K 7.14 | K 6.02 | 16.2 | 6.29 | K 11.8 | K 29.5 | 5.52 | 5.52 | |
| 4. | 5.24 | 23.1 | 53.4 | 25.4 | 24.5 | 26.6 | K 6.02 | K 6.02 | 15.3 | 6.29 | K 11.8 | K 20.3 | 5.75 | 5.52 | |
| 5. | 5.24 | 21.3 | 46.1 | 16.6 | 27.4 | 22.2 | K 6.02 | K 6.02 | 6.29 | 6.02 | K 13.3 | K 19.4 | 6.02 | 5.52 | |
| 6. | 5.24 | 21.3 | 41.7 | 16.6 | 27.4 | 19.8 | K 6.02 | K 6.02 | 6.29 | 6.29 | K 14.4 | K 19.4 | 6.02 | 5.52 | |
| 7. | 5.24 | 21.3 | 34.9 | 13.5 | 31.4 | 20.3 | K 6.02 | K 6.02 | 6.29 | 6.29 | K 14.4 | K 19.4 | 6.02 | 5.52 | |
| 8. | 5.24 | 20.8 | 29.4 | 14.3 | 15.5 | 19.8 | K 8.68 | K 5.75 | 6.29 | K 6.29 | K 14.4 | K 19.4 | 6.02 | 5.52 | |
| 9. | 5.24 | 18.6 | 26.9 | 25.4 | 16.3 | 20.3 | K 6.85 | K 5.75 | 6.29 | K 6.29 | K 18.9 | K 19.4 | 6.02 | 5.52 | |
| 10. | 5.76 | 15.9 | 27.4 | 34.4 | 20.8 | 20.3 | K 7.14 | K 6.02 | 6.29 | K 5.75 | K 17.5 | K 19.4 | 6.02 | 5.52 | |
| 11. | 6.02 | 15.9 | 25.4 | 50.1 | 25.0 | 16.6 | K 7.14 | K 6.02 | 6.56 | K 5.75 | K 17.5 | K 19.4 | 6.02 | 5.52 | |
| 12. | 9.66 | 15.9 | 22.2 | 55.2 | 14.7 | 14.9 | K 7.14 | K 6.02 | 6.56 | K 15.7 | K 21.7 | K 14.4 | 5.75 | 8.36 | |
| 13. | 22.2 | 9.15 | 20.4 | 30.4 | 13.5 | 14.4 | K 7.14 | K 6.02 | 6.56 | K 6.02 | K 27.6 | K 13.6 | 6.02 | 10.0 | |
| 14. | 22.2 | 9.15 | 14.7 | 42.4 | 16.6 | 11.1 | K 7.14 | K 5.75 | 6.56 | K 5.52 | K 31.5 | K 14.0 | 6.02 | 10.0 | |
| 15. | 22.6 | 12.4 | 10.1 | 87.6 | 28.9 | 13.3 | K 10.4 | K 5.75 | 6.29 | K 5.52 | K 34.0 | K 16.2 | 6.02 | 10.0 | |
| 16. | 25.0 | 12.4 | 10.4 | 106 | 23.1 | 19.8 | K 6.02 | K 5.52 | 6.56 | K 5.52 | K 34.0 | K 19.4 | 6.02 | 17.5 | |
| 17. | 29.9 | 14.7 | 10.1 | 104 | 11.0 | 19.8 | K 6.02 | K 5.75 | 6.29 | K 5.52 | K 34.0 | K 13.6 | 6.02 | 22.7 | |
| 18. | 28.9 | 16.6 | 10.4 | 92.4 | 4.10 | 12.2 | K 6.02 | K 5.75 | 6.29 | K 5.75 | K 33.5 | K 14.4 | 6.02 | 22.7 | |
| 19. | 22.6 | 17.0 | 10.1 | 87.6 | 4.10 | 8.68 | K 6.02 | K 5.75 | 6.29 | K 6.29 | K 33.5 | K 11.1 | 6.02 | 22.7 | |
| 20. | 22.6 | 13.2 | 15.5 | 86.7 | 4.10 | 6.29 | K 5.75 | K 6.02 | 6.29 | K 7.43 | K 33.5 | K 9.34 | 6.02 | 22.7 | |
| 21. | 25.4 | 12.1 | 33.4 | 87.6 | 4.31 | 5.75 | K 6.02 | K 5.75 | 6.29 | K 7.43 | K 33.5 | K 12.9 | 6.02 | 20.8 | |
| 22. | 34.4 | 17.4 | 50.1 | 87.6 | 4.10 | 5.75 | K 6.02 | K 5.75 | 6.29 | K 7.43 | K 31.0 | K 19.8 | 6.02 | 19.8 | |
| 23. | 41.7 | 17.4 | 52.5 | 84.8 | 4.10 | 5.75 | K 6.02 | K 5.75 | 6.29 | K 11.1 | K 29.1 | K 19.8 | 5.75 | 16.6 | |
| 24. | 54.3 | 17.4 | 56.1 | 66.9 | 10.7 | 6.02 | K 6.02 | K 7.14 | 6.29 | K 13.3 | K 29.1 | K 14.9 | 7.73 | 14.9 | |
| 25. | 59.7 | 17.4 | 62.4 | 41.0 | 16.6 | 6.02 | K 6.02 | K 6.29 | 6.29 | K 16.2 | K 29.5 | K 14.4 | 7.14 | 14.9 | |
| 26. | 62.4 | 20.4 | 68.7 | 27.9 | 17.5 | 6.02 | K 6.02 | K 5.75 | 6.29 | K 18.4 | K 29.5 | K 8.36 | 5.52 | 14.9 | |
| 27. | 61.5 | 32.9 | 77.2 | 27.4 | 17.1 | 6.02 | K 6.02 | K 6.02 | 6.29 | K 18.4 | K 15.7 | K 9.34 | 5.52 | 17.1 | |
| 28. | 61.5 | 51.7 | 85.7 | 26.9 | 16.6 | 6.29 | K 6.29 | K 6.02 | 6.29 | K 18.4 | K 16.6 | K 9.01 | 5.75 | 19.4 | |
| 29. | 54.3 | 60.6 | 75.3 | | 19.4 | 6.02 | K 6.02 | K 5.75 | 6.29 | K 18.4 | K 19.4 | K 7.43 | 5.75 | 19.4 | |
| 30. | 38.9 | 65.1 | 44.5 | | 23.2 | 6.02 | K 6.02 | K 6.02 | 6.29 | K 18.4 | K 25.6 | K 7.43 | 5.75 | 20.8 | |
| 31. | | 60.6 | 33.4 | | 28.6 | | K 6.02 | | 6.29 | K 16.6 | | K 7.43 | | 25.1 | |
| Tag | 4.+ | 13.+ | 15.+ | 7. | 18.+ | 21.+ | 1.+ | 16. | 1.+ | 14.+ | 2.+ | 29.+ | 3.+ | 2.+ | |
| NQ | 5.24 | 9.15 | 10.1 | 13.5 | 4.10 | 5.75 | 5.75 | 5.52 | 6.29 | 5.52 | 11.8 | 7.43 | 5.52 | 5.52 | |
| MQ | 25.7 | 23.8 | 39.5 | 52.0 | 17.7 | 14.6 | 6.48 | 5.94 | 7.25 | 9.80 | 23.4 | 16.2 | 6.08 | 13.3 | |
| HQ | 65.1 | 69.6 | 93.3 | 114 | 38.9 | 32.5 | 19.8 | 10.7 | 18.0 | 26.6 | 36.3 | 30.5 | 11.4 | 25.6 | |
| Tag | 25.+ | 29. | 28. | 16.+ | 10. | 1. | 15. | 24. | 2. | 25. | 20.+ | 3. | 24. | 31. | |
| h _N | mm | | | | | | | | | | | | | | |
| h _A | mm | 40 | 38 | 64 | 76 | 28 | 23 | 10 | 9 | 12 | 16 | 36 | 26 | 9 | 21 |
| | | 1954/2004 | | 1955/2005 | | | | | | 51 Jahre | | | | | |
| Jahr | | 1964 | 1982 | 1965 | 1965 | 1977 | 1977+ | 1977 | 1979 | 1977 | 1984 | 1982 | 1964 | 1982 | |
| NQ | m ³ /s | 0.380 | 0.000 | 0.500 | 0.440 | 0.000 | 0.000 | 1.10 | 1.98 | 0.700 | 1.10 | 1.43 | 0.380 | 0.000 | |
| MNQ | m ³ /s | 7.65 | 7.36 | 8.59 | 9.78 | 8.65 | 7.87 | 6.71 | 7.31 | 7.07 | 7.41 | 7.57 | 7.51 | 7.21 | |
| MQ | m ³ /s | 15.4 | 19.1 | 22.4 | 21.9 | 22.2 | 20.9 | 13.7 | 13.8 | 11.4 | 11.8 | 13.2 | 15.2 | 19.1 | |
| MHQ | m ³ /s | 33.4 | 42.8 | 47.4 | 44.5 | 45.7 | 45.4 | 33.9 | 31.6 | 25.9 | 26.3 | 30.8 | 33.2 | 42.6 | |
| HQ | m ³ /s | 125 | 141 | 138 | 117 | 121 | 152 | 110 | 91.0 | 85.0 | 75.1 | 141 | 125 | 141 | |
| Jahr | | 1998 | 1974 | 1982+ | 1980 | 1987 | 1988 | 1970 | 1965 | 1958 | 1970 | 1970 | 1998 | 1974 | |
| Mh _N | mm | | | | | | | | | | | | | | |
| Mh _A | mm | 24 | 31 | 36 | 32 | 36 | 33 | 22 | 21 | 19 | 18 | 21 | 24 | 31 | |
| | | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschrittene Abflüsse m ³ /s | | | | | |
| | | 2005 | | | | 2005 | | | | 51 Kalenderjahre | | | | | |
| | | Jahr | Datum | Winter | Sommer | Jahr | Datum | | | Abflussjahr (*) | Kalenderjahr | 1955/2005 | 51 Kalenderjahre | | |
| | | | | | | | | | | 2005 | 2005 | Obere Hüllwerte | Mittlere Werte | Untere Hüllwerte | |
| NQ | m ³ /s | 4.10 | am 18.03.2005 | 4.10 | 5.52 | 4.10 | am 18.03.2005 | | | (365) | 106 | 106 | 147 | 106 | |
| MQ | m ³ /s | 20.0 | | 28.6 | 11.5 | 17.5 | | | | 364 | 104 | 104 | 147 | 95.5 | |
| HQ | m ³ /s | 114 | am 16.02.2005 | 114 | 36.3 | 114 | am 16.02.2005 | | | 363 | 92.4 | 92.4 | 131 | 89.4 | |
| Nq | l/(skm ²) | 2.46 | | 2.46 | 3.32 | 2.46 | | | | 362 | 92.4 | 92.4 | 130 | 84.8 | |
| Mq | l/(skm ²) | 12.0 | | 17.2 | 6.91 | 10.5 | | | | 361 | 92.4 | 92.4 | 128 | 80.0 | |
| Hq | l/(skm ²) | 68.5 | | 68.5 | 21.8 | 68.5 | | | | 360 | 92.4 | 92.4 | 120 | 76.2 | |
| h _N | mm | | | | | | | | | 359 | 92.4 | 92.4 | 120 | 71.2 | |
| h _A | mm | 379 | | 269 | 110 | 331 | | | | 358 | 92.4 | 92.4 | 115 | 68.0 | |
| | | 1955/2005 (*) 51 Jahre | | | | 1955/2005 | | | | | | | | | |
| NQ | m ³ /s | 0.000 | am 14.04.1994 | 0.000 | 0.000 | 0.000 | am 14.04.1994 | | | 357 | 86.7 | 86.7 | 115 | 68.0 | |
| MNQ | m ³ /s | 3.34 | | 4.00 | 4.84 | 3.32 | | | | 356 | 85.7 | 85.7 | 115 | 63.5 | |
| MQ | m ³ /s | 16.5 | | 20.3 | 12.7 | 16.4 | | | | 355 | 85.7 | 85.7 | 110 | 50.8 | |
| MHQ | m ³ /s | 84.7 | | 76.4 | 50.9 | 87.1 | | | | 340 | 65.1 | 62.4 | 110 | 40.1 | |
| HQ | m ³ /s | 152 | am 06.04.1988 | 152 | 141 | 152 | am 06.04.1988 | | | 330 | 57.0 | 46.1 | 81.7 | 32.4 | |
| HQ ₁ | m ³ /s | | | | | | | | | 320 | 46.1 | 34.4 | 77.3 | 30.5 | |
| HQ ₅ | m ³ /s | | | | | | | | | 320 | 38.9 | 31.4 | 69.0 | 24.9 | |
| MNq | l/(skm ²) | 2.01 | | 2.40 | 2.91 | 1.99 | | | | 270 | 25.6 | 20.4 | 35.0 | 18.2 | |
| Mq | l/(skm ²) | 9.91 | | 12.2 | 7.63 | 9.85 | | | | 240 | 20.3 | 18.4 | 28.8 | 15.2 | |
| MHq | l/(skm ²) | 50.9 | | 45.9 | 30.6 | 52.3 | | | | 210 | 17.0 | 14.7 | 23.3 | 13.2 | |
| Mh _N | mm | | | | | | | | | 183 | 14.7 | 10.7 | 20.5 | 11.5 | |
| Mh _A | mm | 313 | | 191 | 121 | 311 | | | | 150 | 10.7 | 6.85 | 18.5 | 9.91 | |
| | | Niedrigwasser | | | | Hochwasser | | | | | | | | | |
| | | m ³ /s | l/(skm ²) | Datum | m ³ /s | l/(skm ²) | cm | Datum | | | | | | | |
| 1 | | 0.000 | | 14.04.1994 | 152 | 91.3 | | 06.04.1988 | | | | | | | |
| 2 | | 0.000 | | 11.04.1984+ | 141 | 84.7 | | 16.12.1974 | | | | | | | |
| 3 | | 0.000 | | 01.04.1984+ | 141 | 84.7 | | 01.10.1970 | | | | | | | |
| 4 | | 0.000 | | 17.12.1982+ | 138 | 82.9 | | 12.01.2003 | | | | | | | |
| 5 | | 0.000 | | 01.04.1977+ | 138 | 82.9 | | 11.01.1982+ | | | | | | | |
| 6 | | 0.000 | | 16.03.1977+ | 130 | 78.1 | | 29.12.1966 | | | | | | | |
| 7 | | 0.230 | 0.138 | 08.04.1972 | 128 | 76.9 | | 29.12.1993 | | | | | | | |
| 8 | | 0.230 | 0.138 | 14.04.1964+ | 125 | 75.1 | | 03.11.1998 | | | | | | | |
| 9 | | 0.330 | 0.198 | 04.05.1973+ | 121 | 72.7 | | 06.03.1987 | | | | | | | |
| 10 | | 0.380 | 0.228 | 20.11.1964+ | 120 | 72.1 | | 07.07.1958 | | | | | | | |

(*) Abflussjahr: 1.11. des Vorjahres bis 31.10.

Beeinflussung durch TS-Steuerung
147 Tage Verkrautung

A_{Eo} : 2678 km²

PNP: NN + 190.19 m

Lage: 258.0 km oberhalb Mündung rechts



m³/s

Pegel : Rudolstadt

Nr. 570270

Gewässer : Saale

Gebiet : Obere Saale

| Tag | 2004 | | 2005 | | | | | | | | | | | | |
|-----------------|-----------------------|------------------------|-----------------------|-------------|-------------------|-----------------------|---------------|-----------------|--------|----------------------------|--------|----------|------|-----------|------|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | |
| 1. | 17.4 | 43.3 | 72.8 | 45.1 | 37.6 | 50.5 | K 10.1 | K 9.60 | K 11.6 | K 11.6 | K 18.0 | K 35.2 | 9.20 | 10.6 | |
| 2. | 12.6 | 38.4 | 75.0 | 54.1 | 36.8 | 48.7 | K 9.60 | K 9.60 | K 16.8 | K 14.1 | K 15.6 | K 35.2 | 9.20 | 10.1 | |
| 3. | 7.60 | 33.6 | 75.0 | 54.1 | 36.0 | 46.0 | K 10.1 | K 9.60 | K 18.6 | K 11.6 | K 15.6 | K 33.6 | 7.60 | 10.6 | |
| 4. | 7.60 | 29.8 | 75.0 | 37.6 | 35.2 | 41.6 | K 10.6 | K 9.60 | K 18.0 | K 10.6 | K 15.1 | K 26.3 | 7.60 | 10.6 | |
| 5. | 7.60 | 27.0 | 68.4 | 24.2 | 34.4 | 36.0 | K 11.1 | K 9.20 | K 10.1 | K 10.1 | K 15.6 | K 24.2 | 8.40 | 22.2 | |
| 6. | 7.60 | 26.3 | 65.1 | 22.8 | 33.6 | 31.2 | K 10.6 | K 10.1 | K 9.20 | K 10.1 | K 17.4 | K 24.2 | 8.40 | 21.6 | |
| 7. | 7.60 | 26.3 | 56.9 | 21.0 | 35.2 | 32.8 | K 10.1 | K 10.1 | K 8.80 | K 10.6 | K 16.8 | K 24.2 | 8.80 | 18.0 | |
| 8. | 8.00 | 26.3 | 52.3 | 18.0 | 34.4 | 32.8 | K 12.1 | K 9.60 | K 8.40 | K 11.1 | K 17.4 | K 22.8 | 8.40 | 15.6 | |
| 9. | 8.00 | 23.5 | 48.7 | 29.1 | 30.5 | 31.2 | K 11.6 | K 9.60 | K 8.40 | K 10.1 | K 19.8 | K 22.8 | 8.40 | 15.1 | |
| 10. | 8.80 | 19.2 | 46.9 | 40.0 | 34.4 | 30.5 | K 11.6 | K 9.20 | K 8.00 | K 9.20 | K 21.0 | K 22.8 | 8.40 | 14.6 | |
| 11. | 8.80 | 19.2 | 43.3 | 58.9 | 31.2 | 27.0 | K 11.6 | K 9.20 | K 9.20 | K 9.20 | K 21.6 | K 22.8 | 8.00 | 14.1 | |
| 12. | 10.6 | 18.6 | 37.6 | 90.6 | 20.4 | 24.2 | K 11.6 | K 9.20 | K 8.00 | K 16.2 | K 23.5 | K 19.8 | 7.60 | 15.1 | |
| 13. | 24.9 | 13.6 | 35.2 | 130 | 19.2 | 23.5 | K 11.1 | K 8.80 | K 7.60 | K 11.1 | K 29.8 | K 19.2 | 8.40 | 17.4 | |
| 14. | 25.6 | 11.6 | 27.7 | 110 | 19.8 | 20.4 | K 11.1 | K 8.80 | K 8.40 | K 9.20 | K 32.8 | K 18.0 | 8.40 | 17.4 | |
| 15. | 25.6 | 14.6 | 21.6 | 138 | 39.2 | 19.2 | K 16.2 | K 8.80 | K 8.40 | K 10.1 | K 36.8 | K 19.2 | 8.40 | 18.0 | |
| 16. | 27.0 | 14.6 | 20.4 | 152 | 32.8 | 27.0 | K 11.1 | K 8.40 | K 7.60 | K 9.20 | K 39.2 | K 23.5 | 8.40 | 24.2 | |
| 17. | 32.8 | 16.8 | 19.2 | 145 | 46.0 | 26.3 | K 11.1 | K 8.40 | K 7.20 | K 8.40 | K 40.0 | K 18.0 | 8.80 | 34.4 | |
| 18. | 37.6 | 21.0 | 19.2 | 127 | 76.2 | 22.2 | K 10.1 | K 8.40 | K 7.20 | K 8.40 | K 38.4 | K 16.8 | 8.80 | 33.6 | |
| 19. | 50.5 | 19.8 | 19.2 | 117 | 89.2 | 16.8 | K 10.1 | K 8.00 | K 8.00 | K 8.40 | K 38.4 | K 16.2 | 8.80 | 32.0 | |
| 20. | 51.4 | 16.8 | 22.8 | 113 | 77.4 | 15.1 | K 10.1 | K 8.00 | K 8.00 | K 11.6 | K 38.4 | K 12.1 | 8.80 | 32.0 | |
| 21. | 46.0 | 13.1 | 58.9 | 110 | 60.9 | 13.6 | K 9.60 | K 7.60 | K 7.60 | K 11.1 | K 39.2 | K 13.6 | 10.1 | 30.5 | |
| 22. | 51.4 | 19.2 | 79.9 | 109 | 47.8 | 13.1 | K 11.1 | K 7.60 | K 7.60 | K 10.6 | K 37.6 | K 25.6 | 10.1 | 29.8 | |
| 23. | 65.1 | 20.4 | 82.5 | 103 | 40.8 | 12.6 | K 11.1 | K 7.20 | K 7.60 | K 15.6 | K 35.2 | K 24.9 | 9.20 | 27.0 | |
| 24. | 78.6 | 25.6 | 81.2 | 82.5 | 37.6 | 13.1 | K 12.1 | K 8.80 | K 7.20 | K 17.4 | K 34.4 | K 17.4 | 11.1 | 24.2 | |
| 25. | 81.2 | 33.6 | 83.8 | 57.9 | 43.3 | 13.1 | K 10.6 | K 7.60 | K 8.00 | K 19.2 | K 33.6 | K 14.6 | 10.6 | 24.9 | |
| 26. | 79.9 | 37.6 | 87.8 | 40.8 | 46.9 | 11.6 | K 10.1 | K 8.80 | K 8.00 | K 21.6 | K 33.6 | K 9.60 | 8.40 | 24.2 | |
| 27. | 77.4 | 47.8 | 96.2 | 39.2 | 46.9 | 11.6 | K 10.1 | K 8.00 | K 7.60 | K 22.2 | K 21.6 | K 9.60 | 8.00 | 24.9 | |
| 28. | 75.0 | 66.2 | 106 | 38.4 | 43.3 | 11.1 | K 10.1 | K 7.60 | K 8.40 | K 21.0 | K 18.0 | K 9.60 | 10.1 | 28.4 | |
| 29. | 71.7 | 72.8 | 99.0 | | 45.1 | 10.6 | K 10.1 | K 7.20 | K 8.40 | K 21.0 | K 23.5 | K 8.00 | 9.60 | 27.7 | |
| 30. | 53.2 | 79.9 | 61.9 | | 46.0 | 10.6 | K 9.60 | K 10.1 | K 15.6 | K 21.0 | K 29.1 | K 8.00 | 10.1 | 27.7 | |
| 31. | | 71.7 | 46.0 | | 47.8 | | K 10.1 | | K 10.1 | K 19.8 | | K 8.40 | | 32.0 | |
| Tag | 3.+ | 14. | 17.+ | 8. | 13. | 29.+ | 2.+ | 23.+ | 17.+ | 17.+ | 4. | 29.+ | 3.+ | 2. | |
| NQ | 7.60 | 11.6 | 19.2 | 18.0 | 19.2 | 10.6 | 9.60 | 7.20 | 7.20 | 8.40 | 15.1 | 8.00 | 7.60 | 10.1 | |
| MQ | 35.6 | 30.6 | 57.6 | 75.3 | 42.1 | 24.1 | 10.8 | 8.76 | 9.47 | 13.3 | 24.2 | 19.6 | 8.87 | 22.2 | |
| HQ | 86.4 | 82.5 | 116 | 159 | 92.0 | 53.2 | 25.6 | 12.6 | 38.4 | 23.5 | 35.2 | 37.6 | 15.6 | 41.6 | |
| Tag | 25. | 30. | 28. | 16. | 19. | 1. | 15. | 24. | 29. | 25. | 30. | 2. | 24.+ | 17. | |
| h _N | mm | | | | | | | | | | | | | | |
| h _A | mm | 34 | 31 | 58 | 68 | 42 | 23 | 11 | 8 | 9 | 13 | 26 | 20 | 9 | 22 |
| | | 1942/2004 | | 1943/2005 | | | | | | | | | | 59 Jahre | |
| Jahr | 1967 | 1997 | 1963 | 1954 | 1972 | 1963 | 1998 | 1947 | 1947 | 2003 | 1999 | 2003 | 1967 | 1997 | |
| NQ | 4.04 | 6.40 | 5.20 | 5.14 | 6.84 | 6.88 | 5.70 | 3.20 | 5.40 | 4.90 | 4.90 | 5.40 | 4.04 | 6.40 | |
| MNQ | 13.2 | 15.0 | 16.5 | 19.6 | 20.3 | 18.6 | 12.8 | 11.8 | 10.8 | 10.3 | 10.8 | 11.2 | 12.9 | 14.7 | |
| MQ | 22.7 | 30.9 | 35.4 | 35.8 | 38.5 | 35.5 | 21.8 | 21.2 | 18.0 | 16.4 | 16.8 | 18.4 | 22.4 | 30.9 | |
| MHQ | 42.4 | 62.0 | 73.9 | 70.3 | 73.4 | 68.3 | 43.5 | 43.4 | 37.0 | 32.4 | 32.4 | 37.4 | 42.2 | 62.8 | |
| HQ | 224 | 175 | 275 | 315 | 179 | 363 | 137 | 121 | 217 | 174 | 182 | 161 | 224 | 175 | |
| HQ ₁ | 1998 | 1993 | 2003 | 1946 | 2002 | 1994 | 1969 | 1965 | 1958 | 1981 | 1998 | 1998 | 1998 | 1993 | |
| Mh _N | mm | | | | | | | | | | | | | | |
| Mh _A | mm | 22 | 31 | 35 | 32 | 39 | 34 | 22 | 21 | 18 | 16 | 18 | 22 | 31 | |
| | | Abflussjahr (*) | | | | Kalenderjahr | | Unterschrittene | | Abflüsse m ³ /s | | | | | |
| | | 2005 | | | | 2005 | | dauer | | 1943/2005 59 Kalenderjahre | | | | | |
| | | Jahr | Datum | Winter | Sommer | Jahr | Datum | in Tagen | | Abfluss- | | Kalender | | 1943/2005 | |
| | | | | | | | | | | jahr (*) | | jahr | | Obere | |
| | | | | | | | | | | 2005 | | 2005 | | Hüllwerte | |
| | | | | | | | | | | | | | | Mittlere | |
| | | | | | | | | | | | | | | Werte | |
| | | | | | | | | | | | | | | Untere | |
| | | | | | | | | | | | | | | Hüllwerte | |
| NQ | m ³ /s | 7.20 | am 23.06.2005 | 7.60 | 7.20 | 7.20 | am 23.06.2005 | | | (365) | 152 | 152 | 546 | 155 | 30.3 |
| MQ | m ³ /s | 29.2 | | 43.9 | 14.8 | 26.3 | | | | 364 | 145 | 145 | 235 | 142 | 26.7 |
| HQ | m ³ /s | 159 | am 16.02.2005 | 159 | 38.4 | 159 | am 16.02.2005 | | | 363 | 138 | 138 | 220 | 130 | 25.1 |
| Nq | l/(skm ²) | 2.69 | | 2.84 | 2.69 | 2.69 | | | | 362 | 130 | 130 | 197 | 124 | 22.2 |
| Mq | l/(skm ²) | 10.9 | | 16.4 | 5.53 | 9.82 | | | | 361 | 127 | 127 | 192 | 117 | 22.2 |
| Hq | l/(skm ²) | 59.4 | | 59.4 | 14.3 | 59.4 | | | | 360 | 117 | 117 | 181 | 110 | 22.2 |
| h _N | mm | | | | | | | | | 358 | 113 | 113 | 171 | 104 | 20.7 |
| h _A | mm | 344 | | 256 | 88 | 310 | | | | 357 | 113 | 113 | 167 | 99.0 | 20.7 |
| | | 1943/2005 (*) 61 Jahre | | | | 1943/2005 | | | | | | | | | |
| NQ | m ³ /s | 3.20 | am 28.06.1947 | 4.04 | 3.20 | 3.20 | am 28.06.1947 | | | 356 | 113 | 113 | 165 | 94.2 | 20.7 |
| MNQ | m ³ /s | 7.48 | | 10.2 | 7.95 | 7.49 | | | | 355 | 90.6 | 90.6 | 139 | 73.3 | 18.7 |
| MQ | m ³ /s | 25.9 | | 33.0 | 18.9 | 25.9 | | | | 340 | 81.2 | 76.2 | 127 | 60.9 | 18.5 |
| MHQ | m ³ /s | 130 | | 121 | 68.6 | 135 | | | | 330 | 75.0 | 57.9 | 112 | 52.5 | 17.4 |
| HQ | m ³ /s | 363 | am 13.04.1994 | 363 | 212 | 363 | am 13.04.1994 | | | 320 | 60.9 | 47.8 | 89.1 | 46.4 | 16.7 |
| HQ ₁ | m ³ /s | | | | | | | | | 300 | 46.9 | 40.0 | 69.5 | 38.4 | 15.9 |
| HQ ₅ | m ³ /s | | | | | | | | | 270 | 38.4 | 33.6 | 57.9 | 29.8 | 14.1 |
| MNq | l/(skm ²) | 2.79 | | 3.81 | 2.97 | 2.80 | | | | 240 | 31.2 | 24.9 | 42.4 | 24.1 | 13.0 |
| Mq | l/(skm ²) | 9.67 | | 12.3 | 7.06 | 9.67 | | | | 210 | 24.2 | 21.6 | 36.8 | 20.3 | 11.6 |
| MHq | l/(skm ²) | 48.5 | | 45.2 | 25.6 | 50.4 | | | | 183 | 20.4 | 18.0 | 33.5 | 18.0 | 9.60 |
| Mh _N | mm | | | | | | | | | 150 | 16.8 | 12.6 | 26.8 | 15.9 | 8.80 |
| Mh _A | mm | 305 | | 193 | 112 | 305 | | | | 130 | 13.1 | 11.6 | 25.4 | 14.7 | 8.00 |
| | | Niedrigwasser | | | | Hochwasser | | | | | | | | | |
| | | m ³ /s | l/(skm ²) | Datum | m ³ /s | l/(skm ²) | cm | Datum | | | | | | | |
| 1 | | 3.20 | 1.19 | 28.06.1947 | 363 | 136 | | 13.04.1994 | | | | | | | |
| 2 | | 4.04 | 1.51 | 25.11.1967+ | 315 | 118 | | 09.02.1946 | | | | | | | |
| 3 | | 4.90 | 1.83 | 27.08.2003+ | 275 | 103 | | 03.01.2003 | | | | | | | |
| 4 | | 4.90 | 1.83 | 16.09.1999+ | 229 | 85.5 | | 27.02.2002 | | | | | | | |
| 5 | | 5.14 | 1.92 | 21.02.1954 | 224 | 83.6 | | 01.11.1998 | | | | | | | |
| 6 | | 5.20 | 1.94 | 15.01.1963 | 221 | 82.5 | | 02.04.1988 | | | | | | | |
| 7 | | 5.40 | 2.02 | 08.06.1998+ | 212 | 79.2 | | 06.01.1982 | | | | | | | |
| 8 | | 5.40 | 2.02 | 23.07.1947+ | 212 | 79.2 | | 07.07.1958 | | | | | | | |
| 9 | | 5.40 | 2.02 | 09.08.1946 | 205 | 76.5 | | 28.01.2002 | | | | | | | |
| 10 | | 5.51 | 2.06 | 30.09.1997 | 184 | 68.7 | | 06.01.1994 | | | | | | | |

A_{Eo} : 3977 km²

PNP: NN + 118.61 m

Lage: 187.0 km oberhalb Mündung links



m³/s

Pegel : Camburg-Stöben

Nr. 570330

Gewässer : Saale

Gebiet : Obere Saale

| Tag | 2004 | | 2005 | | | | | | | | | | | | | |
|-----------------|-----------------------|-----------------------|---------------|-------------------|-----------------------|------|---------------|--|---|-------------------|---------------------------------|-------------------|---------------------|------|------|----------|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | |
| 1. | 18.0 | 55.0 | 77.8 | 55.0 | 47.0 | 61.8 | K 14.2 | K 14.2 | K 13.9 | K 11.2 | K 20.8 | K 33.9 | 12.0 | 11.2 | | |
| 2. | 18.0 | 47.0 | 81.8 | 60.1 | 46.4 | 58.4 | K 13.7 | K 13.4 | K 15.8 | K 14.5 | K 18.6 | K 40.2 | 12.0 | 11.5 | | |
| 3. | 11.5 | 43.6 | 82.9 | 69.8 | 45.9 | 56.7 | K 13.9 | K 13.1 | K 20.8 | K 12.8 | K 16.9 | K 38.5 | 11.8 | 11.0 | | |
| 4. | 10.4 | 41.9 | 83.5 | 60.1 | 40.7 | 54.4 | K 14.9 | K 13.1 | K 19.1 | K 13.1 | K 16.9 | K 33.9 | 11.2 | 11.2 | | |
| 5. | 9.90 | 37.3 | 79.5 | 41.9 | 43.0 | 47.6 | K 16.9 | K 13.1 | K 18.0 | K 11.5 | K 16.4 | K 25.9 | 12.3 | 12.3 | | |
| 6. | 10.2 | 35.6 | 73.2 | 34.5 | 43.6 | 41.9 | K 15.3 | K 13.7 | K 10.7 | K 11.8 | K 18.6 | K 25.9 | 12.3 | 23.1 | | |
| 7. | 10.2 | 35.0 | 68.1 | 31.1 | 43.0 | 40.2 | K 15.3 | K 14.2 | K 11.2 | K 12.0 | K 18.6 | K 25.4 | 11.5 | 19.7 | | |
| 8. | 10.2 | 34.5 | 61.8 | 25.4 | 48.7 | 40.7 | K 16.4 | K 13.7 | K 10.7 | K 12.3 | K 18.0 | K 25.4 | 11.8 | 18.6 | | |
| 9. | 11.0 | 33.3 | 56.1 | 29.3 | 31.1 | 39.6 | K 17.5 | K 12.8 | K 11.0 | K 11.9 | K 18.6 | K 24.8 | 12.0 | 17.5 | | |
| 10. | 11.8 | 28.2 | 53.9 | 41.3 | 35.0 | 38.5 | K 15.3 | K 12.8 | K 11.0 | K 10.7 | K 23.6 | K 24.2 | 11.8 | 16.9 | | |
| 11. | 11.5 | 25.4 | 51.6 | 56.1 | 38.5 | 37.3 | K 15.3 | K 12.8 | K 12.0 | K 10.2 | K 27.1 | K 24.2 | 11.8 | 15.8 | | |
| 12. | 11.2 | 24.8 | 45.9 | 88.6 | 36.2 | 32.2 | K 14.9 | K 12.8 | K 10.2 | K 10.7 | K 24.2 | K 23.6 | 11.5 | 15.3 | | |
| 13. | 16.4 | 24.2 | 43.0 | 124 | 29.3 | 31.1 | K 14.9 | K 12.3 | K 9.90 | K 17.5 | K 30.5 | K 19.1 | 11.5 | 19.1 | | |
| 14. | 27.6 | 16.4 | 37.9 | 121 | 28.2 | 29.9 | K 14.9 | K 12.8 | K 9.90 | K 10.7 | K 35.0 | K 19.1 | 11.5 | 19.7 | | |
| 15. | 27.1 | 16.4 | 31.1 | 129 | 41.9 | 24.2 | K 19.1 | K 11.5 | K 11.8 | K 10.7 | K 39.6 | K 18.6 | 11.5 | 19.7 | | |
| 16. | 26.5 | 19.1 | 26.5 | 141 | 47.0 | 30.5 | K 19.7 | K 11.2 | K 10.2 | K 11.0 | K 43.0 | K 21.4 | 12.3 | 21.9 | | |
| 17. | 29.9 | 19.7 | 24.8 | 148 | 71.5 | 33.3 | K 16.4 | K 12.0 | K 10.2 | K 10.4 | K 47.0 | K 21.4 | 12.3 | 36.2 | | |
| 18. | 36.2 | 25.9 | 24.2 | 144 | 84.1 | 33.9 | K 15.8 | K 11.2 | K 9.40 | K 10.4 | K 44.2 | K 17.5 | 12.0 | 37.9 | | |
| 19. | 48.7 | 27.6 | 25.4 | 129 | 102 | 25.4 | K 15.3 | K 10.7 | K 9.90 | K 10.7 | K 42.5 | K 17.5 | 11.8 | 37.3 | | |
| 20. | 60.7 | 24.2 | 23.6 | 124 | 104 | 22.5 | K 14.5 | K 10.7 | K 10.4 | K 11.2 | K 42.5 | K 14.2 | 11.8 | 36.8 | | |
| 21. | 51.6 | 16.9 | 48.7 | 120 | 88.1 | 17.5 | K 13.9 | K 10.7 | K 11.2 | K 13.1 | K 42.5 | K 13.7 | 13.4 | 36.2 | | |
| 22. | 48.7 | 17.5 | 77.8 | 116 | 72.7 | 16.4 | K 17.5 | K 11.2 | K 10.4 | K 12.6 | K 42.5 | K 18.0 | 13.1 | 33.3 | | |
| 23. | 63.5 | 23.1 | 85.8 | 114 | 61.3 | 15.3 | K 16.9 | K 10.4 | K 10.7 | K 15.3 | K 37.3 | K 23.6 | 12.8 | 33.3 | | |
| 24. | 74.9 | 24.2 | 87.5 | 105 | 54.4 | 14.9 | K 17.7 | K 10.4 | K 9.90 | K 19.1 | K 36.2 | K 23.1 | 12.0 | 28.8 | | |
| 25. | 81.2 | 33.3 | 88.1 | 86.3 | 54.4 | 15.3 | K 15.3 | K 11.5 | K 9.90 | K 19.7 | K 36.2 | K 19.1 | 13.7 | 28.2 | | |
| 26. | 83.5 | 40.2 | 92.0 | 60.1 | 60.1 | 16.4 | K 14.5 | K 12.0 | K 9.90 | K 23.1 | K 36.2 | K 17.5 | 12.3 | 28.2 | | |
| 27. | 81.2 | 46.4 | 94.9 | 52.7 | 60.7 | 17.5 | K 13.9 | K 11.5 | K 9.65 | K 24.2 | K 33.3 | K 13.1 | 11.5 | 27.6 | | |
| 28. | 78.9 | 63.0 | 100 | 49.3 | 58.4 | 15.3 | K 13.7 | K 10.4 | K 10.4 | K 23.6 | K 19.7 | K 13.4 | 11.2 | 30.5 | | |
| 29. | 77.8 | 71.5 | 109 | | 55.0 | 14.5 | K 13.9 | K 10.7 | K 10.2 | K 23.6 | K 24.8 | K 12.8 | 11.5 | 31.1 | | |
| 30. | 67.0 | 80.1 | 86.9 | | 56.7 | 14.2 | K 13.9 | K 12.3 | K 21.9 | K 23.6 | K 25.9 | K 12.0 | 11.2 | 30.5 | | |
| 31. | | 78.9 | 60.1 | | 55.0 | | K 13.9 | | K 13.7 | K 23.6 | | K 12.0 | | 32.8 | | |
| Tag | 5. | 14.+ | 20. | 8. | 14. | 30. | 2.+ | 23.+ | 18. | 11. | 5. | 30.+ | 4.+ | 3. | | |
| NQ | 9.90 | 16.4 | 23.6 | 25.4 | 28.2 | 14.2 | 13.7 | 10.4 | 9.40 | 10.2 | 16.4 | 12.0 | 11.2 | 11.0 | | |
| MQ | 37.5 | 35.8 | 64.0 | 84.2 | 54.3 | 31.2 | 15.5 | 12.1 | 14.7 | 29.9 | 21.7 | 12.0 | 24.3 | 24.3 | | |
| HQ | 84.6 | 82.4 | 111 | 150 | 107 | 63.0 | 29.9 | 19.1 | 33.3 | 21.9 | 49.3 | 41.9 | 16.4 | 41.9 | | |
| Tag | 26. | 31. | 29. | 17. | 20. | 1. | 16. | 30. | 30. | 13.+ | 17. | 2. | 23.+ | 17. | | |
| h _N | mm | | | | | | | | | | | | | | | |
| h _A | mm | 24 | 24 | 43 | 51 | 37 | 20 | 10 | 8 | 8 | 10 | 19 | 15 | 8 | 16 | |
| | | 1931/2004 | | 1932/2005 | | | | | | | | | | | | 74 Jahre |
| Jahr | | 1947 | 1947 | 1964 | 1963 | 1949 | 1949 | 1949 | 1934 | 1934 | 1949 | 1947 | 1949 | 1947 | 1947 | |
| NQ | m ³ /s | 6.50 | 6.08 | 6.84 | 8.00 | 8.18 | 9.10 | 8.60 | 6.60 | 5.40 | 6.50 | 5.55 | 6.08 | 6.50 | 6.08 | |
| MNQ | m ³ /s | 18.5 | 19.2 | 21.4 | 24.6 | 26.7 | 24.3 | 17.8 | 16.2 | 15.0 | 13.9 | 14.1 | 14.6 | 18.4 | 19.1 | |
| MQ | m ³ /s | 29.0 | 35.1 | 40.1 | 40.5 | 46.1 | 42.9 | 28.4 | 26.8 | 23.0 | 20.8 | 20.9 | 22.5 | 28.9 | 35.2 | |
| MHQ | m ³ /s | 50.8 | 65.4 | 77.6 | 71.5 | 81.4 | 75.7 | 53.1 | 53.8 | 45.9 | 38.2 | 36.7 | 41.2 | 50.6 | 65.5 | |
| HQ | m ³ /s | 259 | 299 | 227 | 273 | 193 | 282 | 235 | 274 | 236 | 173 | 141 | 163 | 259 | 299 | |
| Jahr | | 1940 | 1939 | 2003 | 1946 | 2002 | 1994 | 1941 | 1941 | 1958 | 1981 | 1939 | 1998 | 1940 | 1939 | |
| Mh _N | mm | | | | | | | | | | | | | | | |
| Mh _A | mm | 19 | 24 | 27 | 25 | 31 | 28 | 19 | 17 | 15 | 14 | 14 | 15 | 19 | 24 | |
| Hauptwerte | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschiedene Abflüsse m ³ /s | | | | | | | |
| | | 2005 | | 2005 | | 2005 | | 2005 | | 1932/2005 (*) | | 74 Kalenderjahre | | | | |
| | | Jahr | Datum | Winter | Sommer | Jahr | Datum | Unterschreitungs- dauer in Tagen | Abfluss- jahr (*) | Kalender- jahr | 1932/2005 Obere Hüllwerte | Mittlere Werte | Untere Hüllwerte | | | |
| | NQ | m ³ /s | 9.40 | am 18.07.2005 | 9.90 | 9.40 | 9.40 | am 18.07.2005 | (365) | 148 | 148 | 291 | 167 | 29.8 | | |
| | MQ | m ³ /s | 34.1 | | 50.8 | 17.6 | 31.0 | | 364 | 144 | 144 | 276 | 153 | 29.8 | | |
| | HQ | m ³ /s | 150 | am 17.02.2005 | 150 | 49.3 | 150 | am 17.02.2005 | 363 | 362 | 141 | 141 | 276 | 144 | 29.8 | |
| | Nq | l/(skm ²) | 2.36 | | 2.49 | 2.36 | 2.36 | | 361 | 360 | 141 | 141 | 276 | 137 | 25.4 | |
| | Mq | l/(skm ²) | 8.57 | | 12.8 | 4.43 | 7.79 | | 359 | 358 | 129 | 129 | 218 | 123 | 25.2 | |
| | Hq | l/(skm ²) | 37.7 | | 37.7 | 12.4 | 37.7 | | 357 | 356 | 121 | 121 | 181 | 117 | 25.2 | |
| | h _N | mm | | | | | | | 356 | 350 | 120 | 120 | 175 | 107 | 24.6 | |
| | h _A | mm | 270 | | 200 | 70 | 246 | | 350 | 340 | 102 | 102 | 164 | 86.0 | 23.6 | |
| | | | 1932/2005 (*) | | 74 Jahre | | 1932/2005 | | 340 | 330 | 85.8 | 85.8 | 139 | 70.9 | 22.8 | |
| | NQ | m ³ /s | 5.40 | am 08.07.1934 | 6.08 | 5.40 | 5.40 | am 08.07.1934 | 330 | 320 | 79.5 | 71.5 | 128 | 61.2 | 22.7 | |
| | MNQ | m ³ /s | 10.8 | | 14.2 | 11.4 | 11.0 | | 320 | 270 | 69.8 | 60.7 | 113 | 54.5 | 22.7 | |
| | MQ | m ³ /s | 31.3 | | 39.0 | 23.7 | 31.3 | | 300 | 270 | 56.7 | 47.6 | 93.8 | 44.7 | 19.6 | |
| MHQ | m ³ /s | 138 | | 128 | 83.2 | 141 | | 270 | 240 | 43.6 | 38.5 | 78.4 | 35.6 | 17.2 | | |
| HQ | m ³ /s | 299 | am 03.12.1939 | 299 | 274 | 299 | am 03.12.1939 | 240 | 210 | 37.3 | 31.1 | 70.4 | 29.7 | 16.0 | | |
| HQ ₁ | m ³ /s | | | | | | | 210 | 183 | 27.6 | 24.2 | 64.1 | 25.7 | 14.3 | | |
| HQ ₅ | m ³ /s | | | | | | | 183 | 150 | 24.2 | 19.7 | 59.2 | 22.9 | 13.0 | | |
| MNq | l/(skm ²) | 2.72 | | 3.57 | 2.87 | 2.77 | | 150 | 130 | 18.6 | 16.4 | 51.6 | 20.3 | 10.8 | | |
| Mq | l/(skm ²) | 7.87 | | 9.81 | 5.96 | 7.87 | | 130 | 120 | 16.9 | 14.9 | 47.1 | 18.8 | 9.70 | | |
| MHq | l/(skm ²) | 34.7 | | 32.2 | 20.9 | 35.5 | | 120 | 110 | 15.8 | 14.2 | 43.7 | 18.2 | 9.70 | | |
| Mh _N | mm | | | | | | | 110 | 100 | 15.3 | 13.9 | 42.0 | 17.5 | 9.70 | | |
| Mh _A | mm | 248 | | 153 | 95 | 248 | | 100 | 90 | 14.5 | 13.4 | 39.8 | 16.9 | 9.90 | | |
| | | Niedrigwasser | | Hochwasser | | | | 90 | 80 | 13.9 | 12.6 | 38.7 | 16.2 | 9.10 | | |
| | m ³ /s | l/(skm ²) | Datum | m ³ /s | l/(skm ²) | cm | Datum | 80 | 70 | 13.4 | 12.3 | 36.1 | 15.5 | 9.10 | | |
| 1 | 5.40 | 1.36 | 08.07.1934 | 299 | 75.2 | | 03.12.1939 | 70 | 60 | 13.1 | 12.3 | 34.0 | 15.0 | 8.85 | | |
| 2 | 5.55 | 1.40 | 16.09.1947 | 292 | 70.9 | | 14.04.1994 | 60 | 50 | 12.3 | 11.8 | 33.0 | 14.2 | 8.50 | | |
| 3 | 5.90 | 1.46 | 14.07.1935+ | 274 | 68.9 | | 01.06.1941 | 50 | 40 | 11.8 | 11.8 | 31.0 | 13.5 | 8.50 | | |
| 4 | 6.08 | 1.53 | 23.09.1949+ | 273 | 68.6 | | 10.02.1946 | 40 | 30 | 11.2 | 11.5 | 29.5 | 12.8 | 8.20 | | |
| 5 | 6.50 | 1.63 | 07.08.1949 | 258 | 64.9 | | 06.11.1940 | 30 | 20 | 11.0 | 11.0 | 28.1 | 12.1 | 7.80 | | |
| 6 | 6.60 | 1.66 | 10.09.1933 | 248 | 62.4 | | 30.11.1939 | 25 | 15 | 10.7 | 11.0 | 27.7 | 11.6 | 7.80 | | |
| 7 | 6.84 | 1.72 | 12.01.1964 | 236 | 59.3 | | 08.07.1958+ | 20 | 10 | 10.7 | 10.7 | 25.7 | 11.2 | 7.50 | | |
| 8 | 7.00 | 1.76 | 16.08.1998+ | 235 | 59.1 | | 31.05.1941 | 15 | 10 | 10.4 | 10.7 | 23.9 | 10.7 | 7.34 | | |
| 9</ | | | | | | | | | | | | | | | | |

A_{Eo} : 362 km²

PNP: NN + 239.34 m

Lage: 1.8 km oberhalb Mündung rechts



m³/s

Pegel : Kaulsdorf-Eichicht

Nr. 572010

Gewässer : Loquitz

Gebiet : Obere Saale

| Tag | 2004 | | 2005 | | | | | | | | | | | | |
|-----------------|-----------------------|-------|---------------|-------|--------|-------|------------------------|-------|--------|--------|--------|--------|--|--------|----------|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | |
| 1. | 0.900 | 3.78 | 5.32 | 3.95 | R3.29 | 6.83 | 1.42 | 1.16 | K2.35 | K0.770 | K0.470 | K0.900 | 0.470 | R0.670 | |
| 2. | 0.900 | 3.45 | 7.29 | 3.95 | R3.13 | 6.15 | 1.29 | 1.03 | K1.81 | K0.670 | K0.570 | K1.94 | 0.570 | R0.770 | |
| 3. | 0.900 | 3.29 | 7.52 | 4.14 | R2.97 | 5.52 | 1.29 | 1.03 | K1.29 | K1.42 | K0.570 | K1.42 | 0.570 | 0.770 | |
| 4. | 0.770 | 2.97 | 7.98 | 3.78 | R2.81 | 4.92 | 1.55 | 1.03 | K0.900 | K1.29 | K0.570 | K1.03 | 0.470 | 1.03 | |
| 5. | 0.770 | 2.65 | 7.75 | R3.61 | R2.65 | 4.52 | 1.68 | 0.770 | K0.770 | K0.900 | K0.470 | K0.900 | 0.670 | 7.29 | |
| 6. | 0.770 | 2.50 | 7.52 | R3.29 | R2.50 | 4.14 | 1.55 | 1.03 | K0.900 | K0.770 | K0.470 | K0.900 | 0.670 | 5.72 | |
| 7. | 0.900 | 2.35 | 7.06 | R3.13 | R2.50 | 4.72 | 1.42 | 1.03 | K0.900 | K1.16 | K0.380 | K0.900 | 0.570 | 4.72 | |
| 8. | 1.03 | 2.21 | 7.29 | R3.13 | R2.35 | 4.72 | 1.55 | 1.03 | K0.900 | K1.29 | K0.380 | K0.900 | 0.470 | 3.95 | |
| 9. | 1.16 | 2.07 | 7.06 | R2.97 | R2.35 | 4.14 | 1.42 | 0.770 | K0.770 | K1.03 | K0.300 | K0.770 | 0.470 | 3.45 | |
| 10. | 1.29 | 1.94 | 6.60 | 2.97 | R2.35 | 3.61 | 1.29 | 0.770 | K0.670 | K0.900 | K0.470 | K0.770 | 0.380 | 2.81 | |
| 11. | 1.29 | 1.94 | 6.15 | 3.78 | R2.21 | 3.45 | 1.29 | 0.770 | K1.29 | K0.770 | K1.42 | K0.670 | 0.300 | 2.50 | |
| 12. | 1.55 | 1.81 | 5.72 | 9.59 | 2.81 | 3.13 | 1.16 | 0.670 | K0.770 | K0.770 | K0.900 | K0.670 | 0.380 | 2.35 | |
| 13. | 2.50 | 1.68 | 5.52 | 31.3 | 2.81 | 2.97 | 1.16 | 0.670 | K0.570 | K0.770 | K1.03 | K0.670 | 0.380 | 2.21 | |
| 14. | 2.81 | R1.68 | 4.92 | 24.1 | 2.65 | 2.81 | 1.16 | 0.570 | K0.670 | K0.670 | K0.670 | K0.570 | 0.470 | 2.07 | |
| 15. | 2.65 | R1.68 | 4.33 | 16.7 | 2.81 | 2.65 | 1.81 | 0.670 | K0.900 | K1.16 | K0.570 | K0.570 | 0.380 | 2.07 | |
| 16. | 2.35 | 1.68 | 3.95 | 12.9 | 4.52 | 2.50 | 1.42 | 0.670 | K0.670 | K1.16 | K1.55 | K0.570 | 0.570 | 3.13 | |
| 17. | 2.50 | 1.81 | 3.61 | 9.82 | 17.0 | 2.35 | 1.42 | 0.570 | K0.570 | K0.900 | K2.07 | K0.570 | 0.670 | 3.61 | |
| 18. | 3.61 | 2.81 | 3.78 | 7.75 | 35.7 | 2.35 | 1.29 | 0.570 | K0.570 | K0.770 | K1.42 | K0.570 | 0.670 | 3.29 | |
| 19. | 12.6 | 2.07 | 3.61 | 7.06 | 37.7 | 2.50 | 1.16 | 0.470 | K0.670 | K0.670 | K1.16 | K0.570 | 0.670 | 3.13 | |
| 20. | 13.6 | 1.81 | 3.95 | 6.15 | 30.6 | 2.21 | 1.03 | 0.470 | K0.670 | K1.03 | K1.03 | K0.570 | 0.670 | 2.97 | |
| 21. | 10.3 | R1.29 | 10.5 | 5.72 | 21.8 | 2.07 | 1.03 | 0.570 | K0.670 | K0.900 | K0.770 | K0.470 | 1.03 | 2.97 | |
| 22. | 8.90 | G1.29 | 9.82 | 5.52 | 16.5 | 1.94 | 1.42 | 0.570 | K0.670 | K0.900 | K0.770 | K0.470 | 1.03 | 2.97 | |
| 23. | 10.5 | G1.29 | 8.90 | 5.32 | 14.3 | 1.81 | 1.94 | 0.470 | K0.570 | K1.58 | K0.770 | K0.470 | 0.900 | 2.97 | |
| 24. | 10.1 | G4.72 | 7.75 | 4.92 | 12.4 | 1.81 | 2.07 | 0.470 | K0.470 | K0.670 | K0.670 | K0.570 | 0.900 | 2.81 | |
| 25. | 8.90 | 7.98 | 7.29 | 4.52 | 12.6 | 1.81 | 1.55 | 0.470 | K0.470 | K1.03 | K0.570 | K0.570 | 0.900 | 3.13 | |
| 26. | 7.75 | 7.98 | 6.15 | 4.14 | 14.1 | 1.94 | 1.42 | 0.900 | K0.470 | K1.03 | K0.570 | K0.470 | 0.770 | 3.13 | |
| 27. | 6.60 | 7.52 | R5.52 | 3.95 | 12.9 | 1.81 | 1.29 | 0.670 | K0.380 | K0.770 | K0.670 | K0.570 | 0.670 | 2.97 | |
| 28. | 5.72 | 6.60 | R5.32 | 3.61 | 11.7 | 1.68 | 1.29 | 0.570 | K0.380 | K0.670 | K0.570 | K0.470 | 0.670 | 2.81 | |
| 29. | 4.92 | 5.93 | R4.92 | | 10.5 | 1.55 | 1.16 | 0.470 | K0.380 | K0.670 | K0.770 | K0.470 | 0.670 | R2.65 | |
| 30. | 4.14 | 5.12 | 4.33 | | 9.59 | 1.42 | 1.16 | 1.55 | K2.35 | K0.570 | K0.900 | K0.470 | 0.670 | R2.50 | |
| 31. | | 4.72 | 4.14 | | 8.21 | | 1.29 | | K1.03 | K0.470 | | K0.470 | | 2.50 | |
| Tag | 4.+ | 21.+ | 17.+ | 9.+ | 11. | 30. | 20.+ | 19.+ | 27.+ | 31. | 9. | 21.+ | 11. | 1. | |
| NQ | 0.770 | 1.29 | 3.61 | 2.97 | 2.21 | 1.42 | 1.03 | 0.470 | 0.380 | 0.470 | 0.300 | 0.470 | 0.300 | 0.670 | |
| MQ | 4.42 | 3.25 | 6.18 | 7.21 | 10.0 | 3.13 | 1.39 | 0.749 | 0.853 | 0.931 | 0.783 | 0.706 | 0.623 | 2.90 | |
| HQ | 16.5 | 9.59 | 12.6 | 34.0 | 39.8 | 7.29 | 3.45 | 2.65 | 6.83 | 1.94 | 3.61 | 2.35 | 1.29 | 9.59 | |
| Tag | 19. | 25. | 21. | 13. | 18. | 1. | 23. | 30. | 30. | 3. | 16. | 2. | 21. | 5. | |
| h _N | mm | | | | | | | | | | | | | | |
| h _A | mm | 32 | 24 | 46 | 48 | 74 | 22 | 10 | 5 | 6 | 7 | 6 | 5 | 4 | 21 |
| 1922/2004 | | | 1923/2005 | | | | | | | | | | | | 81 Jahre |
| Jahr | 1988 | 1948 | 1963 | 1963 | 1996 | 1933 | 1933 | 1948 | 1959 | 1943 | 2003 | 1959 | 1988 | 1948 | |
| NQ | 0.180 | 0.300 | 0.080 | 0.120 | 0.680 | 0.680 | 0.420 | 0.130 | 0.100 | 0.090 | 0.160 | 0.080 | 0.180 | 0.300 | |
| MNQ | 1.57 | 1.93 | 2.11 | 2.34 | 2.78 | 2.98 | 1.63 | 1.19 | 0.931 | 0.775 | 0.769 | 0.890 | 1.55 | 1.89 | |
| MQ | 3.55 | 5.07 | 5.56 | 5.61 | 6.77 | 6.13 | 3.27 | 2.76 | 2.23 | 1.68 | 1.68 | 2.17 | 3.51 | 4.98 | |
| MHQ | 9.77 | 14.9 | 18.3 | 15.5 | 18.3 | 15.0 | 8.18 | 8.95 | 8.00 | 5.52 | 5.34 | 6.70 | 9.77 | 14.8 | |
| HQ | 54.4 | 60.5 | 89.4 | 71.3 | 73.2 | 129 | 40.9 | 68.8 | 60.4 | 25.6 | 37.6 | 35.7 | 54.5 | 60.5 | |
| Jahr | 1940 | 1925 | 2003 | 1946 | 1962 | 1994 | 1969 | 1946 | 1958 | 1981 | 1939 | 1974 | 1940 | 1925 | |
| Mh _N | mm | | | | | | | | | | | | | | |
| Mh _A | mm | 25 | 37 | 41 | 37 | 50 | 44 | 24 | 20 | 16 | 12 | 16 | 25 | 37 | |
| Abflussjahr (*) | | | Kalenderjahr | | | | Dauertabelle | | | | | | | | |
| 2005 | | | 2005 | | | | 1923/2005 (*) 82 Jahre | | | | | | | | |
| Jahr | | | Datum | | Winter | | Sommer | | Jahr | | Datum | | Unterschrittene Abflüsse m ³ /s | | |
| | | | | | | | | | | | | | 1923/2005 81 Kalenderjahre | | |
| | | | | | | | | | | | | | Obere Hüllwerte | | |
| | | | | | | | | | | | | | Mittlere Werte | | |
| | | | | | | | | | | | | | Untere Hüllwerte | | |
| NQ | m ³ /s | 0.300 | am 09.09.2005 | 0.770 | 0.300 | 0.300 | am 09.09.2005 | 37.7 | 37.7 | 95.8 | 33.6 | 9.03 | | | |
| MQ | m ³ /s | 3.28 | | 5.70 | 0.903 | 2.94 | | 35.7 | 35.7 | 62.4 | 28.6 | 7.39 | | | |
| HQ | m ³ /s | 39.8 | am 18.03.2005 | 39.8 | 6.83 | 39.8 | am 18.03.2005 | 31.3 | 31.3 | 51.2 | 25.2 | 7.39 | | | |
| Nq | l/(skm ²) | 0.828 | | 2.13 | 0.828 | 0.828 | | 30.6 | 30.6 | 45.7 | 23.2 | 6.62 | | | |
| Mq | l/(skm ²) | 9.05 | | 15.7 | 2.49 | 8.11 | | 24.1 | 24.1 | 38.4 | 21.4 | 6.62 | | | |
| Hq | l/(skm ²) | 110 | | 110 | 18.9 | 110 | | 21.8 | 21.8 | 36.8 | 20.1 | 6.00 | | | |
| h _N | mm | | | | | | | 17.0 | 17.0 | 33.5 | 19.0 | 5.72 | | | |
| h _A | mm | 286 | | 246 | 40 | 256 | | 16.7 | 16.7 | 33.5 | 18.0 | 5.72 | | | |
| | | | | | | | | 16.5 | 16.5 | 32.0 | 17.1 | 5.72 | | | |
| | | | | | | | | 12.9 | 12.4 | 29.2 | 13.6 | 4.92 | | | |
| | | | | | | | | 10.1 | 7.98 | 26.9 | 10.6 | 4.16 | | | |
| | | | | | | | | 7.98 | 7.29 | 20.9 | 8.75 | 3.12 | | | |
| | | | | | | | | 7.29 | 6.15 | 18.1 | 7.62 | 2.46 | | | |
| | | | | | | | | 5.52 | 4.52 | 13.3 | 6.01 | 2.10 | | | |
| | | | | | | | | 3.95 | 3.29 | 10.7 | 4.55 | 1.78 | | | |
| | | | | | | | | 2.81 | 2.65 | 8.83 | 3.55 | 1.43 | | | |
| | | | | | | | | 2.07 | 1.81 | 7.32 | 2.78 | 1.17 | | | |
| | | | | | | | | 1.68 | 1.42 | 6.50 | 2.23 | 0.940 | | | |
| | | | | | | | | 1.16 | 1.16 | 5.73 | 1.79 | 0.670 | | | |
| | | | | | | | | 1.03 | 1.03 | 5.12 | 1.56 | 0.570 | | | |
| | | | | | | | | 1.03 | 0.900 | 4.92 | 1.46 | 0.560 | | | |
| | | | | | | | | 1.03 | 0.900 | 4.70 | 1.34 | 0.500 | | | |
| | | | | | | | | 0.900 | 0.770 | 4.34 | 1.24 | 0.460 | | | |
| | | | | | | | | 0.900 | 0.770 | 4.00 | 1.13 | 0.460 | | | |
| | | | | | | | | 0.900 | 0.770 | 3.97 | 1.03 | 0.420 | | | |
| | | | | | | | | 0.770 | 0.770 | 3.50 | 0.930 | 0.380 | | | |
| | | | | | | | | 0.770 | 0.670 | 3.50 | 0.860 | 0.350 | | | |
| | | | | | | | | 0.670 | 0.670 | 3.00 | 0.770 | 0.300 | | | |
| | | | | | | | | 0.670 | 0.670 | 2.77 | 0.680 | 0.300 | | | |
| | | | | | | | | 0.670 | 0.570 | 2.50 | 0.600 | 0.230 | | | |
| | | | | | | | | 0.570 | 0.570 | 2.36 | 0.560 | 0.190 | | | |
| | | | | | | | | 0.570 | 0.570 | 2.36 | 0.510 | 0.170 | | | |
| | | | | | | | | 0.570 | 0.570 | 2.22 | 0.460 | 0.140 | | | |
| | | | | | | | | 0.570 | 0.470 | 2.08 | 0.390 | 0.130 | | | |
| | | | | | | | | 0.570 | 0.470 | 1.94 | 0.380 | 0.120 | | | |
| | | | | | | | | 0.570 | 0.470 | 1.94 | 0.360 | 0.120 | | | |
| | | | | | | | | 0.570 | 0.470 | 1.94 | 0.350 | 0.120 | | | |
| | | | | | | | | 0.570 | 0.470 | 1.94 | 0.310 | 0.120 | | | |
| | | | | | | | | 0.470 | 0.470 | 1.94 | 0.310 | 0.120 | | | |
| | | | | | | | | | | | | | | | |

A_{Eo} : 123 km²

PNP: NN + 415.37 m

Lage: 36.0 km oberhalb Mündung links



m³/s

Pegel : Katzhütte

Nr. 572110

Gewässer : Schwarza

Gebiet : Obere Saale

| Tag | 2004 | | 2005 | | | | | | | | | | | | | | | |
|-----------------|-----------------------|------------------------|-----------------------|-------------|-------------------|-----------------------|---------------|-------------|-------|---|-------|-----------------|----------------|------------------|-------|----------------------------|--|--|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | | | |
| 1. | 0.900 | 3.23 | 4.39 | 3.43 | R2.28 | 7.62 | 1.28 | 1.19 | 0.800 | 0.560 | 1.10 | 1.10 | 0.580 | 0.560 | | | | |
| 2. | 0.900 | 3.43 | 5.53 | 3.03 | R2.28 | 6.48 | 1.19 | 1.19 | 0.630 | 0.540 | 1.10 | 1.50 | 0.580 | 0.560 | | | | |
| 3. | 0.840 | 3.43 | 5.53 | 2.84 | R2.11 | 4.58 | 1.01 | 1.10 | 0.560 | 1.01 | 1.10 | 1.10 | 0.600 | 0.580 | | | | |
| 4. | 0.780 | 3.03 | 5.53 | 2.84 | R2.11 | 3.82 | 1.19 | 1.10 | 0.580 | 0.860 | 1.10 | 1.10 | 0.600 | 0.930 | | | | |
| 5. | 0.780 | 2.84 | 5.53 | 2.46 | R2.11 | 3.43 | 1.19 | 1.01 | 0.600 | 0.700 | 1.01 | 1.10 | 0.660 | 5.03 | | | | |
| 6. | 0.780 | 2.84 | 6.48 | 2.28 | R1.95 | 3.63 | 1.19 | 1.19 | 0.600 | 0.750 | 0.930 | 1.01 | 0.630 | 3.68 | | | | |
| 7. | 0.780 | 2.65 | 6.48 | 1.80 | R1.95 | 4.58 | 1.10 | 1.10 | 0.630 | 0.930 | 0.930 | 1.01 | 0.600 | 2.93 | | | | |
| 8. | 0.900 | 2.46 | 7.05 | 1.66 | R1.80 | 4.58 | 1.10 | 1.01 | 0.630 | 0.860 | 0.860 | 0.930 | 0.580 | 2.78 | | | | |
| 9. | 0.900 | 2.28 | 7.24 | 1.66 | R1.80 | 4.39 | 1.01 | 1.01 | 0.600 | 0.750 | 0.930 | 0.930 | 0.560 | 2.48 | | | | |
| 10. | 0.840 | 2.11 | 7.05 | 1.40 | 1.80 | 4.01 | 1.01 | 0.930 | 0.600 | 0.630 | 0.930 | 0.860 | 0.540 | 2.18 | | | | |
| 11. | 0.840 | 1.95 | 6.48 | 5.91 | 1.80 | 3.23 | 0.930 | 0.860 | 0.630 | 0.600 | 0.930 | 0.860 | 0.560 | 1.90 | | | | |
| 12. | 0.840 | 1.80 | 6.48 | 16.5 | 1.80 | 2.84 | 0.860 | 0.800 | 0.580 | 0.600 | 1.01 | 0.860 | 0.560 | 1.76 | | | | |
| 13. | 0.900 | 1.66 | 5.53 | 27.9 | 1.80 | 2.65 | 0.800 | 0.700 | 0.600 | 0.660 | 1.01 | 0.860 | 0.540 | 1.76 | | | | |
| 14. | 0.780 | 1.40 | 4.77 | 17.1 | 1.66 | 2.28 | 0.930 | 0.700 | 0.500 | 0.700 | 0.930 | 0.800 | 0.560 | 1.76 | | | | |
| 15. | 0.780 | 1.40 | 4.39 | 12.4 | 1.95 | 2.11 | 1.76 | 0.700 | 0.480 | 0.860 | 0.860 | 0.800 | 0.560 | 2.04 | | | | |
| 16. | 0.840 | 1.40 | 4.20 | 10.1 | 2.28 | 2.11 | 1.19 | 0.660 | 0.480 | 0.750 | 2.63 | 0.800 | 0.600 | 5.03 | | | | |
| 17. | 1.27 | 1.40 | 3.82 | 10.6 | 3.63 | 2.11 | 1.19 | 0.630 | 0.480 | 0.700 | 2.33 | 0.750 | 0.630 | 5.63 | | | | |
| 18. | 3.82 | 2.28 | 4.20 | 9.49 | 8.19 | 2.11 | 1.10 | 0.600 | 0.480 | 0.660 | 1.90 | 0.750 | 0.580 | 5.03 | | | | |
| 19. | 11.2 | 1.95 | 4.01 | 8.19 | 12.8 | 2.28 | 1.01 | 0.580 | 0.500 | 0.630 | 2.04 | 0.750 | 0.540 | 4.43 | | | | |
| 20. | 9.30 | 1.66 | 4.39 | 5.53 | 12.2 | 2.65 | 1.01 | 0.560 | 0.480 | 0.750 | 2.33 | 0.660 | 0.540 | 4.13 | | | | |
| 21. | 6.86 | R 0.900 | 13.2 | 4.96 | 10.1 | 2.28 | 0.930 | 0.540 | 0.500 | 0.700 | 2.48 | 0.630 | 0.600 | 3.98 | | | | |
| 22. | 7.43 | R 0.840 | 13.2 | 4.20 | 8.38 | 1.95 | 1.28 | 0.520 | 0.500 | 0.660 | 2.48 | 0.630 | 0.580 | 3.68 | | | | |
| 23. | 11.2 | R 0.840 | 12.0 | 3.63 | 7.81 | 1.63 | 1.28 | 0.520 | 0.500 | 1.28 | 1.19 | 0.660 | 0.600 | 3.23 | | | | |
| 24. | 11.0 | R 4.39 | 10.3 | 3.43 | 7.62 | 1.50 | 1.19 | 0.520 | 0.480 | 1.10 | 0.930 | 0.630 | 0.600 | 2.78 | | | | |
| 25. | 9.30 | 7.62 | 8.76 | 3.03 | 8.19 | 1.38 | 1.10 | 0.580 | 0.480 | 1.19 | 0.930 | 0.600 | 0.600 | 2.78 | | | | |
| 26. | 7.81 | 8.00 | 6.48 | 2.84 | 9.30 | 1.50 | 1.01 | 0.600 | 0.480 | 2.48 | 1.01 | 0.600 | 0.580 | 2.63 | | | | |
| 27. | 6.67 | 7.43 | 5.72 | 2.84 | 8.95 | 1.50 | 1.01 | 0.540 | 0.480 | 1.63 | 0.860 | 0.580 | 0.580 | 2.48 | | | | |
| 28. | 5.91 | 6.10 | 5.34 | 2.46 | 8.38 | 1.28 | 1.01 | 0.520 | 0.480 | 1.28 | 0.750 | 0.580 | 0.580 | 2.33 | | | | |
| 29. | 5.15 | 5.53 | 4.39 | | 8.19 | 1.19 | 1.10 | 0.540 | 0.520 | 1.19 | 1.10 | 0.580 | 0.580 | 2.33 | | | | |
| 30. | 4.39 | 4.77 | 4.01 | | 8.57 | 1.19 | 1.01 | 0.750 | 1.76 | 1.19 | 1.01 | 0.580 | 0.560 | 2.18 | | | | |
| 31. | | 4.39 | 3.63 | | 8.38 | | 1.19 | | 0.600 | 1.10 | | 0.580 | | 2.18 | | | | |
| Tag | 4.+ | 22.+ | 31. | 10. | 14. | 29.+ | 13. | 22.+ | 15.+ | 2. | 28. | 27.+ | 10.+ | 1.+ | | | | |
| NQ | 0.780 | 0.840 | 3.63 | 1.40 | 1.66 | 1.19 | 0.800 | 0.520 | 0.480 | 0.540 | 0.750 | 0.580 | 0.540 | 0.560 | | | | |
| MQ | 3.82 | 3.10 | 6.33 | 6.23 | 5.23 | 2.90 | 1.10 | 0.775 | 0.588 | 0.913 | 1.29 | 0.812 | 0.582 | 2.77 | | | | |
| HQ | 15.0 | 9.49 | 15.6 | 36.0 | 13.5 | 8.00 | 2.63 | 1.63 | 10.1 | 3.08 | 4.13 | 1.90 | 0.860 | 8.12 | | | | |
| Tag | 19. | 25. | 21. | 12. | 19. | 1. | 14. | 25. | 30. | 26. | 16. | 2. | 5. | 16. | | | | |
| h _N | mm | | | | | | | | | | | | | | | | | |
| h _A | mm | 81 | 68 | 138 | 123 | 114 | 61 | 24 | 16 | 13 | 20 | 27 | 18 | 12 | 61 | | | |
| | | 1945/2004 | | 1946/2005 | | | | | | | | | | | | 60 Jahre | | |
| Jahr | | 1991 | 1962 | 1963 | 1963 | 1963 | 1948 | 1999 | 2000 | 1976 | 1991 | 1982 | 1982 | 1991 | 1962 | | | |
| NQ | m ³ /s | 0.220 | 0.360 | 0.330 | 0.290 | 0.380 | 0.540 | 0.330 | 0.260 | 0.230 | 0.150 | 0.130 | 0.160 | 0.220 | 0.360 | | | |
| MNQ | m ³ /s | 1.10 | 1.47 | 1.51 | 1.48 | 1.58 | 1.98 | 1.05 | 0.744 | 0.693 | 0.570 | 0.582 | 0.727 | 1.06 | 1.42 | | | |
| MQ | m ³ /s | 2.49 | 3.85 | 4.07 | 3.57 | 4.16 | 4.38 | 2.02 | 1.53 | 1.33 | 0.973 | 1.16 | 1.61 | 2.43 | 3.81 | | | |
| MHQ | m ³ /s | 7.49 | 13.6 | 14.5 | 10.6 | 13.7 | 11.8 | 4.99 | 4.93 | 5.01 | 3.37 | 4.20 | 5.26 | 7.37 | 13.6 | | | |
| HQ | m ³ /s | 36.6 | 59.6 | 52.8 | 46.8 | 57.8 | 68.9 | 16.2 | 28.8 | 23.3 | 34.2 | 34.2 | 24.4 | 36.6 | 59.6 | | | |
| Jahr | | 1998 | 1986 | 1987 | 1946 | 1981 | 1994 | 2004 | 1986 | 1958 | 1981 | 1998 | 1986 | 1998 | 1986 | | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 53 | 84 | 89 | 70 | 91 | 93 | 44 | 32 | 29 | 21 | 25 | 35 | 51 | 83 | | | |
| | | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschiedene Abflüsse m ³ /s | | | | | | | | |
| | | 2005 | | | | 2005 | | | | Unter schreitungs dauer in Tagen | | Abflussjahr (*) | | Kalenderjahr | | 1946/2005 60 Kalenderjahre | | |
| | | Jahr | Datum | Winter | Sommer | Jahr | Datum | | | | | Obere Hüllwerte | Mittlere Werte | Untere Hüllwerte | | | | |
| NQ | m ³ /s | 0.480 | am 15.07.2005 | 0.780 | 0.480 | 0.480 | am 15.07.2005 | | | (365) | 27.9 | 27.9 | 53.9 | 22.9 | 6.22 | | | |
| MQ | m ³ /s | 2.73 | | 4.59 | 0.912 | 2.44 | | | | 364 | 17.1 | 17.1 | 49.0 | 16.6 | 6.22 | | | |
| HQ | m ³ /s | 36.0 | am 12.02.2005 | 36.0 | 10.1 | 36.0 | am 12.02.2005 | | | 363 | 16.5 | 16.5 | 48.8 | 16.6 | 6.22 | | | |
| Nq | l/(skm ²) | 3.92 | | 6.36 | 3.92 | 3.92 | | | | 361 | 16.5 | 16.5 | 42.9 | 14.8 | 5.97 | | | |
| Mq | l/(skm ²) | 22.3 | | 37.4 | 7.44 | 19.9 | | | | 360 | 16.5 | 16.5 | 42.9 | 13.5 | 5.55 | | | |
| Hq | l/(skm ²) | 294 | | 294 | 82.4 | 294 | | | | 359 | 12.8 | 12.8 | 36.7 | 12.8 | 4.87 | | | |
| h _N | mm | | | | | | | | | 358 | 12.4 | 12.4 | 34.0 | 12.1 | 4.64 | | | |
| h _A | mm | 702 | | 585 | 118 | 628 | | | | 357 | 12.2 | 12.2 | 32.4 | 11.4 | 4.64 | | | |
| | | 1946/2005 (*) 60 Jahre | | | | 1946/2005 | | | | Dauertabelle | | | | | | | | |
| NQ | m ³ /s | 0.130 | am 18.09.1982 | 0.220 | 0.130 | 0.130 | am 18.09.1982 | | | 330 | 7.81 | 7.05 | 10.0 | 5.97 | 3.20 | | | |
| MNQ | m ³ /s | 0.395 | | 0.677 | 0.439 | 0.412 | | | | 320 | 6.67 | 5.63 | 9.27 | 5.17 | 2.80 | | | |
| MQ | m ³ /s | 2.59 | | 3.76 | 1.44 | 2.58 | | | | 300 | 4.96 | 4.13 | 7.70 | 4.08 | 2.22 | | | |
| MHQ | m ³ /s | 27.9 | | 27.3 | 10.0 | 28.1 | | | | 270 | 3.43 | 2.78 | 6.02 | 2.98 | 1.54 | | | |
| HQ | m ³ /s | 68.9 | am 13.04.1994 | 68.9 | 34.2 | 68.9 | am 13.04.1994 | | | 240 | 2.33 | 2.18 | 4.42 | 2.32 | 1.14 | | | |
| HQ ₁ | m ³ /s | | | | | | | | | 210 | 1.76 | 1.40 | 3.25 | 1.83 | 0.850 | | | |
| HQ ₅ | m ³ /s | | | | | | | | | 183 | 1.27 | 1.19 | 2.81 | 1.50 | 0.760 | | | |
| MNq | l/(skm ²) | 3.22 | | 5.52 | 3.58 | 3.36 | | | | 150 | 1.10 | 1.10 | 2.32 | 1.21 | 0.600 | | | |
| Mq | l/(skm ²) | 21.1 | | 30.7 | 11.7 | 21.0 | | | | 130 | 1.01 | 0.930 | 2.06 | 1.06 | 0.480 | | | |
| MHq | l/(skm ²) | 228 | | 223 | 81.6 | 229 | | | | 120 | 1.01 | 0.930 | 1.96 | 1.00 | 0.430 | | | |
| Mh _N | mm | | | | | | | | | 110 | 0.900 | 0.800 | 1.96 | 0.950 | 0.370 | | | |
| Mh _A | mm | 666 | | 480 | 187 | 664 | | | | 100 | 0.900 | 0.750 | 1.96 | 0.880 | 0.370 | | | |
| | | Niedrigwasser | | | | Hochwasser | | | | | | | | | | | | |
| | | m ³ /s | l/(skm ²) | Datum | m ³ /s | l/(skm ²) | cm | Datum | | | | | | | | | | |
| 1 | | 0.130 | 1.06 | 18.09.1982+ | 68.9 | 562 | | 13.04.1994 | 25 | 0.580 | 0.560 | 1.19 | 0.450 | 0.190 | | | | |
| 2 | | 0.140 | 1.14 | 22.09.1976 | 59.6 | 466 | | 31.12.1986 | 20 | 0.560 | 0.560 | 1.18 | 0.430 | 0.190 | | | | |
| 3 | | 0.150 | 1.22 | 28.08.1991+ | 57.8 | 471 | | 11.03.1981 | 15 | 0.540 | 0.540 | 1.18 | 0.380 | 0.190 | | | | |
| 4 | | 0.170 | 1.39 | 14.09.1999+ | 56.4 | 460 | | 31.03.1962 | 10 | 0.520 | 0.520 | 1.18 | 0.331 | 0.170 | | | | |
| 5 | | 0.210 | 1.71 | 16.08.1983+ | 52.8 | 431 | | 01.01.1987 | 9 | 0.500 | 0.500 | 1.18 | 0.331 | 0.170 | | | | |
| 6 | | 0.220 | 1.79 | 02.09.1986 | 48.6 | 396 | | 20.04.1970 | 8 | 0.500 | 0.500 | 1.18 | 0.310 | 0.170 | | | | |
| 7 | | 0.240 | 1.96 | 06.07.2002+ | 46.8 | 382 | | 08.02.1946 | 7 | 0.500 | 0.500 | 1.18 | 0.310 | 0.170 | | | | |
| 8 | | 0.250 | 2.04 | 18.08.1988 | 44.8 | 365 | | 06.01.1982 | 6 | 0.500 | 0.500 | 1.18 | 0.300 | 0.170 | | | | |
| 9 | | 0.250 | 2.04 | 28.08.1959+ | 44.7 | 365 | | 27.01.2002+ | 5 | 0.500 | 0.500 | 1.06 | 0.280 | 0.170 | | | | |
| 10 | | 0.260 | 2.12 | 27.08.2001 | 42.9 | 350 | | 03.03.1999 | 4 | 0.500 | 0.500 | 1.05 | 0.270 | 0.160 | | | | |
| | | | | | | | | | 3 | 0.500 | 0.500 | 1.05 | 0.250 | 0.160 | | | | |
| | | | | | | | | | 2 | 0.500 | 0.500 | 1.05 | 0.230 | 0.160 | | | | |
| | | | | | | | | | 1 | 0.500 | 0.500 | 0.970 | 0.180 | 0.160 | | | | |
| | | | | | | | | | 0 | 0.480 | 0.480 | 0.960 | 0.130 | 0.130 | | | | |

A_{Eo} : 341 km²

PNP: NN + 271.22 m

Lage: 13.0 km oberhalb Mündung rechts



Pegel : Schwarzburg

Nr. 572115

Gewässer : Schwarzza

Gebiet : Obere Saale

m³/s

| Tag | 2004 | | 2005 | | | | | | | | | | | | | |
|------------------------|-----------------------|--------|-----------------------|--------|--------|------------|-------------------|-------|-----------------------|-------|-------------------------------|-------|----------------|--------|------------------|-------|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | |
| 1. | 1.19 | 5.03 | 6.22 | R 4.79 | R 3.35 | 8.02 | 2.20 | 1.76 | 1.98 | 1.08 | 1.76 | 1.98 | 1.08 | R 1.19 | | |
| 2. | 0.970 | 4.79 | 8.02 | R 4.31 | R 3.11 | 7.16 | 1.98 | 1.50 | 1.30 | 0.970 | 2.20 | 2.88 | 1.08 | R 1.19 | | |
| 3. | 0.860 | 4.79 | 8.02 | R 4.07 | R 2.88 | 6.22 | 1.98 | 1.50 | 1.08 | 2.20 | 1.98 | 2.20 | 1.08 | R 1.19 | | |
| 4. | 0.860 | 4.31 | 8.02 | R 3.83 | R 2.88 | 5.74 | 2.65 | 1.50 | 0.970 | 1.76 | 1.98 | 1.98 | 1.08 | 1.76 | | |
| 5. | 0.860 | 4.07 | 8.02 | R 3.59 | R 2.88 | 5.03 | 2.88 | 1.50 | 0.970 | 1.30 | 1.98 | 1.98 | 1.19 | 6.48 | | |
| 6. | 0.970 | 4.07 | 9.34 | T 3.11 | T 2.65 | 4.79 | 2.42 | 1.98 | 1.08 | 1.19 | 1.76 | 1.98 | 1.19 | 5.50 | | |
| 7. | 0.970 | 3.83 | 9.34 | T 2.42 | R 2.65 | 5.50 | 2.42 | 1.76 | 1.08 | 1.50 | 1.76 | 1.76 | 1.08 | 4.79 | | |
| 8. | 0.970 | 3.59 | 10.2 | T 2.20 | R 2.42 | 5.74 | 2.42 | 1.76 | 1.08 | 1.30 | 1.50 | 1.76 | 0.970 | 4.55 | | |
| 9. | 0.970 | 3.11 | 10.7 | T 2.20 | R 2.42 | 5.03 | 2.42 | 1.50 | 0.970 | 1.19 | 1.30 | 1.50 | 1.08 | 4.31 | | |
| 10. | 1.08 | 2.88 | 10.2 | R 2.20 | 2.42 | 4.55 | 2.20 | 1.30 | 0.970 | 1.19 | 1.50 | 1.50 | 1.08 | 4.07 | | |
| 11. | 0.970 | 2.65 | 9.34 | 5.26 | 2.42 | 4.07 | 1.98 | 1.30 | 1.08 | 1.19 | 1.50 | 1.50 | 1.08 | 3.83 | | |
| 12. | 1.08 | 2.42 | 9.34 | 16.5 | 2.65 | 3.83 | 1.98 | 1.19 | 0.860 | 1.19 | 1.50 | 1.50 | 1.08 | 3.59 | | |
| 13. | 1.50 | 2.20 | 8.02 | 54.3 | 2.42 | 3.83 | 1.98 | 1.30 | 0.970 | 1.30 | 1.98 | 1.30 | 0.970 | 3.59 | | |
| 14. | 1.50 | R 1.98 | 6.79 | 39.3 | 2.42 | 3.83 | 1.98 | 1.19 | 1.08 | 1.19 | 1.30 | 1.30 | 0.970 | 3.59 | | |
| 15. | 1.30 | G 1.98 | 6.22 | 26.0 | 2.65 | 3.59 | 3.35 | 1.19 | 0.970 | 1.76 | 1.30 | 1.30 | 0.970 | 3.59 | | |
| 16. | 1.30 | G 1.98 | 5.98 | 18.0 | 3.59 | 3.11 | 2.65 | 1.08 | 0.750 | 1.76 | 3.11 | 1.19 | 1.08 | 6.79 | | |
| 17. | 1.50 | G 1.98 | 5.50 | 15.6 | 8.46 | 3.11 | 2.42 | 1.08 | 0.750 | 1.76 | 3.11 | 1.19 | 1.19 | 7.58 | | |
| 18. | 4.07 | 3.11 | 5.98 | 13.8 | 23.1 | 2.88 | 2.42 | 1.08 | 0.650 | 1.50 | 2.42 | 1.19 | 1.19 | 6.48 | | |
| 19. | 16.1 | 2.65 | 5.74 | 12.0 | 34.0 | 3.35 | 2.20 | 0.970 | 0.750 | 1.30 | 2.42 | 1.08 | 1.19 | 5.98 | | |
| 20. | 14.7 | R 2.20 | 6.22 | 8.02 | 31.8 | 3.83 | 1.98 | 0.970 | 0.750 | 1.76 | 2.42 | 0.970 | 1.19 | 5.74 | | |
| 21. | 10.7 | R 1.19 | 19.7 | 7.16 | 24.5 | 3.11 | 1.98 | 0.860 | 0.650 | 1.76 | 2.65 | 0.970 | 1.76 | 5.50 | | |
| 22. | 10.2 | R 1.08 | 19.7 | 5.98 | 17.5 | 2.88 | 2.65 | 0.860 | 0.750 | 1.50 | 2.42 | 1.08 | 1.50 | 5.26 | | |
| 23. | 15.6 | R 1.08 | 18.0 | 5.26 | 14.3 | 2.65 | 2.88 | 0.750 | 0.750 | 3.11 | 1.98 | 1.08 | 1.30 | 4.79 | | |
| 24. | 15.6 | 6.22 | 15.2 | 4.79 | 12.0 | 2.65 | 3.11 | 0.750 | 0.650 | 2.65 | 1.30 | 1.19 | 1.30 | 4.55 | | |
| 25. | 14.3 | 11.1 | 12.9 | 4.31 | 11.6 | 2.65 | 2.65 | 0.970 | 0.650 | 2.42 | 1.19 | 1.08 | 1.30 | 4.55 | | |
| 26. | 11.6 | 11.6 | 11.1 | 4.07 | 13.8 | 2.88 | 2.42 | 1.50 | 0.650 | 3.35 | 1.19 | 1.08 | 1.19 | 4.31 | | |
| 27. | 9.79 | 10.7 | 8.46 | 3.83 | 15.2 | 2.65 | 2.20 | 0.970 | 0.550 | 3.11 | 1.19 | 1.08 | R 1.19 | 4.31 | | |
| 28. | 8.02 | 8.90 | 7.58 | R 3.59 | 13.8 | 2.42 | 2.20 | 0.860 | 0.750 | 2.42 | 1.08 | 1.08 | 1.19 | 4.31 | | |
| 29. | 7.16 | 8.02 | R 6.48 | | 13.4 | 2.42 | 1.98 | 0.860 | 0.550 | 2.42 | 1.50 | 1.08 | 1.19 | 4.31 | | |
| 30. | 6.22 | 6.79 | R 5.74 | | 11.6 | 2.20 | 1.98 | 1.76 | 3.35 | 2.20 | 1.98 | 0.970 | 1.19 | 4.31 | | |
| 31. | | 6.48 | R 5.26 | | 9.34 | | 1.98 | | 1.30 | 2.20 | | 0.970 | | 4.07 | | |
| Tag | 3.+ | 22.+ | 31. | 8.+ | 8.+ | 30. | 2.+ | 23.+ | 27.+ | 2. | 28. | 20.+ | 8.+ | 1.+ | | |
| NQ | 0.860 | 1.08 | 5.26 | 2.20 | 2.42 | 2.20 | 1.98 | 0.750 | 0.550 | 0.970 | 1.08 | 0.970 | 0.970 | 1.19 | | |
| MQ | 5.43 | 4.41 | 9.27 | 10.0 | 9.62 | 3.99 | 2.34 | 1.25 | 0.990 | 1.79 | 1.84 | 1.41 | 1.16 | 4.39 | | |
| HQ | 22.4 | 13.8 | 21.0 | 61.0 | 35.5 | 8.90 | 4.31 | 3.83 | 9.79 | 4.07 | 4.55 | 3.11 | 2.20 | 13.4 | | |
| Tag | 19. | 25. | 21. | 13. | 19. | 1. | 4. | 13. | 30. | 23. | 16. | 2. | 21. | 16. | | |
| h _N | mm | | | | | | | | | | | | | | | |
| h _A | mm | 41 | 35 | 73 | 71 | 76 | 30 | 18 | 10 | 8 | 14 | 14 | 9 | 35 | | |
| 1983/2004 | | | 1984/2005 | | | | | | | | | | | | 22 Jahre | |
| Jahr | 1991 | 1997 | 1997 | 1997 | 1996 | 2002+ | 1999+ | 2003 | 2000+ | 2003 | 1999 | 1991 | 1991 | 1997 | | |
| NQ | 0.440 | 0.640 | 0.640 | 0.640 | 0.700 | 1.08 | 0.640 | 0.310 | 0.370 | 0.260 | 0.240 | 0.350 | 0.440 | 0.640 | | |
| MNQ | 1.71 | 2.08 | 2.75 | 2.93 | 3.20 | 3.26 | 1.68 | 1.19 | 0.848 | 0.710 | 0.735 | 0.983 | 1.69 | 2.03 | | |
| MQ | 4.36 | 6.77 | 8.63 | 7.21 | 8.68 | 7.49 | 3.37 | 2.67 | 1.66 | 1.19 | 1.83 | 2.31 | 4.29 | 6.80 | | |
| MHQ | 13.9 | 24.0 | 32.5 | 21.8 | 29.8 | 26.1 | 8.60 | 8.34 | 7.36 | 4.44 | 7.38 | 8.12 | 13.3 | 24.3 | | |
| HQ | 70.0 | 65.5 | 90.3 | 79.0 | 77.5 | 218 | 36.3 | 35.6 | 23.2 | 18.9 | 55.0 | 47.9 | 70.0 | 65.5 | | |
| Jahr | 1998 | 1986 | 2003 | 1997 | 1999 | 1994 | 2004 | 1986 | 1996 | 1987 | 1998 | 1998 | 1998 | 1986 | | |
| Mh _N | mm | | | | | | | | | | | | | | | |
| Mh _A | mm | 33 | 53 | 68 | 51 | 68 | 57 | 26 | 20 | 13 | 9 | 14 | 33 | 53 | | |
| Abflussjahr (*) | | | 2005 | | | | Kalenderjahr | | | | Unterschiedliche Dauertabelle | | | | | |
| | | | Jahr | | Datum | | Jahr | | Datum | | Abflussjahr (*) | | Kalenderjahr | | 1984/2005 | |
| | | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 22 Kalenderjahre | |
| | | | Winter | | Sommer | | Winter | | Sommer | | Obere Hüllwerte | | Mittlere Werte | | Untere Hüllwerte | |
| NQ | m ³ /s | 0.550 | am 27.07.2005 | 0.860 | 0.550 | 0.550 | am 27.07.2005 | 0.550 | am 27.07.2005 | (365) | 54.3 | 54.3 | 160 | 51.4 | 12.5 | |
| MQ | m ³ /s | 4.33 | | 7.10 | 1.60 | 3.98 | | 3.98 | | 364 | 39.3 | 39.3 | 89.5 | 41.0 | 12.5 | |
| HQ | m ³ /s | 61.0 | am 13.02.2005 | 61.0 | 9.79 | 61.0 | am 13.02.2005 | 61.0 | am 13.02.2005 | 363 | 34.0 | 34.0 | 64.0 | 36.2 | 12.5 | |
| Nq | l/(skm ²) | 1.61 | | 2.52 | 1.61 | 1.61 | | 1.61 | | 361 | 31.8 | 31.8 | 63.3 | 32.6 | 12.0 | |
| Mq | l/(skm ²) | 12.7 | | 20.8 | 4.69 | 11.7 | | 11.7 | | 360 | 26.0 | 26.0 | 55.0 | 30.4 | 12.0 | |
| Hq | l/(skm ²) | 179 | | 179 | 28.7 | 179 | | 179 | | 359 | 24.5 | 24.5 | 43.8 | 27.9 | 10.7 | |
| h _N | mm | | | | | | | | | 358 | 23.1 | 23.1 | 41.5 | 25.5 | 10.7 | |
| h _A | mm | 401 | | 326 | 75 | 368 | | 368 | | 357 | 23.1 | 23.1 | 40.0 | 24.2 | 10.7 | |
| 1984/2005 (*) 22 Jahre | | | 1984/2005 | | | | 1984/2005 | | | | 1984/2005 | | | | | |
| NQ | m ³ /s | 0.240 | am 16.09.1999 | 0.440 | 0.240 | 0.240 | am 16.09.1999 | 0.240 | am 16.09.1999 | 300 | 7.16 | 5.98 | 13.5 | 7.20 | 3.60 | |
| MNQ | m ³ /s | 0.616 | | 1.15 | 0.616 | 0.616 | | 0.616 | | 270 | 4.55 | 4.31 | 8.81 | 5.22 | 2.71 | |
| MQ | m ³ /s | 4.67 | | 7.20 | 2.17 | 4.66 | | 4.66 | | 240 | 3.35 | 3.35 | 6.42 | 3.92 | 2.14 | |
| MHQ | m ³ /s | 61.3 | | 59.6 | 16.0 | 61.0 | | 61.0 | | 210 | 2.88 | 2.65 | 5.53 | 3.01 | 1.30 | |
| HQ | m ³ /s | 218 | am 13.04.1994 | 218 | 55.0 | 218 | am 13.04.1994 | 218 | am 13.04.1994 | 183 | 2.65 | 2.42 | 4.70 | 2.43 | 1.08 | |
| HQ ₁ | m ³ /s | | | | | | | | | 150 | 2.20 | 1.98 | 4.18 | 1.92 | 0.860 | |
| HQ ₅ | m ³ /s | | | | | | | | | 130 | 1.98 | 1.76 | 3.44 | 1.55 | 0.860 | |
| MNq | l/(skm ²) | 1.81 | | 3.37 | 1.81 | 1.81 | | 1.81 | | 120 | 1.76 | 1.76 | 3.21 | 1.45 | 0.750 | |
| Mq | l/(skm ²) | 13.7 | | 21.1 | 6.37 | 13.7 | | 13.7 | | 110 | 1.76 | 1.50 | 2.98 | 1.38 | 0.750 | |
| MHQ | l/(skm ²) | 180 | | 175 | 46.9 | 179 | | 179 | | 100 | 1.50 | 1.50 | 2.98 | 1.22 | 0.750 | |
| Mh _N | mm | | | | | | | | | 90 | 1.50 | 1.30 | 2.75 | 1.11 | 0.700 | |
| Mh _A | mm | 432 | | 330 | 101 | 431 | | 431 | | 80 | 1.30 | 1.30 | 2.52 | 1.04 | 0.650 | |
| Niedrigwasser | | | Hochwasser | | | | Dauertabelle | | | | Dauertabelle | | | | | |
| m ³ /s | | | l/(skm ²) | | Datum | | m ³ /s | | l/(skm ²) | | cm | | Datum | | Datum | |
| 1 | 0.240 | 0.704 | 16.09.1999+ | 218 | 640 | 13.04.1994 | 0.860 | 0.860 | 1.92 | 0.550 | 0.370 | 0.550 | 0.370 | 0.370 | 0.370 | 0.370 |
| 2 | 0.260 | 0.763 | 14.08.2003 | 90.3 | 265 | 03.01.2003 | 0.860 | 0.860 | 1.92 | 0.510 | 0.370 | 0.860 | 0.860 | 1.92 | 0.510 | 0.370 |
| 3 | 0.320 | 0.939 | 15.06.2000 | 89.5 | 263 | 28.01.2002 | 0.860 | 0.860 | 1.92 | 0.470 | 0.370 | 0.860 | 0.860 | 1.92 | 0.470 | 0.370 |
| 4 | 0.350 | 1.03 | 16.09.1991+ | 79.0 | 232 | 26.02.1997 | 0.750 | 0.750 | 1.92 | 0.470 | 0.320 | 0.750 | 0.750 | 1.92 | 0.470 | 0.320 |
| 5 | 0.370 | 1.09 | 19.08.1998 | 77.5 | 227 | 03.03.1999 | 0.750 | 0.750 | 1.92 | 0.440 | 0.320 | 0.750 | 0.750 | 1.92 | 0.440 | 0.320 |
| 6 | 0.420 | 1.23 | 05.08.1994+ | 76.0 | 223 | 30.01.1995 | 0.750 | 0.750 | 1.82 | 0.420 | 0.320 | 0.750 | 0.750 | 1.82 | 0.420 | 0.320 |
| 7 | 0.440 | 1.29 | 25.09.1992+ | 70.0 | 205 | 01.11.1998 | 0.750 | 0.750 | 1.82 | 0.410 | | | | | | |

A_{Eo} : 255 km²

PNP: NN + 170.63 m

Lage: 1.8 km oberhalb Mündung rechts



m³/s

Pegel : Freienorla

Gewässer : Orla

Gebiet : Obere Saale

Nr. 572400

| | Tag | 2004 | | 2005 | | | | | | | | | | | | | |
|-----------------|-----------------------|------------------------|-------------------|---------------|-----------------------|------------|---------------|---------------|-------------------|---------|---|---------|---------|-------|----------------------------|-------|--|
| | | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | |
| Tageswerte | 1. | 0.650 | 1.25 | 2.39 | 2.54 | 1.37 | 1.94 | K 0.680 | K 0.680 | K 1.25 | 0.680 | K 0.530 | K 0.780 | 0.530 | 0.600 | | |
| | 2. | 0.580 | 1.13 | 3.59 | 2.39 | 1.37 | 1.64 | K 0.780 | K 0.680 | K 0.890 | 0.600 | K 0.530 | K 1.13 | 0.600 | 0.530 | | |
| | 3. | 0.580 | 1.13 | 3.44 | 3.29 | 1.25 | 1.50 | K 0.780 | K 0.600 | K 0.780 | 1.37 | K 0.530 | K 0.780 | 0.600 | 0.530 | | |
| | 4. | 0.520 | 1.01 | 2.99 | 3.59 | 1.25 | 1.50 | K 1.13 | K 0.600 | K 0.680 | 1.01 | K 0.530 | K 0.680 | 0.600 | 0.600 | | |
| | 5. | 0.520 | 0.890 | 2.69 | 3.14 | 1.25 | 1.50 | K 1.13 | K 0.600 | K 0.780 | 0.780 | K 0.530 | K 0.680 | 0.890 | 0.600 | | |
| | 6. | 0.580 | 0.780 | 2.54 | 2.84 | 1.25 | 1.37 | K 1.01 | K 0.680 | K 0.890 | 0.780 | K 0.530 | K 0.680 | 0.600 | 0.530 | | |
| | 7. | 0.650 | 0.780 | 2.24 | 2.24 | 1.25 | 1.37 | K 1.13 | K 0.600 | K 1.01 | 1.25 | K 0.470 | K 0.680 | 0.600 | 0.530 | | |
| | 8. | 0.800 | 0.780 | 1.94 | 2.09 | 1.25 | 1.37 | K 1.13 | K 0.680 | K 1.01 | 1.01 | K 0.530 | K 0.780 | 0.600 | 0.530 | | |
| | 9. | 0.720 | 0.780 | 1.79 | 2.09 | 1.37 | 1.37 | K 1.13 | K 0.600 | K 0.890 | 0.780 | K 0.530 | K 0.680 | 0.600 | 0.530 | | |
| | 10. | 0.890 | 0.780 | 1.50 | 2.09 | 1.37 | 1.25 | K 1.13 | K 0.600 | K 0.890 | 0.780 | K 0.600 | K 0.680 | 0.600 | 0.530 | | |
| | 11. | 0.800 | 0.780 | 1.50 | 4.34 | 1.37 | 1.25 | K 1.13 | K 0.780 | K 1.13 | 0.680 | K 1.79 | K 0.680 | 0.530 | 0.530 | | |
| | 12. | 0.800 | 0.780 | 1.37 | 8.68 | 1.64 | 1.25 | K 1.25 | K 0.680 | K 0.780 | 0.680 | K 0.780 | K 0.680 | 0.530 | 0.530 | | |
| | 13. | 1.07 | 0.780 | 1.37 | 9.68 | 1.79 | 1.25 | K 1.37 | K 0.680 | K 0.780 | 0.600 | K 0.680 | K 0.680 | 0.470 | 0.530 | | |
| | 14. | 1.16 | 0.680 | 1.37 | 6.52 | 1.79 | 1.25 | K 1.64 | K 0.680 | K 0.890 | 0.680 | K 0.600 | K 0.680 | 0.470 | 0.530 | | |
| | 15. | 0.980 | 0.680 | 1.25 | 5.12 | 2.24 | 1.25 | K 1.94 | K 0.600 | K 0.780 | 0.680 | K 0.600 | K 0.680 | 0.470 | 0.680 | | |
| | 16. | 0.890 | 0.680 | 1.13 | 4.19 | 5.46 | 1.25 | K 1.64 | K 0.600 | K 0.600 | 0.780 | K 1.50 | K 0.680 | 0.600 | 1.13 | | |
| | 17. | 0.980 | 0.680 | 0.890 | 3.59 | 10.7 | 1.25 | K 1.79 | K 0.600 | K 0.600 | 0.680 | K 1.13 | K 0.600 | 0.600 | 1.13 | | |
| | 18. | 1.16 | 1.13 | 0.890 | 3.29 | 8.88 | 1.25 | K 1.79 | K 0.600 | K 0.600 | 0.680 | K 0.780 | K 0.530 | 0.600 | 0.890 | | |
| | 19. | 3.01 | 1.01 | 1.13 | 2.99 | 7.88 | 1.37 | K 1.64 | K 0.530 | K 0.680 | 0.600 | K 0.680 | K 0.530 | 0.600 | 0.780 | | |
| | 20. | 3.44 | 0.780 | 1.13 | 2.69 | 6.16 | 1.13 | K 1.37 | K 0.530 | K 0.600 | 0.600 | K 0.600 | K 0.600 | 0.600 | 0.780 | | |
| | 21. | 2.99 | 0.680 | 3.44 | 2.54 | 4.80 | 1.01 | K 1.37 | K 0.530 | K 0.780 | 0.600 | K 0.600 | K 0.600 | 1.01 | 1.13 | | |
| | 22. | 2.84 | 0.680 | 2.69 | 2.09 | 3.99 | 0.890 | K 2.24 | K 0.530 | K 0.780 | 0.680 | K 0.600 | K 0.600 | 0.680 | 1.13 | | |
| | 23. | 3.89 | 0.600 | 2.39 | 1.94 | 3.44 | 0.890 | K 2.24 | K 0.600 | K 0.600 | 1.37 | K 0.600 | K 0.680 | 0.680 | 1.25 | | |
| | 24. | 3.59 | 0.680 | 2.24 | 1.94 | 3.14 | 0.890 | K 1.79 | K 0.600 | K 0.600 | 0.890 | K 0.600 | K 0.680 | 0.680 | 1.37 | | |
| | 25. | 2.69 | 0.890 | 2.24 | 1.94 | 2.99 | 0.890 | K 1.37 | K 0.600 | K 0.600 | 0.680 | K 0.600 | K 0.680 | 0.600 | 1.37 | | |
| | 26. | 2.24 | 1.25 | 1.94 | 1.64 | 3.14 | 1.13 | K 1.25 | K 1.13 | K 0.600 | 0.680 | K 0.680 | K 0.600 | 0.530 | 1.37 | | |
| | 27. | 1.79 | 1.64 | 1.79 | 1.50 | 2.99 | 1.13 | K 1.25 | K 0.600 | K 0.600 | 0.600 | K 0.600 | K 0.600 | 0.530 | 1.25 | | |
| | 28. | 1.50 | 1.50 | 1.64 | 1.37 | 2.69 | 1.01 | K 1.01 | K 0.600 | K 0.680 | 0.600 | K 0.600 | K 0.530 | 0.530 | 1.25 | | |
| | 29. | 1.37 | 1.25 | 1.64 | | 2.24 | 1.01 | K 0.890 | K 0.530 | K 0.530 | 0.530 | K 0.780 | K 0.530 | 0.600 | 1.25 | | |
| | 30. | 1.25 | 1.13 | 1.50 | 2.09 | 0.890 | 0.890 | K 0.680 | K 1.01 | K 1.64 | 0.530 | K 0.780 | K 0.530 | 0.600 | 1.01 | | |
| | 31. | | 1.25 | 1.64 | | 1.94 | | K 0.780 | | K 0.680 | 0.530 | | K 0.530 | | 0.890 | | |
| Hauptwerte | Tag | 4.+ | 23. | 17.+ | 28. | 3.+ | 22.+ | 1.+ | 19.+ | 29. | 29.+ | 7. | 18.+ | 13.+ | 2.+ | | |
| | NQ | 0.520 | 0.600 | 0.890 | 1.37 | 1.25 | 0.890 | 0.680 | 0.530 | 0.530 | 0.530 | 0.470 | 0.530 | 0.470 | 0.530 | | |
| | MQ | 1.50 | 0.930 | 1.94 | 3.30 | 3.04 | 1.24 | 1.31 | 0.644 | 0.794 | 0.755 | 0.696 | 0.660 | 0.604 | 0.848 | | |
| | HQ | 3.93 | 1.79 | 3.89 | 11.7 | 11.5 | 1.94 | 4.34 | 2.54 | 5.29 | 2.99 | 3.74 | 1.79 | 1.37 | 1.50 | | |
| | Tag | 19. | 27.+ | 2. | 12.+ | 16.+ | 1. | 23. | 26.+ | 30. | 23. | 10.+ | 2. | 5. | 16. | | |
| | h _N | mm | | | | | | | | | | | | | | | |
| | h _A | mm | 15 | 10 | 20 | 31 | 32 | 13 | 14 | 7 | 8 | 8 | 7 | 7 | 6 | 9 | |
| | | | 1927/2004 | | 1928/2005 68 Jahre | | | | | | | | | | | | |
| | Jahr | | 1959+ | 1967 | 1986 | 1936 | 1930 | 1943 | 1943 | 1990 | 1960 | 1992 | 1991 | 1991+ | 1959+ | 1967 | |
| | NQ | m ³ /s | 0.170 | 0.170 | 0.180 | 0.150 | 0.060 | 0.120 | 0.110 | 0.260 | 0.210 | 0.180 | 0.260 | 0.260 | 0.170 | 0.170 | |
| MNQ | m ³ /s | 0.764 | 0.738 | 0.839 | 0.924 | 0.958 | 0.954 | 0.816 | 0.744 | 0.765 | 0.752 | 0.830 | 0.838 | 0.762 | 0.745 | | |
| MQ | m ³ /s | 1.19 | 1.22 | 1.42 | 1.49 | 1.77 | 1.61 | 1.43 | 1.42 | 1.26 | 1.11 | 1.16 | 1.27 | 1.17 | 1.22 | | |
| MHQ | m ³ /s | 3.18 | 3.46 | 3.77 | 3.75 | 4.82 | 4.77 | 5.02 | 5.56 | 5.39 | 4.16 | 3.47 | 3.30 | 3.08 | 3.35 | | |
| HQ | m ³ /s | 21.1 | 16.4 | 18.4 | 14.9 | 38.4 | 25.8 | 26.5 | 27.7 | 45.0 | 19.5 | 16.7 | 11.1 | 21.1 | 16.4 | | |
| Jahr | | 1941 | 1974 | 1953 | 1941 | 1942 | 1980 | 1941 | 1961 | 1932 | 1977 | 1995 | 1974 | 1941 | 1974 | | |
| Mh _N | mm | | | | | | | | | | | | | | | | |
| Mh _A | mm | 12 | 13 | 15 | 14 | 19 | 16 | 15 | 14 | 13 | 12 | 12 | 13 | 12 | 13 | | |
| Hauptwerte | | | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschiedene Abflüsse m ³ /s | | | | | | |
| | | | 2005 | | | | 2005 | | | | 2005 | | | | | | |
| | | | Jahr | | Datum | | Winter | | Sommer | | Jahr | | Datum | | 1928/2005 68 Kalenderjahre | | |
| | | | | | | | | | | | | | | | Obere Hüllwerte | | |
| | | | | | | | | | | | | | | | Mittlere Werte | | |
| | | | | | | | | | | | | | | | Untere Hüllwerte | | |
| | NQ | m ³ /s | 0.470 | am 07.09.2005 | 0.520 | 0.470 | 0.470 | am 07.09.2005 | | | | | | | | | |
| | MQ | m ³ /s | 1.39 | | 1.98 | 0.810 | 1.31 | | | | | | | | | | |
| | HQ | m ³ /s | 11.7 | am 12.02.2005 | 11.7 | 5.29 | 11.7 | am 12.02.2005 | | | | | | | | | |
| | Nq | l/(skm ²) | 1.84 | | 2.04 | 1.84 | 1.84 | | | | | | | | | | |
| Mq | l/(skm ²) | 5.44 | | 7.76 | 3.17 | 5.13 | | | | | | | | | | | |
| Hq | l/(skm ²) | 45.8 | | 45.8 | 20.7 | 45.8 | | | | | | | | | | | |
| h _N | mm | | | 121 | 50 | 162 | | | | | | | | | | | |
| h _A | mm | 172 | | | | | | | | | | | | | | | |
| | | 1928/2005 (*) 71 Jahre | | | | 1928/2005 | | | | | | | | | | | |
| NQ | m ³ /s | 0.060 | am 20.03.1930 | 0.060 | 0.110 | 0.060 | am 20.03.1930 | | | | | | | | | | |
| MNQ | m ³ /s | 0.399 | | 0.523 | 0.479 | 0.406 | | | | | | | | | | | |
| MQ | m ³ /s | 1.35 | | 1.44 | 1.26 | 1.36 | | | | | | | | | | | |
| MHQ | m ³ /s | 11.8 | | 7.96 | 9.52 | 12.1 | | | | | | | | | | | |
| HQ | m ³ /s | 45.0 | am 15.07.1932 | 38.4 | 45.0 | 45.0 | am 15.07.1932 | | | | | | | | | | |
| HQ ₁ | m ³ /s | | | | | | | | | | | | | | | | |
| HQ ₅ | m ³ /s | | | | | | | | | | | | | | | | |
| MNq | l/(skm ²) | 1.56 | | 2.05 | 1.88 | 1.59 | | | | | | | | | | | |
| Mq | l/(skm ²) | 5.29 | | 5.64 | 4.94 | 5.33 | | | | | | | | | | | |
| MHq | l/(skm ²) | 46.2 | | 31.2 | 37.3 | 47.4 | | | | | | | | | | | |
| Mh _N | mm | | | | | | | | | | | | | | | | |
| Mh _A | mm | 167 | | 88 | 78 | 168 | | | | | | | | | | | |
| Extremwerte | | | Niedrigwasser | | | | Hochwasser | | | | | | | | | | |
| | | | m ³ /s | | l/(skm ²) | | Datum | | m ³ /s | | l/(skm ²) | | cm | | Datum | | |
| | 1 | 0.060 | 0.235 | 20.03.1930 | 45.0 | 176 | 15.07.1932 | | | | | | | | | | |
| | 2 | 0.100 | 0.392 | 11.03.1944 | 38.4 | 150 | 18.03.1942 | | | | | | | | | | |
| | 3 | 0.100 | 0.392 | 24.03.1943 | 26.7 | 105 | 10.06.1961 | | | | | | | | | | |
| | 4 | 0.120 | 0.470 | 25.05.1990+ | 26.5 | 104 | 21.05.1941 | | | | | | | | | | |
| | 5 | 0.150 | 0.588 | 16.02.1936 | 25.6 | 100 | 28.04.1980 | | | | | | | | | | |
| | 6 | 0.170 | 0.666 | 26.11.1967+ | 24.8 | 97.1 | 13.04.1994 | | | | | | | | | | |
| | 7 | 0.170 | 0.666 | 15.11.1959+ | 23.3 | 91.3 | 06.07.1958 | | | | | | | | | | |
| | 8 | 0.180 | 0.705 | 28.08.1992+ | 23.1 | 90.5 | 07.05.1969 | | | | | | | | | | |
| 9 | 0.180 | 0.705 | 08.02.1986+ | 21.1 | 82.6 | 07.11.1941 | | | | | | | | | | | |
| 10 | 0.180 | 0.705 | 11.01.1986 | 19.6 | 76.8 | 02.06.1995 | | | | | | | | | | | |

(*) Abflussjahr: 1.11. des Vorjahres bis 31.10. Ausfalljahr: KJ 1928-1929, 1937-1940, 1944-1947; AJ 1929; AJ 1938-1940, 1945-1947

153 Tage Verkrautung

A_{Eo} : 254 km²

PNP: NN + 159.69 m

Lage: 5.0 km oberhalb Mündung rechts



Pegel : Zöllnitz

Nr. 572600

Gewässer : Roda

Gebiet : Obere Saale

m³/s

| | Tag | 2004 | | 2005 | | | | | | | | | | | |
|-----------------|-----------------------|------------------------|-----------------------|--------------------|-------------------|-----------------------|---------------|------------|---------|--|--------------|-------------------|------------------|------------------|-------|
| | | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez |
| Tageswerte | 1. | K 0.510 | 0.550 | 1.46 | 1.32 | R 1.13 | 1.13 | K 0.900 | K 0.710 | K 0.950 | K 0.630 | K 0.550 | K 0.710 | 0.630 | 0.710 |
| | 2. | K 0.550 | 0.550 | 1.32 | 1.25 | R 1.01 | 1.13 | K 0.900 | K 0.630 | K 0.800 | K 0.630 | K 0.590 | K 0.900 | 0.630 | 0.710 |
| | 3. | K 0.510 | 0.510 | 1.13 | 1.93 | R 1.01 | 1.07 | K 0.850 | K 0.630 | K 0.750 | K 0.800 | K 0.590 | K 0.630 | 0.710 | 0.750 |
| | 4. | K 0.550 | 0.480 | 1.01 | 1.69 | R 0.850 | 1.07 | K 0.950 | K 0.670 | K 0.710 | K 0.710 | K 0.590 | K 0.670 | 0.710 | 0.710 |
| | 5. | K 0.550 | 0.480 | 1.07 | 1.32 | R 0.900 | 1.07 | K 0.850 | K 0.670 | K 0.710 | K 0.670 | K 0.550 | K 0.590 | 0.750 | 0.710 |
| | 6. | K 0.550 | 0.510 | 1.07 | 1.13 | R 0.900 | 1.13 | K 0.850 | K 0.750 | K 0.750 | K 0.850 | K 0.590 | K 0.630 | 0.670 | 0.710 |
| | 7. | K 0.590 | 0.480 | 1.01 | 1.07 | R 0.950 | 1.07 | K 0.850 | K 0.670 | K 0.710 | K 0.950 | K 0.590 | K 0.590 | 0.630 | 0.710 |
| | 8. | K 0.590 | 0.480 | 0.950 | 1.07 | 0.950 | 1.07 | K 0.950 | K 0.590 | K 0.710 | K 0.950 | K 0.590 | K 0.630 | 0.630 | 0.670 |
| | 9. | K 0.630 | 0.480 | 0.950 | 1.01 | 1.19 | 1.07 | K 0.950 | K 0.750 | K 0.670 | K 0.850 | K 0.590 | K 0.590 | 0.630 | 0.670 |
| | 10. | K 0.710 | 0.480 | 0.900 | 1.01 | 1.19 | 1.01 | K 0.900 | K 0.670 | K 0.710 | K 0.710 | K 0.630 | K 0.590 | 0.630 | 0.670 |
| | 11. | K 0.630 | 0.450 | 0.850 | 1.85 | 1.13 | 1.01 | K 0.950 | K 0.800 | K 0.750 | K 0.670 | K 0.900 | K 0.590 | 0.630 | 0.670 |
| | 12. | K 0.590 | 0.480 | 0.850 | 4.43 | 1.25 | 1.01 | K 0.900 | K 0.710 | K 0.710 | K 0.750 | K 0.590 | K 0.630 | 0.630 | 0.670 |
| | 13. | K 0.630 | 0.510 | 0.800 | 6.13 | 1.32 | 1.01 | K 0.850 | K 0.670 | K 0.670 | K 0.850 | K 0.550 | K 0.630 | 0.630 | 0.670 |
| | 14. | K 0.590 | 0.480 | 0.800 | 4.73 | 1.19 | 1.01 | K 0.850 | K 0.670 | K 0.630 | K 0.750 | K 0.590 | K 0.630 | 0.630 | 0.710 |
| | 15. | K 0.550 | 0.480 | 0.900 | 3.33 | 1.32 | 1.01 | K 1.01 | K 0.670 | K 0.630 | K 0.710 | K 0.630 | K 0.670 | 0.630 | 0.710 |
| | 16. | K 0.550 | 0.480 | 0.900 | 2.11 | 3.43 | 1.01 | K 0.950 | K 0.630 | K 0.590 | K 0.670 | K 0.900 | K 0.590 | 0.710 | 0.900 |
| | 17. | K 0.590 | 0.480 | 0.850 | 1.77 | 3.63 | 1.01 | K 0.900 | K 0.630 | K 0.630 | K 0.670 | K 0.800 | K 0.590 | 0.710 | 0.850 |
| | 18. | K 0.670 | 0.670 | 0.900 | 1.61 | 2.02 | 1.01 | K 0.900 | K 0.630 | K 0.630 | K 0.630 | K 0.670 | K 0.590 | 0.670 | 0.710 |
| | 19. | K 1.61 | 0.550 | 0.900 | 1.46 | 2.29 | 1.01 | K 0.800 | K 0.590 | K 0.630 | K 0.590 | K 0.630 | K 0.590 | 0.630 | 0.710 |
| | 20. | K 0.950 | 0.510 | 0.950 | 1.39 | 1.93 | 0.950 | K 0.750 | K 0.590 | K 0.590 | K 0.590 | K 0.670 | K 0.590 | 0.670 | 0.750 |
| | 21. | K 0.750 | 0.670 | 1.77 | 1.25 | 1.53 | 0.950 | K 0.750 | K 0.590 | K 0.590 | K 0.590 | K 0.590 | K 0.590 | 0.850 | 0.800 |
| | 22. | K 0.800 | 1.07 | 1.32 | 1.19 | 1.25 | 0.950 | K 1.01 | K 0.800 | K 0.590 | K 0.630 | K 0.590 | K 0.630 | 0.710 | 0.800 |
| | 23. | K 1.07 | 0.900 | 1.19 | 1.19 | 1.25 | 1.01 | K 1.01 | K 0.670 | K 0.590 | K 0.900 | K 0.630 | K 0.630 | 0.750 | 0.850 |
| | 24. | K 0.850 | 0.900 | 1.13 | 1.19 | 1.32 | 1.01 | K 0.950 | K 0.670 | K 0.630 | K 0.750 | K 0.630 | K 0.630 | 0.800 | 0.900 |
| | 25. | K 0.710 | 1.01 | 1.13 | 1.25 | 1.32 | 0.950 | K 0.800 | K 0.670 | K 0.630 | K 0.630 | K 0.590 | K 0.590 | 0.750 | 0.750 |
| | 26. | K 0.630 | 1.07 | 1.07 | 1.19 | 1.53 | 1.01 | K 0.850 | K 0.750 | K 0.630 | K 0.630 | K 0.710 | K 0.630 | 0.710 | 0.750 |
| | 27. | K 0.630 | 1.25 | 1.01 | 1.13 | 1.53 | 1.01 | K 0.850 | K 0.670 | K 0.630 | K 0.590 | K 0.670 | K 0.590 | 0.710 | 0.710 |
| | 28. | K 0.630 | 1.13 | 1.01 | R 1.07 | 1.32 | 1.01 | K 0.800 | K 0.670 | K 0.630 | K 0.590 | K 0.670 | K 0.630 | 0.710 | 0.710 |
| | 29. | K 0.590 | 1.07 | 1.01 | 1.01 | 1.25 | 1.01 | K 0.750 | K 0.800 | K 0.630 | K 0.590 | K 0.710 | K 0.630 | 0.710 | 0.710 |
| | 30. | K 0.590 | 1.01 | 1.01 | 1.01 | 1.25 | 0.950 | K 0.750 | K 1.32 | K 1.13 | K 0.590 | K 0.670 | K 0.630 | 0.710 | 0.710 |
| | 31. | K 0.950 | 1.07 | 1.07 | 1.07 | 1.19 | 1.19 | K 0.710 | K 0.630 | K 0.630 | K 0.590 | K 0.630 | K 0.630 | R 0.710 | 0.710 |
| Tag | | 1.+ | 11. | 13.+ | 9.+ | 4. | 20.+ | 31. | 8.+ | 16.+ | 19.+ | 1.+ | 5.+ | 1.+ | 8.+ |
| NQ | m ³ /s | 0.510 | 0.450 | 0.800 | 1.01 | 0.850 | 0.950 | 0.710 | 0.590 | 0.590 | 0.590 | 0.550 | 0.590 | 0.630 | 0.670 |
| MQ | m ³ /s | 0.678 | 0.685 | 1.04 | 1.82 | 1.43 | 1.02 | 0.872 | 0.698 | 0.685 | 0.700 | 0.642 | 0.628 | 0.684 | 0.731 |
| HQ | m ³ /s | 2.02 | 1.46 | 2.02 | 6.93 | 8.21 | 1.25 | 1.53 | 2.20 | 2.74 | 1.46 | 4.03 | 1.07 | 0.950 | 2.11 |
| Tag | | 19. | 21. | 21. | 12. | 16. | 2.+ | 23. | 30. | 30. | 23. | 10. | 2. | 21. | 23. |
| h _N | mm | | | | | | | | | | | | | | |
| h _A | mm | 7 | 7 | 11 | 17 | 15 | 10 | 9 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | | 1947/2004 | | 1948/2005 58 Jahre | | | | | | | | | | | |
| Jahr | | 1991 | 1991 | 1959+ | 1993 | 1993 | 1971 | 1993 | 1992+ | 1992 | 1964 | 1964 | 1964 | 1991 | 1991 |
| NQ | m ³ /s | 0.330 | 0.360 | 0.460 | 0.480 | 0.510 | 0.260 | 0.300 | 0.330 | 0.360 | 0.250 | 0.220 | 0.250 | 0.330 | 0.360 |
| MNQ | m ³ /s | 0.847 | 0.856 | 0.905 | 0.929 | 0.932 | 0.968 | 0.947 | 0.820 | 0.788 | 0.749 | 0.782 | 0.799 | 0.843 | 0.852 |
| MQ | m ³ /s | 1.07 | 1.17 | 1.30 | 1.27 | 1.42 | 1.41 | 1.32 | 1.25 | 1.12 | 1.02 | 0.958 | 1.03 | 1.07 | 1.16 |
| MHQ | m ³ /s | 2.14 | 2.62 | 3.17 | 2.79 | 3.38 | 4.67 | 4.04 | 5.25 | 3.64 | 3.39 | 2.92 | 2.61 | 2.14 | 2.57 |
| HQ | m ³ /s | 14.2 | 10.4 | 24.2 | 17.0 | 14.6 | 34.7 | 44.0 | 48.8 | 38.0 | 26.4 | 9.86 | 11.5 | 14.2 | 10.4 |
| Jahr | | 2002 | 1981 | 1969 | 1970 | 1979 | 1965 | 1969 | 1961 | 1958 | 1981 | 1952 | 1966 | 2002 | 1981 |
| Mh _N | mm | | | | | | | | | | | | | | |
| Mh _A | mm | 11 | 12 | 14 | 12 | 15 | 14 | 14 | 13 | 12 | 11 | 10 | 11 | 11 | 12 |
| | | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschrittene Abflüsse m ³ /s | | | | | |
| | | 2005 | | | | 2005 | | | | 2005 | | | | | |
| | | Jahr | Datum | Winter | Sommer | Jahr | Datum | Jahr | Datum | Abflussjahr (*) | Kalenderjahr | 1948/2005 | 58 Kalenderjahre | | |
| | | | | | | | | | | | | Oberere Hüllwerte | Mittlere Werte | Untere Hüllwerte | |
| NQ | m ³ /s | 0.450 | am 11.12.2004 | 0.450 | 0.550 | 0.550 | am 01.09.2005 | (365) | | 6.13 | 6.13 | 37.1 | 7.52 | 1.07 | |
| MQ | m ³ /s | 0.903 | | 1.10 | 0.705 | 0.908 | | 364 | | 4.73 | 4.73 | 28.8 | 6.03 | 1.01 | |
| HQ | m ³ /s | 8.21 | am 16.03.2005 | 8.21 | 4.03 | 8.21 | am 16.03.2005 | 363 | | 4.43 | 4.43 | 18.2 | 5.27 | 1.01 | |
| Nq | l/(skm ²) | 1.77 | | 1.77 | 2.16 | 2.16 | | 362 | | 3.63 | 3.63 | 14.2 | 4.68 | 1.01 | |
| Mq | l/(skm ²) | 3.55 | | 4.32 | 2.77 | 3.57 | | 361 | | 3.43 | 3.43 | 12.3 | 4.25 | 0.950 | |
| Hq | l/(skm ²) | 32.3 | | 32.3 | 15.8 | 32.3 | | 360 | | 3.33 | 3.33 | 10.2 | 3.87 | 0.900 | |
| h _N | mm | | | | | | | 359 | | 2.29 | 2.29 | 10.0 | 3.69 | 0.850 | |
| h _A | mm | 112 | | 68 | 44 | 113 | | 358 | | 2.11 | 2.11 | 10.0 | 3.44 | 0.850 | |
| | | 1948/2005 (*) 58 Jahre | | | | 1948/2005 | | | | | | | | | |
| NQ | m ³ /s | 0.220 | am 21.09.1964 | 0.260 | 0.220 | 0.220 | am 21.09.1964 | 357 | | 2.02 | 2.02 | 10.0 | 3.23 | 0.850 | |
| MNQ | m ³ /s | 0.609 | | 0.732 | 0.661 | 0.593 | | 356 | | 1.69 | 1.69 | 6.37 | 2.62 | 0.850 | |
| MQ | m ³ /s | 1.20 | | 1.27 | 1.12 | 1.19 | | 340 | | 1.39 | 1.39 | 5.49 | 2.13 | 0.800 | |
| MHQ | m ³ /s | 11.9 | | 7.05 | 9.70 | 11.8 | | 330 | | 1.32 | 1.32 | 4.57 | 1.86 | 0.710 | |
| HQ | m ³ /s | 48.8 | am 04.06.1961 | 34.7 | 48.8 | 48.8 | am 04.06.1961 | 320 | | 1.25 | 1.25 | 4.05 | 1.70 | 0.710 | |
| HQ ₁ | m ³ /s | | | | | | | 300 | | 1.13 | 1.13 | 3.67 | 1.47 | 0.670 | |
| HQ ₅ | m ³ /s | | | | | | | 270 | | 1.07 | 1.07 | 3.29 | 1.26 | 0.630 | |
| MNq | l/(skm ²) | 2.39 | | 2.88 | 2.60 | 2.33 | | 240 | | 1.01 | 0.950 | 2.93 | 1.14 | 0.630 | |
| Mq | l/(skm ²) | 4.72 | | 4.99 | 4.40 | 4.68 | | 210 | | 0.900 | 0.900 | 2.59 | 1.08 | 0.590 | |
| MHq | l/(skm ²) | 46.8 | | 27.7 | 38.1 | 46.4 | | 210 | | 0.800 | 0.800 | 2.42 | 1.01 | 0.590 | |
| Mh _N | mm | | | | | | | 183 | | 0.710 | 0.750 | 2.25 | 0.910 | 0.510 | |
| Mh _A | mm | 149 | | 78 | 70 | 147 | | 150 | | 0.710 | 0.710 | 2.25 | 0.870 | 0.480 | |
| | | Niedrigwasser | | | | Hochwasser | | | | | | | | | |
| | | m ³ /s | l/(skm ²) | Datum | m ³ /s | l/(skm ²) | cm | Datum | | | | | | | |
| 1 | | 0.220 | 0.864 | 21.09.1964 | 48.8 | 192 | | 04.06.1961 | 15 | | 0.550 | 0.630 | 1.55 | 0.540 | 0.360 |
| 2 | | 0.260 | 1.02 | 20.04.1971 | 44.0 | 173 | | 07.05.1969 | 10 | | 0.510 | 0.630 | 1.55 | 0.490 | 0.320 |
| 3 | | 0.300 | 1.18 | 21.05.1993 | 38.0 | 149 | | 06.07.1958 | 9 | | 0.510 | 0.630 | 1.44 | 0.480 | 0.320 |
| 4 | | 0.330 | 1.30 | 18.10.1991+ | 34.7 | 136 | | 29.04.1965 | 8 | | 0.510 | 0.630 | 1.44 | 0.480 | 0.320 |
| 5 | | 0.330 | 1.30 | 31.08.1976 | 29.4 | 116 | | 11.06.1965 | 7 | | 0.510 | 0.630 | 1.44 | 0.480 | 0.320 |
| 6 | | 0.360 | 1.41 | 21.08.2003+ | 26.2 | 103 | | 10.08.1981 | 6 | | 0.510 | 0.630 | 1.44 | 0.450 | 0.320 |
| 7 | | 0.370 | 1.45 | 20.09.1959 | 25.4 | 99.8 | | 27.04.1980 | 5 | | 0.510 | 0.630 | 1.44 | 0.450 | 0.320 |
| 8 | | 0.370 | 1.45 | 21.07.1957 | 24.7 | 97.1 | | 22.05.1978 | 4 | | 0.510 | 0.590 | 1.44 | 0.390 | 0.320 |
| 9 | | 0.390 | 1.53 | 17.09.2004+ | 24.2 | 95.1 | | 25.01.1969 | 3 | | 0.510 | 0.590 | 1.22 | 0.350 | 0.320 |
| 10 | | 0.390 | 1.53 | 28.07.1964+ | 24.1 | 94.7 | | 13.04.1994 | 2 | | 0.450 | 0.550 | 1.00 | 0.220 | 0.220 |

A_{Eo} : 155 km²

PNP: NN + 407.53 m

Lage: 108.0 km oberhalb Mündung links



m³/s

Pegel : Gräfinau-Angstedt

Nr. 572890

Gewässer : Ilm

Gebiet : Obere Saale

| | Tag | 2004 | | 2005 | | | | | | | | | | | | | | | |
|-----------------|-----------------------|-----------------------|------------------------|---------------|-----------------------|-------|---------------|---------------|-------------------|-------|--|-------|------------------|-------|-----------------|-------|----------------------------|--|------------------|
| | | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | | | |
| Tageswerte | 1. | 0.550 | 2.97 | 3.92 | 2.83 | 2.16 | 6.15 | 1.35 | 1.55 | 0.950 | 0.600 | 0.510 | 0.850 | 0.510 | 0.550 | | | | |
| | 2. | 0.600 | 2.56 | 5.35 | 2.56 | 2.02 | 5.35 | 1.35 | 1.35 | 0.800 | 0.510 | 0.700 | 1.65 | 0.510 | 0.550 | | | | |
| | 3. | 0.600 | 2.29 | 5.35 | 2.83 | 2.16 | 4.42 | 1.25 | 1.25 | 0.650 | 0.950 | 0.510 | 1.05 | 0.550 | 0.550 | | | | |
| | 4. | 0.600 | 2.16 | 5.55 | 2.56 | 1.65 | 4.09 | 1.45 | 1.15 | 0.600 | 0.700 | 0.510 | 0.850 | 0.550 | 1.15 | | | | |
| | 5. | 0.600 | 1.75 | 5.55 | 2.02 | 1.65 | 3.76 | 1.35 | 1.05 | 0.550 | 0.550 | 0.510 | 0.850 | 0.600 | 6.35 | | | | |
| | 6. | 0.600 | 1.65 | 5.35 | 1.88 | 1.55 | 3.43 | 1.35 | 1.25 | 0.700 | 0.510 | 0.510 | 1.15 | 0.550 | 3.92 | | | | |
| | 7. | 0.600 | 1.55 | 5.75 | 1.75 | 1.55 | 4.09 | 1.05 | 1.15 | 0.600 | 0.550 | 0.510 | 1.15 | 0.510 | 3.10 | | | | |
| | 8. | 0.650 | 1.45 | 6.15 | 1.65 | 1.45 | 3.76 | 1.15 | 1.05 | 0.650 | 0.600 | 0.550 | 0.850 | 0.550 | 2.83 | | | | |
| | 9. | 0.600 | 1.35 | 6.55 | 1.65 | 1.45 | 3.60 | 1.15 | 0.950 | 0.600 | 0.600 | 0.550 | 0.800 | 0.510 | 2.56 | | | | |
| | 10. | 0.650 | 1.25 | 6.35 | 1.88 | 1.35 | 2.83 | 1.15 | 0.950 | 0.510 | 0.600 | 0.550 | 0.850 | 0.510 | 2.16 | | | | |
| | 11. | 0.650 | 1.15 | 6.15 | 4.42 | 1.25 | 2.56 | 0.950 | 0.950 | 0.470 | 0.430 | 0.550 | 0.800 | 0.510 | 1.88 | | | | |
| | 12. | 0.700 | 1.05 | 6.15 | 12.0 | 1.65 | 2.42 | 0.950 | 0.800 | 0.470 | 0.510 | 0.650 | 0.800 | 0.510 | 1.75 | | | | |
| | 13. | 0.800 | 0.950 | 5.95 | 24.7 | 1.55 | 2.29 | 0.950 | 0.800 | 0.430 | 0.510 | 0.700 | 0.700 | 0.510 | 1.75 | | | | |
| | 14. | 0.750 | 0.850 | 5.35 | 17.3 | 1.45 | 2.02 | 1.25 | 0.750 | 0.750 | 0.510 | 0.510 | 0.650 | 0.510 | 1.65 | | | | |
| | 15. | 0.700 | 0.850 | 4.75 | 12.6 | 1.55 | 1.88 | 2.02 | 0.750 | 0.850 | 0.600 | 0.510 | 0.650 | 0.510 | 1.75 | | | | |
| | 16. | 0.600 | 0.800 | 4.26 | 10.1 | 2.97 | 1.75 | 1.35 | 0.700 | 0.650 | 0.550 | 1.88 | 0.550 | 0.650 | 5.15 | | | | |
| | 17. | 0.700 | 0.950 | 3.76 | 8.10 | 7.42 | 1.65 | 1.15 | 0.700 | 0.550 | 0.510 | 1.35 | 0.510 | 0.650 | 5.35 | | | | |
| | 18. | 2.83 | 1.55 | 4.42 | 6.75 | 9.81 | 1.75 | 1.15 | 0.700 | 0.470 | 0.510 | 0.850 | 0.510 | 0.650 | 4.42 | | | | |
| | 19. | 9.81 | 1.05 | 4.09 | 5.95 | 12.9 | 2.56 | 1.05 | 0.600 | 0.600 | 0.510 | 0.800 | 0.510 | 0.600 | 4.09 | | | | |
| | 20. | 7.65 | 0.800 | 5.55 | 4.95 | 13.2 | 3.26 | 0.950 | 0.600 | 0.600 | 0.600 | 0.750 | 0.510 | 0.550 | 3.26 | | | | |
| | 21. | 5.95 | 1.25 | 12.9 | 4.26 | 10.9 | 2.29 | 0.950 | 0.550 | 0.550 | 0.550 | 0.700 | 0.510 | 1.25 | 3.10 | | | | |
| | 22. | 5.95 | 1.75 | 11.2 | 3.92 | 9.00 | 2.02 | 3.60 | 0.600 | 0.510 | 0.700 | 0.650 | 0.510 | 0.850 | 2.70 | | | | |
| | 23. | 9.81 | 1.05 | 9.27 | 3.60 | 8.10 | 1.65 | 2.97 | 0.510 | 0.510 | 1.88 | 0.650 | 0.650 | 0.700 | 2.56 | | | | |
| | 24. | 10.1 | 3.43 | 7.88 | 3.10 | 7.65 | 1.75 | 3.26 | 0.510 | 0.470 | 0.600 | 0.600 | 0.600 | 0.650 | 2.42 | | | | |
| | 25. | 8.55 | 5.55 | 6.75 | 2.70 | 8.32 | 1.88 | 2.70 | 0.600 | 0.470 | 0.700 | 0.550 | 0.600 | 0.600 | 2.29 | | | | |
| | 26. | 6.98 | 5.75 | 5.75 | 2.56 | 9.54 | 2.29 | 2.42 | 0.850 | 0.470 | 0.800 | 0.650 | 0.600 | 0.550 | 2.16 | | | | |
| | 27. | 5.75 | 5.35 | 4.75 | 2.42 | 9.00 | 2.16 | 2.29 | 0.650 | 0.430 | 0.650 | 0.600 | 0.650 | 0.550 | 1.88 | | | | |
| | 28. | 4.75 | 4.75 | 4.26 | 2.29 | 8.78 | 1.75 | 2.02 | 0.600 | 0.470 | 0.600 | 0.550 | 0.750 | 0.550 | 1.75 | | | | |
| | 29. | 4.09 | 4.42 | 3.60 | | 8.55 | 1.55 | 1.75 | 0.550 | 0.470 | 0.550 | 0.700 | 0.600 | 0.550 | 1.65 | | | | |
| | 30. | 3.26 | 3.76 | 3.26 | | 8.10 | 1.35 | 1.88 | 1.05 | 1.65 | 0.510 | 0.700 | 0.550 | 0.550 | 1.55 | | | | |
| | 31. | | 3.43 | 2.97 | | 7.20 | | 1.65 | | 0.750 | 0.510 | | 0.510 | | 1.55 | | | | |
| Hauptwerte | Tag | 1. | 16.+ | 31. | 8.+ | 11. | 30. | 11.+ | 23.+ | 13.+ | 11. | 1.+ | 17.+ | 1.+ | 1.+ | | | | |
| | NQ | 0.550 | 0.800 | 2.97 | 1.65 | 1.25 | 1.35 | 0.950 | 0.510 | 0.430 | 0.430 | 0.510 | 0.510 | 0.510 | 0.550 | | | | |
| | MQ | 3.21 | 2.24 | 5.78 | 5.48 | 5.35 | 2.74 | 1.61 | 0.851 | 0.619 | 0.633 | 0.677 | 0.735 | 0.593 | 2.53 | | | | |
| | HQ | 12.9 | 6.75 | 16.6 | 30.6 | 14.1 | 7.20 | 6.35 | 2.70 | 9.54 | 6.15 | 4.42 | 2.42 | 2.16 | 8.78 | | | | |
| | Tag | 19. | 25. | 21. | 12. | 19. | 1.+ | 22. | 30. | 14. | 22. | 16. | 2. | 21. | 16. | | | | |
| | h _N | mm | | | | | | | | | | | | | | | | | |
| | h _A | mm | 54 | 39 | 100 | 86 | 93 | 46 | 28 | 14 | 11 | 11 | 11 | 13 | 10 | 44 | | | |
| | | | 1922/2004 | | 1923/2005 | | | | | | | | | | | | 83 Jahre | | |
| | Jahr | | 1991 | 1953 | 1954 | 1963 | 1963 | 1960 | 1943 | 1954 | 1934 | 2003 | 1928 | 1933 | 1991 | 1953 | | | |
| | NQ | m ³ /s | 0.220 | 0.180 | 0.230 | 0.210 | 0.210 | 0.540 | 0.280 | 0.140 | 0.190 | 0.129 | 0.160 | 0.220 | 0.220 | 0.180 | | | |
| | MNQ | m ³ /s | 1.08 | 1.21 | 1.34 | 1.45 | 1.58 | 2.04 | 1.08 | 0.765 | 0.644 | 0.543 | 0.595 | 0.698 | 1.05 | 1.19 | | | |
| | MQ | m ³ /s | 2.50 | 3.18 | 3.46 | 3.36 | 3.76 | 4.11 | 2.12 | 1.65 | 1.29 | 1.04 | 1.18 | 1.69 | 2.45 | 3.15 | | | |
| | MHQ | m ³ /s | 7.35 | 10.3 | 10.8 | 9.56 | 10.6 | 9.31 | 5.43 | 5.24 | 4.53 | 4.86 | 3.64 | 4.87 | 7.26 | 10.2 | | | |
| | HQ | m ³ /s | 49.2 | 47.7 | 55.6 | 69.3 | 60.7 | 49.3 | 18.0 | 23.2 | 14.7 | 79.6 | 25.7 | 24.8 | 49.2 | 47.7 | | | |
| | Jahr | | 1940 | 1947 | 2002 | 1946 | 1981 | 1994 | 1969 | 1972 | 1996 | 1981 | 1998 | 1960 | 1940 | 1947 | | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 42 | 55 | 60 | 53 | 65 | 69 | 37 | 28 | 22 | 18 | 20 | 29 | 41 | 55 | | | | |
| Hauptwerte | | | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschnittene Abflüsse m ³ /s | | | | | | | | |
| | | | 2005 | | | | 2005 | | | | Unter schreitungs dauer in Tagen | | Abfluss-jahr (*) | | Kalender-jahr | | 1923/2005 83 Kalenderjahre | | |
| | | | Jahr | | Datum | | Winter | | Sommer | | Jahr | | Datum | | Obere Hüllwerte | | Mittlere Werte | | Untere Hüllwerte |
| | NQ | m ³ /s | 0.430 | am 13.07.2005 | 0.550 | 0.430 | 0.430 | am 13.07.2005 | | | | | | | | | | | |
| | MQ | m ³ /s | 2.48 | | 4.12 | 0.855 | 2.29 | | | | | | | | | | | | |
| | HQ | m ³ /s | 30.6 | am 12.02.2005 | 30.6 | 9.54 | 30.6 | am 12.02.2005 | | | | | | | | | | | |
| | Nq | l/(skm ²) | 2.78 | | 3.55 | 2.78 | 2.78 | | | | | | | | | | | | |
| | Mq | l/(skm ²) | 16.0 | | 26.6 | 5.52 | 14.8 | | | | | | | | | | | | |
| | Hq | l/(skm ²) | 198 | | 198 | 61.6 | 198 | | | | | | | | | | | | |
| | h _N | mm | | | | | | | | | | | | | | | | | |
| | h _A | mm | 505 | | 416 | 88 | 467 | | | | | | | | | | | | |
| | | | 1923/2005 (*) 83 Jahre | | | | 1923/2005 | | | | | | | | | | | | |
| | NQ | m ³ /s | 0.129 | am 14.08.2003 | 0.180 | 0.129 | 0.129 | am 14.08.2003 | | | | | | | | | | | |
| | MNQ | m ³ /s | 0.380 | | 0.661 | 0.420 | 0.393 | | | | | | | | | | | | |
| | MQ | m ³ /s | 2.44 | | 3.40 | 1.50 | 2.43 | | | | | | | | | | | | |
| MHQ | m ³ /s | 22.3 | | 21.3 | 10.4 | 22.3 | | | | | | | | | | | | | |
| HQ | m ³ /s | 79.6 | am 10.08.1981 | 69.3 | 79.6 | 79.6 | am 10.08.1981 | | | | | | | | | | | | |
| HQ ₁ | m ³ /s | | | | | | | | | | | | | | | | | | |
| HQ ₅ | m ³ /s | | | | | | | | | | | | | | | | | | |
| MNq | l/(skm ²) | 2.45 | | 4.27 | 2.71 | 2.54 | | | | | | | | | | | | | |
| Mq | l/(skm ²) | 15.8 | | 22.0 | 9.69 | 15.7 | | | | | | | | | | | | | |
| MHq | l/(skm ²) | 144 | | 138 | 67.2 | 144 | | | | | | | | | | | | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 497 | | 343 | 154 | 495 | | | | | | | | | | | | | |
| Extremwerte | | | Niedrigwasser | | | | Hochwasser | | | | | | | | | | | | |
| | | | m ³ /s | | l/(skm ²) | | Datum | | m ³ /s | | l/(skm ²) | | cm | | Datum | | | | |
| | 1 | | 0.129 | 0.833 | 14.08.2003+ | 79.6 | 514 | 10.08.1981 | | | | | | | | | | | |
| | 2 | | 0.140 | 0.904 | 18.06.1954 | 69.3 | 448 | 08.02.1946 | | | | | | | | | | | |
| | 3 | | 0.160 | 1.03 | 21.09.1928+ | 60.8 | 393 | 12.03.1981 | | | | | | | | | | | |
| | 4 | | 0.180 | 1.16 | 12.12.1953+ | 55.6 | 359 | 26.01.2002 | | | | | | | | | | | |
| | 5 | | 0.180 | 1.16 | 21.08.1947+ | 49.3 | 318 | 13.04.1994 | | | | | | | | | | | |
| | 6 | | 0.190 | 1.23 | 07.08.1935+ | 49.2 | 318 | 05.11.1940 | | | | | | | | | | | |
| | 7 | | 0.190 | 1.23 | 08.07.1934 | 47.7 | 308 | 28.12.1947 | | | | | | | | | | | |
| | 8 | | 0.190 | 1.23 | 31.08.1929+ | 46.4 | 300 | 03.01.2003 | | | | | | | | | | | |
| | 9 | | 0.200 | 1.29 | 09.07.1976+ | 45.4 | 293 | 06.01.1982 | | | | | | | | | | | |
| | 10 | | 0.210 | 1.36 | 18.09.1964+ | 41.0 | 265 | 26.02.1997 | | | | | | | | | | | |

(*) Abflussjahr: 1.11. des Vorjahres bis 31.10.

A_{E0} : 894 km²

PNP: NN + 133.40 m

Lage: 10.0 km oberhalb Mündung links



m³/s

Pegel : Niedertrebra

Gewässer : Ilm

Gebiet : Obere Saale

Nr. 572920

| Tag | 2004 | | 2005 | | | | | | | | | | | | | | | |
|-----------------|-----------------------|-------|------------------------|-------------|-----------------------|-------|---------------|-------|-------------------|-------|---|-------|--------------|-------|------------------|--|------------------|--|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | | | |
| 1. | 1.89 | 4.80 | 5.40 | 9.60 | 6.44 | 14.1 | 4.40 | 3.65 | 2.73 | 2.37 | 1.52 | 2.25 | 1.89 | 2.37 | | | | |
| 2. | 1.65 | 4.40 | 7.00 | 8.48 | 6.18 | 12.7 | 4.25 | 3.49 | 2.49 | 2.01 | 1.59 | 3.33 | 1.89 | 2.25 | | | | |
| 3. | 1.59 | 4.25 | 8.76 | 9.60 | 5.92 | 11.3 | 4.10 | 3.49 | 2.25 | 2.61 | 1.89 | 3.65 | 1.89 | 2.13 | | | | |
| 4. | 1.52 | 3.80 | 7.60 | 12.7 | 6.18 | 10.3 | 3.95 | 3.01 | 1.89 | 2.61 | 1.89 | 3.01 | 1.89 | 2.25 | | | | |
| 5. | 1.52 | 3.65 | 7.90 | 10.6 | 5.92 | 9.60 | 4.10 | 2.85 | 1.65 | 2.13 | 1.77 | 2.73 | 2.13 | 2.37 | | | | |
| 6. | 1.52 | 3.33 | 7.60 | 9.04 | 5.66 | 9.04 | 4.10 | 3.33 | 1.65 | 2.01 | 1.77 | 2.73 | 1.77 | 6.70 | | | | |
| 7. | 1.39 | 3.17 | 7.90 | 8.20 | 5.20 | 8.48 | 3.95 | 3.33 | 2.01 | 2.13 | 1.65 | 2.85 | 1.89 | 5.20 | | | | |
| 8. | 1.59 | 3.01 | 7.90 | 7.60 | 5.20 | 9.04 | 3.95 | 3.01 | 2.01 | 2.01 | 1.59 | 2.85 | 1.77 | 4.60 | | | | |
| 9. | 1.65 | 2.85 | 8.48 | 8.48 | 5.20 | 8.76 | 3.95 | 2.85 | 1.77 | 2.25 | 1.52 | 2.73 | 1.77 | 4.10 | | | | |
| 10. | 2.13 | 2.73 | 8.48 | 9.60 | 5.00 | 7.90 | 4.10 | 2.61 | 1.65 | 1.77 | 1.59 | 2.49 | 1.77 | 3.80 | | | | |
| 11. | 1.89 | 2.61 | 8.48 | 11.7 | 4.80 | 7.60 | 3.65 | 2.85 | 1.65 | 1.77 | 3.49 | 2.37 | 1.77 | 3.49 | | | | |
| 12. | 1.65 | 2.61 | 7.90 | 22.1 | 5.40 | 6.70 | 3.49 | 2.49 | 1.59 | 1.77 | 2.37 | 2.61 | 1.65 | 3.49 | | | | |
| 13. | 1.89 | 2.49 | 7.60 | 29.8 | 6.18 | 6.44 | 3.33 | 2.49 | 1.52 | 2.01 | 2.13 | 2.13 | 1.65 | 3.65 | | | | |
| 14. | 1.89 | 2.49 | 7.30 | 32.1 | 6.18 | 6.18 | 3.65 | 2.61 | 1.39 | 1.89 | 2.49 | 2.25 | 1.65 | 3.49 | | | | |
| 15. | 1.89 | 2.37 | 6.44 | 24.5 | 5.92 | 5.92 | 4.40 | 2.49 | 1.52 | 1.89 | 2.13 | 2.01 | 1.77 | 3.65 | | | | |
| 16. | 1.77 | 2.37 | 6.18 | 19.7 | 8.48 | 5.66 | 4.60 | 2.25 | 2.13 | 1.77 | 2.73 | 2.01 | 2.37 | 4.10 | | | | |
| 17. | 1.77 | 2.37 | 5.40 | 16.7 | 25.9 | 5.40 | 4.10 | 2.13 | 1.65 | 1.65 | 3.49 | 2.01 | 2.25 | 8.48 | | | | |
| 18. | 2.25 | 2.73 | 5.00 | 14.7 | 28.3 | 5.40 | 3.80 | 2.01 | 1.59 | 1.52 | 3.33 | 2.01 | 2.25 | 8.20 | | | | |
| 19. | 7.30 | 3.17 | 5.66 | 13.1 | 22.8 | 5.20 | 3.65 | 2.01 | 1.59 | 1.46 | 2.85 | 1.77 | 2.01 | 7.30 | | | | |
| 20. | 13.1 | 2.73 | 5.40 | 12.0 | 24.9 | 6.18 | 3.49 | 1.89 | 1.59 | 1.46 | 2.61 | 1.89 | 2.01 | 7.00 | | | | |
| 21. | 9.32 | 2.25 | 12.0 | 10.6 | 22.5 | 6.44 | 3.49 | 1.89 | 2.13 | 1.65 | 2.37 | 2.01 | 2.73 | 6.70 | | | | |
| 22. | 7.90 | 2.13 | 20.4 | 9.32 | 20.0 | 5.66 | 5.00 | 2.13 | 1.65 | 1.77 | 2.25 | 2.01 | 3.33 | 5.40 | | | | |
| 23. | 9.32 | 1.89 | 18.3 | 8.76 | 17.6 | 5.20 | 7.90 | 1.89 | 1.59 | 2.73 | 2.25 | 1.89 | 3.17 | 4.40 | | | | |
| 24. | 13.4 | 2.61 | 16.4 | 8.20 | 16.7 | 5.00 | 6.70 | 1.77 | 1.59 | 3.49 | 2.13 | 2.13 | 2.61 | 3.95 | | | | |
| 25. | 12.4 | 4.60 | 14.4 | 7.90 | 16.1 | 5.00 | 5.92 | 1.89 | 1.59 | 2.49 | 2.01 | 2.01 | 2.73 | 3.80 | | | | |
| 26. | 10.6 | 7.00 | 12.7 | 7.90 | 17.6 | 5.20 | 5.00 | 2.01 | 1.65 | 2.25 | 2.49 | 2.01 | 2.73 | 3.80 | | | | |
| 27. | 8.76 | 7.60 | 11.0 | 7.30 | 17.3 | 5.66 | 4.60 | 2.37 | 1.59 | 2.01 | 2.37 | 2.01 | 2.61 | 3.65 | | | | |
| 28. | 7.60 | 6.70 | 9.94 | 6.70 | 16.4 | 5.00 | 4.25 | 2.01 | 1.52 | 1.89 | 2.13 | 2.01 | 2.49 | 3.49 | | | | |
| 29. | 6.44 | 6.18 | 9.04 | | 16.1 | 4.60 | 4.10 | 1.77 | 1.65 | 1.77 | 2.13 | 1.89 | 2.49 | 3.33 | | | | |
| 30. | 5.66 | 5.40 | 8.20 | | 16.1 | 4.40 | 3.80 | 2.49 | 5.92 | 1.65 | 2.13 | 2.01 | 2.49 | 3.17 | | | | |
| 31. | | 5.00 | 8.20 | | 15.0 | | 3.80 | | 3.49 | 1.65 | | 2.01 | | 4.40 | | | | |
| Tag | 7. | 23. | 18. | 28. | 11. | 30. | 13. | 24.+ | 14. | 19.+ | 1.+ | 19. | 12.+ | 3. | | | | |
| NQ | 1.39 | 1.89 | 5.00 | 6.70 | 4.80 | 4.40 | 3.33 | 1.77 | 1.39 | 1.46 | 1.52 | 1.77 | 1.65 | 2.13 | | | | |
| MQ | 4.78 | 3.65 | 9.13 | 12.7 | 12.5 | 7.14 | 4.31 | 2.50 | 1.96 | 2.01 | 2.22 | 2.31 | 2.18 | 4.35 | | | | |
| HQ | 15.4 | 7.90 | 22.1 | 34.8 | 33.6 | 14.7 | 9.32 | 4.60 | 14.4 | 5.20 | 5.92 | 3.95 | 4.25 | 11.3 | | | | |
| Tag | 20. | 26.+ | 21.+ | 13.+ | 18. | 1. | 23. | 6.+ | 30. | 23. | 11. | 3.+ | 5. | 17. | | | | |
| h _N | mm | | | | | | | | | | | | | | | | | |
| h _A | mm | 14 | 11 | 27 | 34 | 37 | 21 | 13 | 7 | 6 | 6 | 6 | 7 | 13 | | | | |
| 1922/2004 | | | 1923/2005 | | | | | | | | | | | | 83 Jahre | | | |
| Jahr | 1947 | 1949 | 1964 | 1963 | 1963 | 1938 | 1934 | 1934 | 1934 | 1949 | 1929 | 1949 | 1947 | 1949 | | | | |
| NQ | 0.810 | 0.810 | 0.950 | 0.950 | 0.950 | 2.00 | 1.37 | 0.630 | 0.570 | 0.590 | 0.570 | 0.590 | 0.810 | 0.810 | | | | |
| MNQ | 3.14 | 3.43 | 3.85 | 4.41 | 4.88 | 5.75 | 4.10 | 3.32 | 2.63 | 2.21 | 2.15 | 2.31 | 3.11 | 3.35 | | | | |
| MQ | 5.38 | 6.47 | 7.28 | 7.62 | 8.86 | 9.23 | 6.29 | 5.40 | 4.13 | 3.29 | 3.07 | 3.84 | 5.32 | 6.39 | | | | |
| MHQ | 13.0 | 16.0 | 18.5 | 17.2 | 21.0 | 18.6 | 13.3 | 15.1 | 10.6 | 8.30 | 6.31 | 8.64 | 12.9 | 16.0 | | | | |
| HQ | 84.1 | 77.0 | 84.6 | 84.6 | 82.0 | 105 | 72.2 | 82.7 | 76.4 | 96.6 | 21.8 | 44.5 | 84.1 | 77.0 | | | | |
| Jahr | 1940 | 1939 | 1926 | 1946 | 1942 | 1994 | 1969 | 1953 | 1956 | 1981 | 1998 | 1939 | 1940 | 1939 | | | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 16 | 19 | 22 | 21 | 27 | 27 | 19 | 16 | 12 | 9 | 12 | 15 | 19 | | | | |
| Abflussjahr (*) | | | 2005 | | | | Kalenderjahr | | | | Unterschiedene Abflüsse m ³ /s | | | | | | | |
| | | | Jahr | | Datum | | Jahr | | Datum | | Abflussjahr (*) | | Kalenderjahr | | 1923/2005 | | 83 Kalenderjahre | |
| | | | | | | | | | | | 2005 | | 2005 | | Obere Hüllwerte | | Mittlere Werte | |
| | | | | | | | | | | | 2005 | | 2005 | | Untere Hüllwerte | | | |
| NQ | m ³ /s | 1.39 | am 07.11.2004 | 1.39 | 1.39 | 1.39 | am 14.07.2005 | | | (365) | 32.1 | 32.1 | 101 | 38.8 | 8.19 | | | |
| MQ | m ³ /s | 5.39 | | 8.27 | 2.55 | 5.24 | | | | 364 | 26.8 | 26.8 | 81.7 | 31.2 | 8.19 | | | |
| HQ | m ³ /s | 34.8 | am 13.02.2005 | 34.8 | 14.4 | 34.8 | am 13.02.2005 | | | 363 | 28.3 | 28.3 | 74.2 | 27.1 | 7.54 | | | |
| Nq | l/(skm ²) | 1.55 | | 1.55 | 1.55 | 1.55 | | | | 361 | 25.9 | 25.9 | 67.4 | 24.7 | 6.90 | | | |
| Mq | l/(skm ²) | 6.03 | | 9.25 | 2.85 | 5.86 | | | | 360 | 24.9 | 24.9 | 63.8 | 23.1 | 6.70 | | | |
| Hq | l/(skm ²) | 38.9 | | 38.9 | 16.1 | 38.9 | | | | 359 | 24.5 | 24.5 | 62.3 | 21.9 | 6.49 | | | |
| h _N | mm | | | 145 | 45 | 185 | | | | 358 | 22.8 | 22.8 | 58.7 | 21.1 | 6.49 | | | |
| h _A | mm | 190 | | | | | | | | 357 | 22.5 | 22.5 | 49.2 | 20.1 | 6.49 | | | |
| | | | 1923/2005 (*) 83 Jahre | | | | 1923/2005 | | | | | | | | | | | |
| NQ | m ³ /s | 0.570 | am 29.07.1934 | 0.810 | 0.570 | 0.570 | am 29.07.1934 | | | 356 | 22.1 | 22.1 | 43.0 | 19.4 | 6.30 | | | |
| MNQ | m ³ /s | 1.63 | | 2.43 | 1.76 | 1.68 | | | | 350 | 18.3 | 18.3 | 29.8 | 16.5 | 5.70 | | | |
| MQ | m ³ /s | 5.89 | | 7.47 | 4.34 | 5.88 | | | | 340 | 14.7 | 14.7 | 24.2 | 13.5 | 5.17 | | | |
| MHQ | m ³ /s | 40.4 | | 36.0 | 23.9 | 41.1 | | | | 330 | 12.4 | 11.3 | 21.1 | 11.7 | 4.76 | | | |
| HQ | m ³ /s | 105 | am 14.04.1994 | 105 | 96.6 | 105 | am 14.04.1994 | | | 320 | 9.94 | 9.32 | 19.7 | 10.5 | 4.60 | | | |
| HQ ₁ | m ³ /s | | | | | | | | | 300 | 8.76 | 8.48 | 17.8 | 8.72 | 3.82 | | | |
| HQ ₅ | m ³ /s | | | | | | | | | 270 | 7.00 | 6.44 | 15.8 | 7.07 | 3.16 | | | |
| MNq | l/(skm ²) | 1.82 | | 2.72 | 1.97 | 1.88 | | | | 240 | 5.66 | 5.20 | 13.7 | 5.83 | 2.70 | | | |
| Mq | l/(skm ²) | 6.59 | | 8.35 | 4.85 | 6.57 | | | | 210 | 4.25 | 4.10 | 12.6 | 4.95 | 2.35 | | | |
| MHq | l/(skm ²) | 45.2 | | 40.3 | 26.7 | 46.0 | | | | 183 | 3.65 | 3.65 | 11.5 | 4.36 | 2.11 | | | |
| Mh _N | mm | | | | | | | | | 150 | 2.73 | 2.73 | 9.32 | 3.72 | 1.58 | | | |
| Mh _A | mm | 208 | | 131 | 77 | 207 | | | | 130 | 2.49 | 2.49 | 7.97 | 3.35 | 1.32 | | | |
| | | | Niedrigwasser | | | | Hochwasser | | | | | | | | | | | |
| | | | m ³ /s | | l/(skm ²) | | Datum | | m ³ /s | | l/(skm ²) | | cm | | Datum | | | |
| 1 | | 0.570 | 0.637 | 29.07.1934 | 105 | 117 | 14.04.1994 | | | 110 | 2.25 | 2.25 | 6.90 | 3.02 | 1.18 | | | |
| 2 | | 0.570 | 0.637 | 15.09.1929+ | 96.6 | 108 | 12.08.1981 | | | 100 | 2.25 | 2.25 | 6.49 | 2.86 | 1.09 | | | |
| 3 | | 0.590 | 0.660 | 20.08.1949+ | 84.6 | 94.6 | 10.02.1946 | | | 90 | 2.13 | 2.13 | 6.30 | 2.70 | 1.09 | | | |
| 4 | | 0.890 | 0.772 | 04.10.1947 | 84.6 | 94.6 | 01.01.1926 | | | 80 | 2.01 | 2.01 | 6.10 | 2.52 | 0.990 | | | |
| 5 | | 0.720 | 0.805 | 10.07.1930+ | 84.1 | 94.0 | 06.11.1940 | | | 70 | 2.01 | 2.01 | 5.91 | 2.38 | 0.950 | | | |
| 6 | | 0.810 | 0.906 | 02.09.1952 | 82.7 | 92.5 | 27.06.1953 | | | 60 | 2.01 | 2.01 | 5.73 | 2.25 | 0.950 | | | |
| 7 | | 0.850 | 0.950 | 18.09.1991+ | 82.0 | 91.7 | 19.03.1942 | | | 50 | 1.89 | 1.89 | 5.54 | 2.06 | 0.880 | | | |
| 8 | | 0.860 | 0.962 | 15.09.1964 | 81.6 | 91.2 | 11.06.1961 | | | 40 | 1.77 | 1.77 | 4.99 | 1.91 | 0.880 | | | |
| 9 | | 0.860 | 0.962 | 05.08.1943 | 81.5 | 91.1 | 25.02.1940 | | | 30 | 1.77 | 1.77 | 4.82 | 1.76 | 0.810 | | | |
| 10 | | 0.950 | 1.06 | 22.01.1964+ | 80.7 | 90.2 | 04.0 | | | | | | | | | | | |

A_{Eo} : 183 km²

PNP: NN + 210.27 m

Lage: 161.2 km oberhalb Mündung links



m³/s

Pegel : Ammern

Gewässer : Unstrut

Gebiet : Unstrut

Nr. 573000

| | Tag | 2004 | | 2005 | | | | | | | | | | | | | | |
|-----------------|------------------------|-----------------------|---------------|-------------------|-----------------------|-------|-----------------|---------------|--|------------------|--------------|-----------------|----------------|------------------|-------|-------|----------|--|
| | | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | | |
| Tageswerte | 1. | 0.330 | 0.770 | 0.870 | 3.72 | 1.41 | 1.52 | 1.74 | 1.08 | 1.19 | 0.770 | 0.530 | 0.680 | 0.280 | 0.280 | | | |
| | 2. | 0.330 | 0.770 | 0.970 | 2.76 | 1.41 | 1.52 | 1.63 | 1.08 | 0.870 | 0.770 | 0.530 | 0.600 | 0.280 | 0.280 | | | |
| | 3. | 0.330 | 0.770 | 0.870 | 4.39 | 1.41 | 1.52 | 1.63 | 0.970 | 0.870 | 0.680 | 0.530 | 0.460 | 0.280 | 0.280 | | | |
| | 4. | 0.330 | 0.680 | 1.19 | 3.00 | 1.41 | 1.52 | 1.63 | 1.08 | 0.870 | 0.680 | 0.530 | 0.460 | 0.280 | 0.330 | | | |
| | 5. | 0.330 | 0.680 | 0.970 | 2.29 | 1.41 | 1.52 | 1.63 | 1.30 | 0.870 | 0.680 | 0.530 | 0.460 | 0.390 | 0.530 | | | |
| | 6. | 0.390 | 0.680 | 0.970 | 1.85 | 1.30 | 1.52 | 1.63 | 1.30 | 0.870 | 0.770 | 0.530 | 0.460 | 0.330 | 0.460 | | | |
| | 7. | 0.330 | 0.680 | 0.870 | 1.63 | 1.30 | 1.74 | 1.74 | 1.08 | 0.970 | 0.770 | 0.530 | 0.460 | 0.330 | 0.390 | | | |
| | 8. | 0.280 | 0.680 | 0.870 | 1.52 | 1.30 | 1.63 | 1.85 | 0.970 | 0.870 | 0.680 | 0.530 | 0.460 | 0.280 | 0.330 | | | |
| | 9. | 0.280 | 0.600 | 0.870 | 1.52 | 1.30 | 1.63 | 1.74 | 0.970 | 0.870 | 0.770 | 0.530 | 0.460 | 0.280 | 0.330 | | | |
| | 10. | 0.390 | 0.600 | 0.770 | 1.52 | 1.41 | 1.52 | 1.63 | 0.970 | 0.870 | 0.600 | 0.530 | 0.460 | 0.280 | 0.280 | | | |
| | 11. | 0.330 | 0.600 | 0.770 | 2.64 | 1.52 | 1.52 | 1.52 | 0.970 | 0.870 | 0.600 | 0.680 | 0.460 | 0.280 | 0.280 | | | |
| | 12. | 0.330 | 0.600 | 0.770 | 9.71 | 2.18 | 1.52 | 1.52 | 0.970 | 0.770 | 0.600 | 0.680 | 0.460 | 0.280 | 0.280 | | | |
| | 13. | 0.330 | 0.600 | 0.770 | 6.94 | 2.29 | 1.63 | 1.52 | 0.970 | 0.770 | 0.680 | 0.600 | 0.390 | 0.280 | 0.280 | | | |
| | 14. | 0.390 | 0.600 | 0.770 | 3.60 | 2.29 | 1.63 | 1.96 | 0.970 | 0.770 | 0.680 | 0.530 | 0.390 | 0.280 | 0.280 | | | |
| | 15. | 0.330 | 0.530 | 0.770 | 2.76 | 2.52 | 1.63 | 1.96 | 0.970 | 0.770 | 0.600 | 0.530 | 0.390 | 0.280 | 0.280 | | | |
| | 16. | 0.330 | 0.530 | 0.770 | 2.29 | 5.38 | 1.63 | 1.63 | 0.870 | 0.770 | 0.680 | 0.680 | 0.390 | 0.390 | 1.08 | | | |
| | 17. | 0.390 | 0.600 | 0.770 | 2.18 | 5.38 | 1.63 | 1.52 | 0.870 | 0.770 | 0.680 | 0.600 | 0.330 | 0.390 | 0.770 | | | |
| | 18. | 0.680 | 0.970 | 0.970 | 1.96 | 3.24 | 1.74 | 1.52 | 0.870 | 0.770 | 0.680 | 0.530 | 0.330 | 0.390 | 0.530 | | | |
| | 19. | 5.16 | 0.970 | 1.19 | 1.96 | 2.52 | 1.85 | 1.52 | 0.870 | 0.870 | 0.600 | 0.530 | 0.330 | 0.330 | 0.460 | | | |
| | 20. | 2.29 | 0.680 | 3.00 | 1.85 | 2.07 | 1.74 | 1.52 | 0.870 | 0.870 | 0.870 | 0.530 | 0.330 | 0.330 | 0.600 | | | |
| | 21. | 1.52 | 0.600 | 11.0 | 1.74 | 1.85 | 1.63 | 1.52 | 0.870 | 0.870 | 0.600 | 0.530 | 0.390 | 0.680 | 1.30 | | | |
| | 22. | 2.52 | 0.530 | 4.17 | 1.63 | 1.74 | 1.63 | 1.52 | 0.870 | 0.970 | 0.600 | 0.530 | 0.330 | 0.460 | 1.08 | | | |
| | 23. | 4.72 | 0.680 | 2.88 | 1.63 | 1.74 | 1.63 | 1.52 | 0.870 | 0.870 | 0.600 | 0.530 | 0.390 | 0.390 | 0.970 | | | |
| | 24. | 2.07 | 3.36 | 2.18 | 1.52 | 1.63 | 1.63 | 1.41 | 0.870 | 0.870 | 0.600 | 0.530 | 0.390 | 0.390 | 1.08 | | | |
| | 25. | 1.41 | 3.00 | 1.85 | 1.52 | 1.85 | 1.74 | 1.41 | 0.970 | 0.870 | 0.530 | 0.530 | 0.390 | 0.390 | 0.870 | | | |
| | 26. | 1.08 | 1.74 | 1.63 | 1.52 | 1.96 | 1.74 | 1.30 | 0.870 | 0.870 | 0.600 | 0.680 | 0.330 | 0.330 | 0.770 | | | |
| | 27. | 0.970 | 1.30 | 1.52 | 1.52 | 1.74 | 1.85 | 1.30 | 0.870 | 0.870 | 0.530 | 0.600 | 0.330 | 0.330 | 0.680 | | | |
| | 28. | 0.970 | 1.08 | 1.52 | 1.52 | 1.74 | 1.74 | 1.19 | 0.870 | 1.30 | 0.530 | 0.600 | 0.330 | 0.280 | 0.600 | | | |
| | 29. | 0.870 | 0.970 | 1.30 | 1.63 | 1.63 | 1.63 | 1.19 | 0.870 | 0.870 | 0.530 | 0.530 | 0.330 | 0.280 | 0.530 | | | |
| | 30. | 0.770 | 0.770 | 1.19 | 1.63 | 1.74 | 1.74 | 1.41 | 1.19 | 0.970 | 0.530 | 0.530 | 0.330 | 0.280 | 0.530 | | | |
| | 31. | | 0.770 | 1.74 | 1.52 | 1.52 | 1.52 | 1.08 | 0.770 | 0.770 | 0.530 | 0.530 | 0.280 | 0.530 | 0.530 | | | |
| Hauptwerte | Tag | 8.+ | 15.+ | 10.+ | 8.+ | 6.+ | 1.+ | 31. | 16.+ | 12.+ | 25.+ | 1.+ | 31. | 1.+ | 1.+ | | | |
| | NQ | 0.280 | 0.530 | 0.770 | 1.52 | 1.30 | 1.52 | 1.08 | 0.870 | 0.770 | 0.530 | 0.530 | 0.280 | 0.280 | 0.280 | | | |
| | MQ | 1.03 | 0.916 | 1.64 | 2.60 | 2.00 | 1.64 | 1.54 | 0.971 | 0.878 | 0.649 | 0.559 | 0.408 | 0.335 | 0.557 | | | |
| | HQ | 12.0 | 4.72 | 21.1 | 16.8 | 13.6 | 2.29 | 3.24 | 2.76 | 2.07 | 1.85 | 1.08 | 0.970 | 1.30 | 2.07 | | | |
| | Tag | 19. | 24. | 21. | 12. | 16. | 18.+ | 14. | 25. | 28. | 20. | 26. | 1. | 21. | 16. | | | |
| | h _N | mm | | | | | | | | | | | | | | | | |
| | h _A | mm | 15 | 13 | 24 | 34 | 29 | 23 | 23 | 14 | 13 | 9 | 8 | 6 | 5 | 8 | | |
| | | | 1940/2004 | | 1941/2005 | | | | | | | | | | | | 58 Jahre | |
| | Jahr | | 1959 | 1959 | 1960 | 1972 | 1960 | 1960 | 1960 | 1960 | 1960 | 1959 | 1959 | 1959 | 1959 | 1959 | | |
| | NQ | m ³ /s | 0.170 | 0.130 | 0.130 | 0.150 | 0.150 | 0.230 | 0.320 | 0.290 | 0.210 | 0.210 | 0.170 | 0.210 | 0.170 | 0.130 | | |
| | MNQ | m ³ /s | 0.680 | 0.794 | 1.02 | 1.18 | 1.31 | 1.45 | 1.21 | 0.969 | 0.828 | 0.697 | 0.633 | 0.622 | 0.666 | 0.780 | | |
| | MQ | m ³ /s | 1.19 | 1.68 | 1.93 | 2.11 | 2.31 | 1.96 | 1.58 | 1.33 | 1.12 | 0.911 | 0.830 | 0.921 | 1.13 | 1.67 | | |
| | MHQ | m ³ /s | 7.50 | 9.67 | 13.1 | 10.8 | 11.4 | 6.63 | 4.88 | 6.30 | 4.31 | 2.58 | 2.03 | 2.93 | 5.91 | 9.82 | | |
| | HQ | m ³ /s | 104 | 53.2 | 52.0 | 42.4 | 67.5 | 54.4 | 39.0 | 115 | 70.2 | 14.4 | 10.8 | 18.0 | 63.2 | 53.2 | | |
| | Jahr | | 1940 | 1988 | 1995 | 2000 | 1956 | 1983 | 1997 | 1981 | 1956 | 2002 | 1987 | 1998 | 1998 | 1988 | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 17 | 25 | 28 | 28 | 34 | 28 | 23 | 19 | 16 | 13 | 12 | 13 | 16 | 24 | | | |
| Hauptwerte | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschrittene Abflüsse m ³ /s | | | | | | | | | |
| | 2005 | | | | 2005 | | | | 2005 | | | | | | | | | |
| | Jahr | Datum | Winter | Sommer | Jahr | Datum | Abflussjahr (*) | Kalenderjahr | 1941/2005 | 58 Kalenderjahre | | | | | | | | |
| | | | | | | | | | Abflussdauer in Tagen | Abflussjahr (*) | Kalenderjahr | Obere Hüllwerte | Mittlere Werte | Untere Hüllwerte | | | | |
| | NQ | m ³ /s | 0.280 | am 08.11.2004 | 0.280 | 0.280 | 0.280 | am 31.10.2005 | (365) | 11.0 | 11.0 | 32.2 | 14.2 | 4.01 | | | | |
| | MQ | m ³ /s | 1.23 | | 1.62 | 0.836 | 1.14 | | 364 | 9.71 | 9.71 | 25.2 | 10.9 | 2.66 | | | | |
| | HQ | m ³ /s | 21.1 | am 21.01.2005 | 21.1 | 3.24 | 21.1 | am 21.01.2005 | 363 | 6.94 | 6.94 | 28.2 | 8.80 | 2.30 | | | | |
| | Nq | l/(skm ²) | 1.53 | | 1.53 | 1.53 | 1.53 | | 362 | 6.94 | 6.94 | 18.0 | 7.32 | 2.18 | | | | |
| | Mq | l/(skm ²) | 6.72 | | 8.85 | 4.57 | 6.23 | | 360 | 6.94 | 6.94 | 17.6 | 6.46 | 2.00 | | | | |
| | Hq | l/(skm ²) | 115 | | 115 | 17.7 | 115 | | 359 | 5.16 | 4.39 | 14.6 | 5.74 | 1.81 | | | | |
| | h _N | mm | | | | | | | 358 | 4.72 | 4.17 | 14.2 | 5.28 | 1.36 | | | | |
| | h _A | mm | 212 | | 138 | 73 | 196 | | 357 | 4.39 | 3.72 | 13.4 | 4.96 | 1.36 | | | | |
| | 1941/2005 (*) 60 Jahre | | | | 1941/2005 | | | | | | | | | | | | | |
| | NQ | m ³ /s | 0.130 | am 22.12.1959 | 0.130 | 0.170 | 0.130 | am 04.01.1960 | 356 | 4.17 | 3.60 | 12.6 | 4.66 | 1.36 | | | | |
| | MNQ | m ³ /s | 0.430 | | 0.604 | 0.546 | 0.449 | | 350 | 3.24 | 2.88 | 8.42 | 3.70 | 1.05 | | | | |
| MQ | m ³ /s | 1.50 | | 1.89 | 1.12 | 1.48 | | 340 | 2.52 | 2.29 | 5.40 | 2.92 | 1.05 | | | | | |
| MHQ | m ³ /s | 31.2 | | 27.9 | 11.4 | 29.3 | | 330 | 2.07 | 1.96 | 4.28 | 2.64 | 0.890 | | | | | |
| HQ | m ³ /s | 115 | am 04.06.1981 | 104 | 115 | 115 | am 04.06.1981 | 320 | 1.96 | 1.85 | 3.72 | 2.38 | 0.790 | | | | | |
| HQ ₁ | m ³ /s | | | | | | | 300 | 1.74 | 1.74 | 3.29 | 2.06 | 0.670 | | | | | |
| HQ ₅ | m ³ /s | | | | | | | 270 | 1.63 | 1.63 | 2.76 | 1.68 | 0.630 | | | | | |
| MNq | l/(skm ²) | 2.35 | | 3.30 | 2.98 | 2.45 | | 240 | 1.52 | 1.41 | 2.52 | 1.42 | 0.620 | | | | | |
| Mq | l/(skm ²) | 8.20 | | 10.3 | 6.12 | 8.09 | | 210 | 1.19 | 1.08 | 2.30 | 1.26 | 0.610 | | | | | |
| MHq | l/(skm ²) | 170 | | 152 | 62.3 | 160 | | 183 | 0.970 | 0.970 | 2.17 | 1.09 | 0.610 | | | | | |
| Mh _N | mm | | | | | | | 150 | 0.970 | 0.870 | 2.11 | 0.980 | 0.550 | | | | | |
| Mh _A | mm | 258 | | 162 | 97 | 255 | | 130 | 0.870 | 0.770 | 2.05 | 0.880 | 0.430 | | | | | |
| Extremwerte | Niedrigwasser | | | | Hochwasser | | | | | | | | | | | | | |
| | m ³ /s | l/(skm ²) | Datum | m ³ /s | l/(skm ²) | cm | Datum | | | | | | | | | | | |
| | 1 | 0.130 | 0.710 | 22.12.1959+ | 115 | 628 | | 04.06.1981 | | | | | | | | | | |
| | 2 | 0.140 | 0.765 | 23.12.1976 | 104 | 568 | | 04.11.1940 | | | | | | | | | | |
| | 3 | 0.150 | 0.820 | 06.02.1972 | 70.2 | 384 | | 15.07.1956 | | | | | | | | | | |
| | 4 | 0.150 | 0.820 | 24.03.1960 | 67.5 | 369 | | 04.03.1956 | | | | | | | | | | |
| | 5 | 0.160 | 0.874 | 12.12.1991 | 65.0 | 355 | | 08.02.1946 | | | | | | | | | | |
| | 6 | 0.210 | 1.15 | 22.07.1960+ | 63.2 | 345 | | 01.11.1998 | | | | | | | | | | |
| | 7 | 0.240 | 1.31 | 17.11.1989+ | 54.4 | 297 | | 20.04.1983 | | | | | | | | | | |
| | 8 | 0.240 | 1.31 | 22.10.1989+ | 53.2 | 291 | | 19.12.1988 | | | | | | | | | | |
| 9 | 0.240 | 1.31 | 13.11.1986 | 52.0 | 284 | | 23.01.1995 | | | | | | | | | | | |
| 10 | 0.250 | 1.37 | 04.03.1963 | 43.6 | 238 | | 05.12.1965 | | | | | | | | | | | |

(*) Abflussjahr: 1.11. des Vorjahres bis 31.10. Ausfalljahr: KJ 1944-1950; AJ 1945; AJ 1947-1950

Beeinflussung durch Rückhaltebecken Lühne in Hochwassersituationen

A_{Eo} : 716 km²

PNP: NN + 167.16 m

Lage: 133.2 km oberhalb Mündung rechts



m³/s

Pegel : Nängelstedt

Gewässer : Unstrut

Gebiet : Unstrut

Nr. 573010

| Tag | 2004 | | 2005 | | | | | | | | | | | | | | | | | |
|------------------------|-----------------------|-------|-----------------------|-------|--------------|---------------|---------------|-------|--------------------------|--------------|-----------------|-----------------------|------------------|-------|------------|--|--|-------|--|--|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | | | | | |
| 1. | 2.45 | 2.30 | 2.16 | 6.92 | 3.90 | 3.90 | 3.31 | 2.78 | 3.90 | 1.64 | 1.64 | 1.64 | 1.40 | 1.52 | | | | | | |
| 2. | 2.45 | 2.45 | 2.45 | 5.60 | 3.90 | 3.70 | 3.31 | 2.78 | 2.61 | 1.08 | 2.02 | 2.02 | 1.52 | 1.52 | | | | | | |
| 3. | 2.45 | 2.45 | 2.30 | 7.15 | 3.70 | 3.90 | 3.50 | 2.45 | 2.61 | 2.02 | 1.89 | 1.52 | 1.40 | 1.40 | | | | | | |
| 4. | 2.30 | 2.30 | 2.45 | 6.70 | 3.50 | 3.70 | 3.50 | 2.61 | 2.61 | 2.45 | 1.64 | 1.52 | 1.40 | 1.40 | | | | | | |
| 5. | 2.45 | 2.30 | 2.30 | 4.94 | 3.50 | 3.70 | 3.31 | 2.95 | 2.45 | 2.30 | 1.64 | 1.40 | 1.52 | 1.52 | | | | | | |
| 6. | 2.45 | 2.16 | 2.45 | 4.10 | 3.50 | 3.70 | 2.95 | 4.10 | 2.45 | 2.78 | 1.64 | 1.40 | 1.52 | 1.76 | | | | | | |
| 7. | 2.61 | 2.16 | 2.30 | 3.90 | 3.31 | 4.10 | 3.50 | 2.95 | 2.61 | 2.61 | 1.89 | 1.52 | 1.40 | 1.52 | | | | | | |
| 8. | 2.61 | 2.16 | 2.45 | 3.70 | 3.31 | 4.10 | 3.70 | 2.95 | 2.78 | 2.16 | 2.45 | 1.52 | 1.52 | 1.40 | | | | | | |
| 9. | 2.30 | 2.16 | 2.16 | 3.70 | 3.31 | 3.90 | 3.50 | 2.78 | 2.30 | 2.78 | 2.30 | 1.52 | 1.52 | 1.40 | | | | | | |
| 10. | 2.78 | 2.16 | 2.30 | 3.70 | 3.70 | 3.70 | 3.70 | 2.95 | 2.30 | 2.30 | 2.30 | 1.40 | 1.40 | 1.29 | | | | | | |
| 11. | 2.45 | 2.16 | 2.30 | 5.16 | 3.70 | 3.70 | 2.95 | 2.78 | 2.16 | 2.02 | 2.30 | 1.40 | 1.29 | 1.29 | | | | | | |
| 12. | 2.16 | 2.02 | 2.30 | 15.8 | 5.38 | 3.50 | 3.13 | 2.61 | 2.30 | 2.30 | 1.89 | 1.64 | 1.29 | 1.29 | | | | | | |
| 13. | 2.02 | 2.16 | 2.30 | 20.3 | 6.04 | 3.70 | 2.95 | 2.61 | 2.16 | 2.16 | 1.76 | 1.52 | 1.40 | 1.29 | | | | | | |
| 14. | 2.16 | 2.02 | 2.30 | 10.9 | 6.70 | 3.50 | 4.31 | 2.61 | 1.89 | 2.45 | 1.64 | 1.52 | 1.40 | 1.29 | | | | | | |
| 15. | 2.16 | 1.89 | 2.16 | 7.84 | 6.26 | 3.70 | 7.84 | 2.61 | 2.02 | 2.61 | 1.64 | 1.64 | 1.40 | 1.29 | | | | | | |
| 16. | 1.89 | 1.76 | 2.16 | 5.60 | 9.32 | 3.50 | 4.52 | 2.61 | 2.16 | 2.30 | 2.02 | 1.52 | 1.64 | 2.02 | | | | | | |
| 17. | 1.89 | 2.02 | 2.16 | 5.82 | 13.3 | 3.50 | 3.90 | 2.45 | 2.16 | 2.30 | 1.89 | 1.52 | 1.89 | 2.61 | | | | | | |
| 18. | 2.16 | 2.61 | 2.45 | 5.38 | 7.84 | 3.50 | 3.90 | 2.45 | 2.02 | 2.16 | 1.64 | 1.52 | 1.64 | 1.64 | | | | | | |
| 19. | 8.32 | 2.45 | 2.95 | 5.16 | 6.04 | 6.48 | 6.48 | 3.50 | 2.02 | 1.89 | 1.64 | 1.52 | 1.52 | 1.52 | | | | | | |
| 20. | 5.16 | 2.30 | 3.31 | 4.94 | 5.38 | 4.52 | 4.31 | 2.95 | 2.02 | 2.45 | 1.64 | 1.64 | 1.52 | 1.52 | | | | | | |
| 21. | 3.50 | 2.02 | 19.0 | 4.52 | 4.73 | 3.70 | 3.31 | 2.45 | 1.89 | 2.61 | 1.52 | 1.64 | 2.02 | 2.02 | | | | | | |
| 22. | 2.95 | 1.76 | 9.85 | 4.52 | 4.52 | 3.70 | 3.90 | 2.30 | 2.45 | 2.02 | 1.52 | 1.64 | 2.02 | 2.16 | | | | | | |
| 23. | 7.61 | 1.89 | 6.92 | 3.90 | 4.52 | 3.70 | 3.50 | 2.30 | 2.30 | 2.02 | 1.52 | 1.76 | 1.76 | 1.89 | | | | | | |
| 24. | 4.94 | 3.50 | 4.52 | 3.90 | 4.52 | 3.70 | 2.95 | 2.61 | 2.02 | 2.02 | 1.52 | 1.52 | 1.64 | 2.16 | | | | | | |
| 25. | 3.13 | 3.16 | 3.70 | 3.90 | 4.52 | 3.50 | 3.13 | 3.31 | 2.16 | 2.02 | 1.52 | 1.52 | 1.40 | 1.89 | | | | | | |
| 26. | 2.78 | 3.50 | 3.70 | 4.10 | 5.16 | 4.10 | 3.13 | 3.70 | 2.16 | 2.02 | 1.89 | 1.52 | 1.52 | 1.89 | | | | | | |
| 27. | 2.61 | 2.78 | 3.70 | 4.10 | 4.52 | 4.10 | 2.61 | 2.61 | 1.89 | 2.02 | 1.89 | 1.29 | 1.52 | 1.76 | | | | | | |
| 28. | 2.45 | 2.61 | 3.50 | 3.70 | 4.31 | 4.10 | 2.45 | 2.61 | 3.13 | 1.76 | 1.64 | 1.40 | 1.40 | 1.64 | | | | | | |
| 29. | 2.45 | 2.45 | 3.31 | | 4.31 | 3.50 | 2.78 | 2.45 | 3.90 | 1.89 | 1.52 | 1.40 | 1.29 | 1.52 | | | | | | |
| 30. | 2.45 | 2.30 | 3.13 | | 4.10 | 3.70 | 4.52 | 3.50 | 2.78 | 1.89 | 1.64 | 1.40 | 1.40 | 1.64 | | | | | | |
| 31. | | 2.16 | 3.13 | | 3.90 | | 2.95 | | 2.30 | 1.64 | | 1.40 | | 1.52 | | | | | | |
| Tag | 16.+ | 16.+ | 1.+ | 8.+ | 8. | 12.+ | 28. | 19.+ | 14.+ | 2. | 21.+ | 27. | 11.+ | 10.+ | | | | | | |
| NQ | 1.89 | 1.76 | 2.16 | 3.70 | 3.13 | 3.50 | 2.45 | 2.30 | 1.89 | 1.08 | 1.52 | 1.29 | 1.29 | 1.29 | | | | | | |
| MQ | 3.00 | 2.39 | 3.62 | 6.07 | 4.98 | 3.86 | 3.57 | 2.77 | 2.40 | 2.15 | 1.79 | 1.53 | 1.52 | 1.63 | | | | | | |
| HQ | 14.3 | 6.48 | 29.7 | 33.3 | 20.6 | 8.32 | 12.1 | 8.32 | 8.81 | 4.10 | 2.78 | 2.45 | 2.95 | 3.70 | | | | | | |
| Tag | 19. | 24.+ | 21. | 12. | 17. | 19. | 15. | 25. | 29. | 9. | 16.+ | 23. | 21. | 16. | | | | | | |
| h _N | mm | | | | | | | | | | | | | | | | | | | |
| h _A | mm | 11 | 9 | 14 | 21 | 19 | 14 | 13 | 10 | 9 | 8 | 6 | 6 | 6 | | | | | | |
| 1936/2004 | | | 1937/2005 | | | | | | | | | | | | | | | | | |
| 69 Jahre | | | 69 Jahre | | | | | | | | | | | | | | | | | |
| Jahr | 1959 | 1947 | 1977 | 1960 | 1954 | 1960 | 1960 | 1977 | 1992 | 1976 | 1960 | 1960 | 1959 | 1947 | | | | | | |
| NQ | 0.600 | 0.640 | 0.700 | 0.800 | 0.870 | 1.00 | 0.800 | 0.560 | 0.540 | 0.560 | 0.700 | 0.600 | 0.600 | 0.640 | | | | | | |
| MNQ | 2.00 | 2.37 | 2.83 | 3.31 | 3.68 | 3.87 | 3.20 | 2.77 | 2.49 | 2.16 | 1.99 | 1.90 | 2.00 | 2.36 | | | | | | |
| MQ | 3.08 | 4.22 | 4.93 | 5.99 | 6.56 | 5.29 | 4.28 | 3.81 | 3.29 | 2.84 | 2.41 | 2.49 | 3.07 | 4.19 | | | | | | |
| MHQ | 12.6 | 17.6 | 22.3 | 23.8 | 25.5 | 13.9 | 12.9 | 11.3 | 9.31 | 6.92 | 4.60 | 6.01 | 12.6 | 17.7 | | | | | | |
| HQ | 147 | 80.9 | 85.2 | 124 | 147 | 65.0 | 50.4 | 80.8 | 87.2 | 37.2 | 19.5 | 30.1 | 147 | 80.9 | | | | | | |
| Jahr | 1940 | 1947 | 1948 | 1946 | 1956 | 1994 | 1950 | 1981 | 1956 | 1972 | 1987 | 1974 | 1940 | 1947 | | | | | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 11 | 16 | 18 | 20 | 25 | 19 | 16 | 14 | 12 | 11 | 9 | 11 | 16 | | | | | | |
| Abflussjahr (*) | | | 2005 | | Kalenderjahr | | 2005 | | Unterschrittene Abflüsse | | 1937/2005 | | 69 Kalenderjahre | | | | | | | |
| | | | Jahr | Datum | Winter | Sommer | Jahr | Datum | Abflussjahr (*) | Kalenderjahr | Obere Hüllwerte | Mittlere Werte | Untere Hüllwerte | | | | | | | |
| NQ | m ³ /s | 1.08 | am 02.08.2005 | 1.76 | 1.08 | 1.08 | am 02.08.2005 | | | | | | | | | | | | | |
| MQ | m ³ /s | 3.16 | | 3.96 | 2.37 | 2.97 | | | | | | | | | | | | | | |
| HQ | m ³ /s | 33.3 | am 12.02.2005 | 33.3 | 12.1 | 33.3 | am 12.02.2005 | | | | | | | | | | | | | |
| Nq | l/(skm ²) | 1.51 | | 2.46 | 1.51 | 1.51 | | | | | | | | | | | | | | |
| Mq | l/(skm ²) | 4.41 | | 5.53 | 3.31 | 4.15 | | | | | | | | | | | | | | |
| Hq | l/(skm ²) | 46.5 | | 46.5 | 16.9 | 46.5 | | | | | | | | | | | | | | |
| h _N | mm | | | | | | | | | | | | | | | | | | | |
| h _A | mm | 139 | | 86 | 53 | 131 | | | | | | | | | | | | | | |
| 1937/2005 (*) 69 Jahre | | | 1937/2005 | | 1937/2005 | | 1937/2005 | | 1937/2005 | | 1937/2005 | | 1937/2005 | | | | | | | |
| NQ | m ³ /s | 0.540 | am 30.07.1992 | 0.600 | 0.540 | 0.540 | am 30.07.1992 | | | | | | | | | | | | | |
| MNQ | m ³ /s | 1.43 | | 1.85 | 1.75 | 1.54 | | | | | | | | | | | | | | |
| MQ | m ³ /s | 4.09 | | 5.01 | 3.19 | 4.09 | | | | | | | | | | | | | | |
| MHQ | m ³ /s | 48.9 | | 45.9 | 20.4 | 50.5 | | | | | | | | | | | | | | |
| HQ | m ³ /s | 147 | am 05.11.1940 | 147 | 87.2 | 147 | am 05.11.1940 | | | | | | | | | | | | | |
| HQ ₁ | m ³ /s | | | | | | | | | | | | | | | | | | | |
| HQ ₅ | m ³ /s | | | | | | | | | | | | | | | | | | | |
| MNq | l/(skm ²) | 2.00 | | 2.58 | 2.44 | 2.15 | | | | | | | | | | | | | | |
| Mq | l/(skm ²) | 5.71 | | 7.00 | 4.46 | 5.71 | | | | | | | | | | | | | | |
| MHQ | l/(skm ²) | 68.3 | | 64.1 | 28.5 | 70.5 | | | | | | | | | | | | | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 180 | | 109 | 71 | 180 | | | | | | | | | | | | | | |
| Niedrigwasser | | | Hochwasser | | | Niedrigwasser | | | Hochwasser | | | Niedrigwasser | | | Hochwasser | | | | | |
| m ³ /s | | | l/(skm ²) | | | Datum | | | m ³ /s | | | l/(skm ²) | | | cm | | | Datum | | |
| 1 | 0.540 | 0.754 | 30.07.1992 | 147 | 205 | 05.03.1956 | | | | | | | | | | | | | | |
| 2 | 0.560 | 0.782 | 17.06.1977 | 147 | 205 | 05.11.1940 | | | | | | | | | | | | | | |
| 3 | 0.560 | 0.782 | 25.08.1976 | 124 | 173 | 09.02.1946 | | | | | | | | | | | | | | |
| 4 | 0.600 | 0.838 | 11.10.1960 | 124 | 173 | 20.03.1942 | | | | | | | | | | | | | | |
| 5 | 0.600 | 0.838 | 01.11.1959+ | 122 | 170 | 15.03.1947 | | | | | | | | | | | | | | |
| 6 | 0.640 | 0.894 | 07.10.1949+ | 116 | 162 | 09.02.1941 | | | | | | | | | | | | | | |
| 7 | 0.640 | 0.894 | 08.12.1947+ | 87.2 | 122 | 20.07.1956 | | | | | | | | | | | | | | |
| 8 | 0.650 | 0.908 | 22.06.1954 | 85.2 | 119 | 14.01.1948 | | | | | | | | | | | | | | |
| 9 | 0.670 | 0.936 | 01.07.1992 | 80.9 | 113 | 28.12.1947 | | | | | | | | | | | | | | |
| 10 | 0.670 | 0.936 | 15.12.1991+ | 80.8 | 113 | 04.06.1981 | | | | | | | | | | | | | | |

(*) Abflussjahr: 1.11. des Vorjahres bis 31.10.
Beeinflussung durch Talsperren in Nebenläufen

A_{E0} : 175 km²

PNP: NN + 293.58 m

Lage: 45.2 km oberhalb Mündung links



m³/s

Pegel : Arnstadt

Gewässer : Gera

Gebiet : Unstrut

Nr. 574200

| Tag | 2004 | | 2005 | | | | | | | | | | | | | | | | | |
|------------------------|------------------------|---------------|------------------------|-------|-----------------|-------------|--|-------|------------------------|-------|-----------|-------|-----------------|-------|------------------|--|-----------|--|------------------|--|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | | | | | |
| 1. | 0.860 | 2.30 | 3.02 | 2.66 | 1.95 | 4.39 | 1.79 | 1.36 | 0.760 | 0.570 | 0.570 | 0.570 | 0.860 | 0.860 | | | | | | |
| 2. | 0.860 | 2.12 | 3.39 | 2.48 | 1.79 | 3.77 | 1.64 | 1.22 | 0.760 | 0.490 | 0.570 | 0.760 | 0.860 | 0.860 | | | | | | |
| 3. | 0.860 | 2.12 | 3.39 | 2.84 | 1.95 | 3.39 | 1.64 | 1.22 | 0.660 | 0.660 | 0.570 | 0.660 | 0.860 | 0.860 | | | | | | |
| 4. | 0.860 | 1.95 | 3.39 | 2.84 | 1.79 | 3.20 | 1.79 | 1.22 | 0.660 | 0.570 | 0.570 | 0.570 | 0.860 | 0.970 | | | | | | |
| 5. | 0.860 | 1.95 | 3.39 | 2.48 | 1.79 | 2.84 | 1.64 | 1.22 | 0.660 | 0.490 | 0.570 | 0.570 | 0.860 | 2.12 | | | | | | |
| 6. | 0.860 | 1.79 | 3.58 | 2.30 | 1.64 | 2.84 | 1.64 | 1.36 | 0.660 | 0.570 | 0.490 | 0.570 | 0.860 | 2.12 | | | | | | |
| 7. | 0.860 | 1.79 | 3.39 | 2.12 | 1.50 | 3.02 | 1.64 | 1.36 | 0.660 | 0.570 | 0.490 | 0.570 | 0.860 | 1.50 | | | | | | |
| 8. | 0.860 | 1.79 | 3.77 | 2.12 | 1.64 | 3.20 | 1.64 | 1.22 | 0.570 | 0.570 | 0.490 | 0.570 | 0.860 | 1.50 | | | | | | |
| 9. | 0.860 | 1.64 | 3.97 | 2.12 | 1.64 | 3.02 | 1.50 | 1.09 | 0.570 | 0.570 | 0.490 | 0.570 | 0.860 | 1.22 | | | | | | |
| 10. | 0.860 | 1.64 | 3.97 | 2.12 | 1.64 | 2.84 | 1.50 | 1.09 | 0.570 | 0.570 | 0.490 | 0.570 | 0.760 | 1.22 | | | | | | |
| 11. | 0.860 | 1.64 | 3.77 | 3.39 | 1.50 | 2.66 | 1.36 | 1.09 | 0.570 | 0.570 | 0.490 | 0.570 | 0.760 | 1.22 | | | | | | |
| 12. | 0.970 | 1.50 | 3.58 | 8.14 | 1.79 | 2.30 | 1.36 | 1.09 | 0.570 | 0.570 | 0.490 | 0.570 | 0.760 | 1.09 | | | | | | |
| 13. | 0.970 | 1.36 | 3.58 | 15.3 | 1.64 | 2.12 | 1.36 | 0.970 | 0.490 | 0.570 | 0.570 | 0.570 | 0.760 | 0.970 | | | | | | |
| 14. | 0.860 | 1.36 | 3.39 | 11.6 | 1.64 | 1.95 | 1.36 | 0.970 | 0.490 | 0.570 | 0.570 | 0.570 | 0.760 | 0.970 | | | | | | |
| 15. | 0.760 | 1.50 | 3.39 | 8.98 | 1.64 | 1.95 | 1.50 | 0.970 | 0.570 | 0.570 | 0.570 | 0.570 | 0.760 | 0.970 | | | | | | |
| 16. | 0.660 | 1.50 | 3.20 | 7.11 | 2.48 | 1.95 | 1.36 | 0.970 | 0.570 | 0.570 | 0.760 | 0.570 | 0.760 | 2.30 | | | | | | |
| 17. | 0.570 | 1.64 | 3.02 | 5.92 | 5.04 | 1.95 | 1.22 | 0.970 | 0.490 | 0.570 | 0.860 | 0.570 | 0.860 | 3.02 | | | | | | |
| 18. | 1.36 | 2.12 | 3.02 | 4.82 | 6.61 | 2.48 | 1.36 | 0.970 | 0.490 | 0.570 | 0.760 | 0.760 | 0.860 | 2.48 | | | | | | |
| 19. | 6.61 | 1.95 | 3.02 | 4.39 | 7.87 | 2.84 | 1.36 | 0.970 | 0.490 | 0.490 | 0.660 | 0.660 | 0.860 | 1.95 | | | | | | |
| 20. | 5.26 | 1.64 | 3.58 | 3.77 | 7.87 | 3.58 | 1.22 | 0.860 | 0.490 | 0.570 | 0.660 | 0.660 | 0.860 | 1.50 | | | | | | |
| 21. | 4.18 | 1.50 | 8.14 | 3.39 | 7.36 | 3.02 | 1.22 | 0.860 | 0.570 | 0.570 | 0.660 | 0.760 | 1.09 | 1.36 | | | | | | |
| 22. | 3.77 | 1.36 | 6.61 | 3.39 | 6.14 | 2.66 | 1.50 | 0.860 | 0.490 | 0.570 | 0.660 | 0.660 | 1.09 | 1.22 | | | | | | |
| 23. | 6.14 | 1.64 | 5.92 | 3.02 | 5.04 | 2.48 | 1.36 | 0.860 | 0.490 | 0.660 | 0.660 | 0.760 | 0.970 | 1.22 | | | | | | |
| 24. | 6.61 | 2.66 | 5.04 | 2.66 | 4.39 | 2.48 | 1.64 | 0.860 | 0.490 | 0.660 | 0.660 | 0.760 | 0.970 | 1.22 | | | | | | |
| 25. | 5.70 | 2.66 | 4.60 | 2.30 | 4.39 | 2.30 | 1.36 | 0.860 | 0.490 | 0.660 | 0.660 | 0.760 | 0.970 | 1.22 | | | | | | |
| 26. | 4.82 | 3.58 | 3.97 | 2.30 | 4.60 | 2.48 | 1.36 | 0.970 | 0.430 | 0.660 | 0.660 | 0.760 | 0.970 | 1.22 | | | | | | |
| 27. | 3.77 | 3.20 | 3.58 | 2.12 | 4.60 | 2.30 | 1.36 | 0.760 | 0.430 | 0.570 | 0.570 | 0.760 | 0.860 | 1.22 | | | | | | |
| 28. | 3.39 | 3.02 | 3.39 | 2.12 | 4.39 | 2.12 | 1.22 | 0.660 | 0.490 | 0.570 | 0.570 | 0.760 | 0.860 | 1.22 | | | | | | |
| 29. | 3.20 | 2.84 | 3.02 | | 4.60 | 1.95 | 1.22 | 0.660 | 0.570 | 0.570 | 0.570 | 0.760 | 0.860 | 1.22 | | | | | | |
| 30. | 2.48 | 2.48 | 2.84 | | 5.04 | 1.95 | 1.22 | 0.860 | 0.660 | 0.570 | 0.660 | 0.760 | 0.860 | 1.09 | | | | | | |
| 31. | | 2.48 | 2.66 | | 4.82 | | 1.36 | | 0.570 | 0.570 | 0.760 | 0.760 | | 1.09 | | | | | | |
| Tag | 17. | 13.+ | 31. | 7.+ | 7.+ | 14.+ | 17.+ | 28.+ | 26.+ | 2.+ | 6.+ | 1.+ | 10.+ | 1.+ | | | | | | |
| NQ | 0.570 | 1.36 | 2.66 | 2.12 | 1.50 | 1.95 | 1.22 | 0.660 | 0.430 | 0.490 | 0.490 | 0.570 | 0.760 | 0.860 | | | | | | |
| MQ | 2.38 | 2.05 | 3.83 | 4.24 | 3.57 | 2.67 | 1.44 | 1.01 | 0.562 | 0.586 | 0.601 | 0.655 | 0.867 | 1.39 | | | | | | |
| HQ | 8.98 | 4.18 | 8.70 | 17.0 | 8.14 | 5.26 | 2.12 | 1.36 | 1.22 | 0.970 | 0.970 | 0.860 | 1.36 | 3.77 | | | | | | |
| Tag | 19. | 25. | 21. | 13. | 19.+ | 19. | 1.+ | 6. | 30. | 23. | 16.+ | 1. | 21. | 16.+ | | | | | | |
| h _N | mm | | | | | | | | | | | | | | | | | | | |
| h _A | mm | 35 | 31 | 59 | 59 | 55 | 40 | 22 | 15 | 9 | 9 | 9 | 10 | 13 | 21 | | | | | |
| 1924/2004 | | | 1925/2005 | | | | | | | | | | | | 76 Jahre | | | | | |
| Jahr | 1948 | 1948 | 1949 | 1949 | 1963 | 1959 | 1963 | 2003 | 1949 | 1964 | 1964 | 1964 | 1964 | 1962 | | | | | | |
| NQ | 0.250 | 0.210 | 0.210 | 0.310 | 0.330 | 0.740 | 0.720 | 0.430 | 0.340 | 0.250 | 0.250 | 0.330 | 0.320 | 0.420 | | | | | | |
| MNQ | 1.20 | 1.34 | 1.48 | 1.66 | 1.81 | 2.33 | 1.64 | 1.25 | 1.01 | 0.898 | 0.832 | 0.922 | 1.21 | 1.36 | | | | | | |
| MQ | 2.27 | 2.72 | 2.98 | 2.94 | 3.36 | 3.88 | 2.52 | 2.00 | 1.53 | 1.32 | 1.27 | 1.59 | 2.26 | 2.76 | | | | | | |
| MHQ | 6.14 | 7.32 | 8.17 | 6.82 | 7.57 | 7.94 | 4.74 | 4.41 | 3.47 | 3.67 | 2.67 | 3.75 | 5.97 | 7.45 | | | | | | |
| HQ | 50.0 | 34.5 | 32.1 | 27.2 | 28.5 | 58.9 | 15.9 | 25.5 | 14.0 | 75.1 | 14.4 | 11.0 | 50.0 | 34.5 | | | | | | |
| HQ ₁ | 1940 | 1939 | 1993 | 2002 | 1981 | 1994 | 1941 | 1933 | 1955 | 1981 | 1998 | 1954 | 1940 | 1939 | | | | | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 34 | 42 | 46 | 41 | 52 | 58 | 39 | 30 | 23 | 20 | 19 | 24 | 34 | 42 | | | | | |
| Abflussjahr (*) | | | Kalenderjahr | | | | Unterschrittene Abflüsse m ³ /s | | | | | | | | | | | | | |
| 2005 | | | 2005 | | | | 2005 | | | | 1925/2005 | | | | 76 Kalenderjahre | | | | | |
| Jahr | | | Datum | | Winter | | Sommer | | Jahr | | Datum | | Abflussjahr (*) | | Kalenderjahr | | 1925/2005 | | 76 Kalenderjahre | |
| | | | | | Obere Hüllwerte | | Mittlere Werte | | Untere Hüllwerte | | | | | | | | | | | |
| NQ | m ³ /s | 0.430 | am 26.07.2005 | 0.570 | 0.430 | 0.430 | am 26.07.2005 | (365) | 15.3 | 15.3 | 45.6 | 14.9 | 4.03 | | | | | | | |
| MQ | m ³ /s | 1.95 | | 3.11 | 0.810 | 1.77 | | 364 | 11.6 | 11.6 | 36.5 | 12.4 | 3.90 | | | | | | | |
| HQ | m ³ /s | 17.0 | am 13.02.2005 | 17.0 | 2.12 | 17.0 | am 13.02.2005 | 363 | 8.98 | 8.98 | 27.2 | 11.0 | 3.60 | | | | | | | |
| Nq | l/(s km ²) | 2.46 | | 3.26 | 2.46 | 2.46 | | 361 | 8.98 | 8.98 | 26.2 | 10.1 | 3.45 | | | | | | | |
| Mq | l/(s km ²) | 11.2 | | 17.8 | 4.64 | 10.1 | | 360 | 8.98 | 8.98 | 20.5 | 9.45 | 3.45 | | | | | | | |
| Hq | l/(s km ²) | 97.3 | | 97.3 | 12.1 | 97.3 | | 359 | 8.14 | 8.14 | 20.1 | 9.00 | 3.45 | | | | | | | |
| h _N | mm | | | 278 | 74 | 320 | | 358 | 8.14 | 8.14 | 16.3 | 8.60 | 2.99 | | | | | | | |
| h _A | mm | 352 | | | | | | 357 | 7.36 | 7.36 | 15.6 | 8.17 | 2.99 | | | | | | | |
| 1925/2005 (*) 77 Jahre | | | 1925/2005 | | | | Dauertabelle | | | | | | | | | | | | | |
| NQ | m ³ /s | 0.210 | am 27.12.1948 | 0.210 | 0.250 | 0.210 | am 01.01.1949 | 356 | 7.11 | 7.11 | 15.3 | 7.89 | 2.99 | | | | | | | |
| MNQ | 0.672 | | 0.930 | 0.721 | 0.678 | | | 355 | 7.11 | 7.11 | 15.3 | 7.89 | 2.99 | | | | | | | |
| MQ | 2.37 | | 3.03 | 1.71 | 2.36 | | | 350 | 6.61 | 5.92 | 12.0 | 6.65 | 2.83 | | | | | | | |
| MHQ | 16.8 | | 15.5 | 8.28 | 16.7 | | | 340 | 5.04 | 4.60 | 9.71 | 5.49 | 2.47 | | | | | | | |
| HQ | 75.7 | am 10.08.1981 | 58.9 | 75.7 | 75.7 | 75.7 | am 10.08.1981 | 330 | 4.60 | 3.97 | 8.42 | 4.76 | 1.95 | | | | | | | |
| HQ ₁ | m ³ /s | | | | | | | 320 | 3.97 | 3.58 | 7.65 | 4.25 | 1.79 | | | | | | | |
| HQ ₅ | m ³ /s | | | | | | | 300 | 3.58 | 3.20 | 6.52 | 3.52 | 1.50 | | | | | | | |
| MNq | l/(s km ²) | 3.85 | | 5.32 | 4.13 | 3.88 | | 270 | 2.84 | 2.30 | 5.13 | 2.85 | 1.22 | | | | | | | |
| Mq | l/(s km ²) | 13.6 | | 17.3 | 9.79 | 13.5 | | 240 | 2.12 | 1.79 | 4.41 | 2.32 | 1.09 | | | | | | | |
| MHq | l/(s km ²) | 96.2 | | 88.7 | 47.4 | 95.6 | | 210 | 1.79 | 1.50 | 3.90 | 1.96 | 1.01 | | | | | | | |
| Mh _N | mm | | | | | | | 183 | 1.50 | 1.22 | 3.45 | 1.70 | 0.960 | | | | | | | |
| Mh _A | mm | 428 | | 271 | 156 | 426 | | 150 | 1.09 | 0.970 | 2.98 | 1.48 | 0.800 | | | | | | | |
| Niedrigwasser | | | Hochwasser | | | | | | | | | | | | | | | | | |
| m ³ /s | | | l/(s km ²) | | Datum | | m ³ /s | | l/(s km ²) | | cm | | Datum | | | | | | | |
| 1 | 0.210 | 1.20 | 27.12.1948+ | 75.7 | 433 | 10.08.1981 | 10 | 0.570 | 0.570 | 1.50 | 0.540 | 0.340 | | | | | | | | |
| 2 | 0.250 | 1.43 | 28.08.1964+ | 58.9 | 337 | 13.04.1994 | 9 | 0.570 | 0.570 | 1.50 | 0.520 | 0.300 | | | | | | | | |
| 3 | 0.300 | 1.72 | 08.09.1949 | 50.0 | 286 | 05.11.1940 | 8 | 0.570 | 0.570 | 1.50 | 0.520 | 0.300 | | | | | | | | |
| 4 | 0.320 | 1.83 | 13.12.1924+ | 34.5 | 197 | 01.12.1939 | 7 | 0.570 | 0.570 | 1.50 | 0.500 | 0.300 | | | | | | | | |
| 5 | 0.330 | 1.89 | 05.02.1963+ | 32.1 | 184 | 12.01.1993 | 6 | 0.570 | 0.570 | 1.50 | 0.480 | 0.300 | | | | | | | | |
| 6 | 0.350 | 2.00 | 15.02.1954+ | 30.0 | 172 | 20.01.1986 | 4 | 0.570 | 0.570 | 1.50 | 0.450 | 0.300 | | | | | | | | |
| 7 | 0.370 | 2.12 | 15.07.2003+ | 29.6 | 169 | 30.11.1939 | 3 | 0.570 | 0.570 | 1.50 | 0.430 | 0.300 | | | | | | | | |
| 8 | 0.390 | 2.23 | 17.08.1976 | 28.5 | 163 | 28.03.1981+ | 2 | 0.570 | 0.570 | 1.50 | 0.430 | 0.300 | | | | | | | | |
| 9 | 0.400 | 2.29 | 07.01.1954+ | 27.2 | 156 | 27.02.2002 | 1 | 0.490 | 0.490 | 1.50 | 0.340 | 0.230 | | | | | | | | |
| 10 | 0.420 | 2.40 | 17.01.1964 | 26.8 | 153 | 31.12.1925 | 0 | 0.430 | 0.430 | 1.22 | 0.210 | 0.210 | | | | | | | | |

A_{Eo} : 843 km²

PNP: NN + 213.21 m

Lage: 29.7 km oberhalb Mündung rechts



m³/s

Pegel : Erfurt-Möbisburg

Gewässer : Gera

Gebiet : Unstrut

Nr. 574210

| | Tag | 2004 | | 2005 | | | | | | | | | | | | | | | | |
|-----------------|-----------------------|-----------------------|------------------------|-----------------------|--------------------|------------|---------------|-------------------|--------|-----------------------|--|-------|-------------------|-------|-----------------|-------|----------------|------|------------------|--|
| | | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | | | | |
| Tageswerte | 1. | 1.42 | 4.62 | 4.62 | 5.90 | 4.62 | 11.1 | 4.94 | 2.48 | 1.94 | 1.42 | 1.42 | 1.94 | 1.82 | 1.32 | | | | | |
| | 2. | 1.32 | 3.86 | 6.26 | 5.26 | 4.62 | 10.0 | 4.62 | 2.48 | 1.70 | 1.42 | 1.51 | 2.84 | 1.82 | 1.23 | | | | | |
| | 3. | 1.23 | 3.42 | 6.62 | 6.98 | 4.62 | 9.02 | 4.30 | 2.30 | 1.61 | 1.70 | 1.51 | 2.18 | 1.82 | 1.23 | | | | | |
| | 4. | 1.23 | 3.64 | 6.26 | 7.34 | 4.62 | 8.36 | 4.30 | 2.18 | 1.61 | 1.61 | 1.51 | 2.06 | 1.70 | 1.42 | | | | | |
| | 5. | 1.23 | 3.20 | 6.62 | 5.90 | 4.30 | 7.70 | 4.30 | 2.18 | 1.51 | 1.51 | 1.42 | 2.06 | 1.70 | 2.84 | | | | | |
| | 6. | 1.16 | 3.20 | 6.62 | 4.94 | 4.30 | 6.98 | 4.08 | 2.48 | 1.51 | 1.61 | 1.42 | 1.94 | 1.61 | 3.42 | | | | | |
| | 7. | 1.23 | 3.02 | 6.62 | 4.62 | 3.86 | 6.98 | 4.08 | 2.48 | 1.70 | 1.70 | 1.42 | 1.82 | 1.51 | 2.84 | | | | | |
| | 8. | 1.23 | 3.02 | 6.62 | 4.08 | 4.08 | 7.70 | 4.08 | 2.18 | 1.82 | 1.70 | 1.42 | 1.82 | 1.51 | 2.48 | | | | | |
| | 9. | 1.23 | 3.02 | 7.34 | 3.86 | 4.08 | 8.03 | 4.08 | 2.18 | 1.70 | 1.61 | 1.42 | 1.82 | 1.32 | 2.30 | | | | | |
| | 10. | 1.32 | 3.02 | 6.98 | 5.58 | 4.08 | 7.34 | 4.08 | 2.18 | 1.61 | 1.51 | 1.42 | 1.70 | 1.32 | 2.18 | | | | | |
| | 11. | 1.32 | 2.84 | 6.98 | 11.8 | 4.08 | 6.62 | 3.86 | 2.18 | 1.51 | 1.51 | 1.51 | 1.70 | 1.42 | 2.06 | | | | | |
| | 12. | 1.32 | 2.84 | 6.62 | 25.4 | 5.26 | 6.26 | 3.64 | 2.18 | 1.42 | 1.51 | 1.61 | 1.82 | 1.51 | 2.06 | | | | | |
| | 13. | 1.32 | 2.66 | 6.26 | 46.0 | 5.26 | 5.90 | 3.02 | 2.18 | 1.42 | 2.48 | 1.61 | 1.70 | 1.51 | 2.06 | | | | | |
| | 14. | 1.32 | 2.48 | 5.90 | 31.8 | 5.90 | 5.58 | 3.20 | 2.18 | 1.42 | 1.70 | 1.42 | 1.61 | 1.51 | 2.06 | | | | | |
| | 15. | 1.32 | 2.18 | 5.58 | 24.2 | 6.62 | 4.94 | 3.42 | 2.06 | 1.51 | 1.61 | 1.32 | 1.51 | 1.70 | 1.94 | | | | | |
| | 16. | 1.32 | 2.18 | 4.94 | 20.5 | 19.1 | 4.94 | 4.30 | 1.94 | 1.42 | 1.61 | 1.82 | 1.42 | 1.94 | 3.42 | | | | | |
| | 17. | 1.23 | 2.18 | 4.62 | 18.8 | 23.4 | 4.94 | 3.42 | 1.82 | 1.42 | 1.51 | 2.06 | 1.51 | 1.82 | 6.98 | | | | | |
| | 18. | 1.70 | 3.20 | 4.62 | 15.7 | 20.5 | 5.58 | 3.42 | 1.82 | 1.42 | 1.42 | 1.82 | 1.82 | 1.82 | 5.26 | | | | | |
| | 19. | 10.0 | 2.84 | 4.94 | 12.5 | 21.4 | 8.69 | 3.42 | 1.82 | 1.51 | 1.32 | 1.70 | 1.61 | 1.82 | 4.30 | | | | | |
| | 20. | 10.4 | 2.48 | 5.26 | 11.1 | 20.7 | 13.2 | 3.20 | 1.61 | 1.51 | 1.61 | 1.61 | 1.51 | 1.82 | 3.42 | | | | | |
| | 21. | 8.69 | 2.30 | 16.8 | 9.70 | 18.3 | 9.02 | 3.20 | 1.61 | 1.51 | 1.51 | 1.61 | 1.42 | 2.48 | 3.20 | | | | | |
| | 22. | 6.98 | 2.06 | 15.3 | 8.69 | 15.3 | 8.03 | 3.86 | 1.61 | 1.42 | 1.51 | 1.61 | 1.51 | 2.06 | 2.84 | | | | | |
| | 23. | 11.4 | 2.18 | 12.5 | 7.70 | 13.5 | 6.98 | 3.86 | 1.61 | 1.42 | 2.06 | 1.61 | 1.70 | 1.82 | 2.48 | | | | | |
| | 24. | 13.5 | 3.20 | 11.1 | 6.98 | 11.8 | 6.62 | 3.86 | 1.61 | 1.42 | 1.70 | 1.51 | 1.70 | 1.82 | 2.48 | | | | | |
| | 25. | 11.1 | 4.62 | 10.0 | 6.90 | 11.8 | 6.62 | 3.42 | 1.61 | 1.42 | 1.70 | 1.51 | 1.70 | 1.70 | 2.48 | | | | | |
| | 26. | 9.35 | 5.26 | 9.70 | 5.58 | 13.2 | 6.98 | 3.20 | 2.06 | 1.32 | 1.61 | 1.94 | 1.82 | 1.70 | 2.48 | | | | | |
| | 27. | 7.70 | 5.58 | 8.36 | 5.26 | 12.2 | 6.98 | 3.02 | 1.61 | 1.32 | 1.51 | 1.70 | 1.94 | 1.61 | 2.48 | | | | | |
| | 28. | 6.62 | 4.94 | 6.98 | 4.62 | 11.1 | 6.26 | 2.66 | 1.61 | 1.32 | 1.51 | 1.61 | 1.51 | 1.61 | 2.48 | | | | | |
| | 29. | 5.90 | 4.30 | 5.90 | | 11.1 | 5.90 | 2.48 | 1.51 | 1.70 | 1.51 | 1.94 | 1.42 | 1.51 | 2.66 | | | | | |
| | 30. | 4.62 | 4.08 | 5.26 | | 11.8 | 5.58 | 2.48 | 2.06 | 2.30 | 1.42 | 1.82 | 1.61 | 1.42 | 2.30 | | | | | |
| | 31. | | 4.08 | 4.94 | | 12.5 | | 2.48 | | 1.51 | 1.42 | | 1.61 | | 2.30 | | | | | |
| Hauptwerte | Tag | 6. | 22. | 1.+ | 9. | 7. | 15.+ | 29.+ | 29. | 26.+ | 19. | 15. | 16.+ | 9.+ | 2.+ | | | | | |
| | NQ | 1.16 | 2.06 | 4.62 | 3.86 | 3.86 | 4.94 | 2.48 | 1.51 | 1.32 | 1.32 | 1.32 | 1.42 | 1.32 | 1.23 | | | | | |
| | MQ | 4.32 | 3.31 | 7.33 | 11.7 | 10.3 | 7.29 | 3.62 | 1.99 | 1.55 | 1.60 | 1.59 | 1.75 | 1.69 | 2.68 | | | | | |
| | HQ | 14.2 | 5.58 | 18.8 | 53.5 | 44.6 | 23.0 | 5.26 | 3.86 | 5.90 | 5.26 | 3.42 | 3.20 | 3.20 | 7.34 | | | | | |
| | Tag | 19. | 26.+ | 21. | 13. | 16. | 20. | 14.+ | 25. | 30. | 13. | 26. | 2. | 21. | 16.+ | | | | | |
| | h _N | mm | | | | | | | | | | | | | | | | | | |
| | h _A | mm | 13 | 11 | 23 | 34 | 33 | 22 | 12 | 6 | 5 | 5 | 6 | 5 | 9 | | | | | |
| | | | 1930/2004 | | 1931/2005 75 Jahre | | | | | | | | | | | | | | | |
| | Jahr | | 1949 | 1991 | 1963 | 1963 | 1963 | 2004 | 1992 | 1976 | 1959 | 1964 | 1959 | 1959 | 1949 | 1991 | | | | |
| | NQ | m ³ /s | 0.780 | 0.760 | 0.810 | 0.730 | 0.810 | 1.70 | 1.45 | 0.750 | 0.600 | 0.560 | 0.480 | 0.480 | 0.780 | 0.760 | | | | |
| | MNQ | m ³ /s | 2.69 | 3.05 | 3.37 | 3.96 | 4.56 | 5.34 | 3.64 | 2.78 | 2.26 | 1.94 | 1.83 | 2.00 | 2.66 | 3.03 | | | | |
| | MQ | m ³ /s | 5.11 | 6.60 | 7.51 | 8.06 | 9.15 | 9.55 | 5.99 | 4.96 | 3.77 | 3.18 | 2.84 | 3.52 | 4.99 | 6.58 | | | | |
| | MHQ | m ³ /s | 14.8 | 20.1 | 23.7 | 22.1 | 25.7 | 23.1 | 14.2 | 16.3 | 10.6 | 11.0 | 6.52 | 8.43 | 14.4 | 20.0 | | | | |
| | HQ | m ³ /s | 114 | 133 | 81.7 | 166 | 133 | 220 | 84.4 | 121 | 66.3 | 176 | 31.4 | 57.5 | 114 | 133 | | | | |
| | Jahr | | 1940 | 1947 | 2003 | 1946 | 1942 | 1994 | 1969 | 1961 | 1956 | 1981 | 1998 | 1960 | 1940 | 1947 | | | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 16 | 21 | 24 | 23 | 29 | 29 | 19 | 15 | 12 | 10 | 9 | 11 | 15 | 21 | | | | | |
| Extremwerte | | | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschnittene Abflüsse m ³ /s | | | | | | | | | |
| | | | 2005 | | | | 2005 | | | | Unter schreitungs dauer in Tagen | | Abfluss- jahr (*) | | Kalender jahr | | 1931/2005 | | 75 Kalenderjahre | |
| | | | Jahr | | Datum | | Winter | | Sommer | | Jahr | | Datum | | Obere Hüllwerte | | Mittlere Werte | | Untere Hüllwerte | |
| | NQ | m ³ /s | 1.16 | am 06.11.2004 | 1.16 | 1.32 | 1.23 | am 02.12.2005 | | | | | (365) | 46.0 | 46.0 | 172 | 42.8 | 11.8 | | |
| | MQ | m ³ /s | 4.64 | | 7.31 | 2.02 | 4.37 | | | | | | 364 | 31.8 | 31.8 | 114 | 35.2 | 8.42 | | |
| | HQ | m ³ /s | 53.5 | am 13.02.2005 | 53.5 | 5.90 | 53.5 | am 13.02.2005 | | | | | 363 | 25.4 | 25.4 | 91.8 | 31.5 | 8.09 | | |
| | Nq | l/(skm ²) | 1.38 | | 1.38 | 1.57 | 1.46 | | | | | | 361 | 24.2 | 24.2 | 77.4 | 28.3 | 7.76 | | |
| | Mq | l/(skm ²) | 5.51 | | 8.67 | 2.40 | 5.19 | | | | | | 360 | 23.4 | 23.4 | 71.0 | 26.6 | 7.43 | | |
| | Hq | l/(skm ²) | 63.5 | | 63.5 | 7.00 | 63.5 | | | | | | 359 | 21.4 | 21.4 | 68.4 | 25.1 | 7.10 | | |
| | h _N | mm | | | | | | | | | | | 358 | 20.7 | 20.7 | 65.9 | 24.1 | 6.84 | | |
| | h _A | mm | 174 | | 136 | 38 | 164 | | | | | | 357 | 20.7 | 20.7 | 61.8 | 23.1 | 6.84 | | |
| | | | 1931/2005 (*) 75 Jahre | | | | 1931/2005 | | | | | | | | | | | | | |
| | NQ | m ³ /s | 0.480 | am 24.09.1959 | 0.730 | 0.480 | 0.480 | am 24.09.1959 | | | | | 356 | 20.7 | 20.7 | 59.7 | 22.3 | 6.84 | | |
| | MNQ | m ³ /s | 1.35 | | 2.03 | 1.55 | 1.48 | | | | | | 350 | 15.7 | 15.7 | 46.4 | 18.7 | 6.04 | | |
| | MQ | m ³ /s | 5.84 | | 7.66 | 4.04 | 5.83 | | | | | | 340 | 12.2 | 12.2 | 29.6 | 14.8 | 5.51 | | |
| MHQ | m ³ /s | 54.1 | | 47.6 | 28.2 | 53.8 | | | | | | 330 | 11.4 | 10.0 | 24.1 | 12.5 | 4.40 | | | |
| HQ | m ³ /s | 220 | am 13.04.1994 | 220 | 176 | 220 | am 13.04.1994 | | | | | 320 | 9.02 | 8.03 | 22.8 | 11.0 | 3.60 | | | |
| HQ ₁ | m ³ /s | | | | | | | | | | | 300 | 7.34 | 6.98 | 19.4 | 8.76 | 3.07 | | | |
| HQ ₅ | m ³ /s | | | | | | | | | | | 270 | 5.90 | 5.58 | 15.1 | 6.82 | 2.62 | | | |
| MNq | l/(skm ²) | 1.60 | | 2.41 | 1.84 | 1.76 | | | | | | 240 | 4.94 | 4.30 | 12.7 | 5.50 | 2.35 | | | |
| Mq | l/(skm ²) | 6.93 | | 9.09 | 4.79 | 6.92 | | | | | | 210 | 4.08 | 3.02 | 11.1 | 4.46 | 2.15 | | | |
| MHq | l/(skm ²) | 64.2 | | 56.5 | 33.5 | 63.8 | | | | | | 183 | 3.02 | 2.30 | 10.4 | 3.81 | 1.78 | | | |
| Mh _N | mm | | | | | | | | | | | 150 | 2.18 | 1.94 | 8.64 | 3.22 | 1.45 | | | |
| Mh _A | mm | 219 | | 142 | 76 | 218 | | | | | | 130 | 1.94 | 1.94 | 7.62 | 2.95 | 1.18 | | | |
| | | Niedrigwasser | | | | Hochwasser | | | | | | | | | | | | | | |
| | | m ³ /s | | l/(skm ²) | | Datum | | m ³ /s | | l/(skm ²) | | cm | | Datum | | | | | | |
| 1 | | 0.480 | 0.570 | 24.09.1959+ | 220 | 261 | 13.04.1994 | | | | | | | | | | | | | |
| 2 | | 0.490 | 0.581 | 02.09.1962 | 176 | 209 | 11.08.1981 | | | | | | | | | | | | | |
| 3 | | 0.500 | 0.593 | 30.09.1948+ | 166 | 197 | 09.02.1946 | | | | | | | | | | | | | |
| 4 | | 0.560 | 0.664 | 27.08.1964+ | 133 | 158 | 29.12.1947 | | | | | | | | | | | | | |
| 5 | | 0.620 | 0.736 | 28.10.1949 | 133 | 158 | 18.03.1942 | | | | | | | | | | | | | |
| 6 | | 0.660 | 0.783 | 10.07.1976+ | 121 | 144 | 10.06.1961 | | | | | | | | | | | | | |
| 7 | | 0.760 | 0.902 | 17.12.1991 | 114 | 135 | 05.11.1940 | | | | | | | | | | | | | |
| 8 | | 0.850 | 1.01 | 16.08.1989+ | 99.9 | 119 | 11.03.1981 | | | | | | | | | | | | | |
| 9 | | 0.900 | 1.07 | 08.09.2004+ | 91.1 | 108 | 29.04.1961+ | | | | | | | | | | | | | |
| 10 | | 0.900 | 1.07 | 11.08.1935+ | 84.5 | 100 | 21.08.1977 | | | | | | | | | | | | | |

(*) Abflussjahr: 1.11. des Vorjahres bis 31.10.

Beeinflussung durch Talsperre Ohra und in geringfügigem Maße durch die Talsperren Tambach-Dietharz und Heyda

A_{Eo} : 524 km²

PNP: NN + 172.53 m

Lage: 29.5 km oberhalb Mündung links



m³/s

Pegel : Hachelbich

Gewässer : Wipper

Gebiet : Unstrut

Nr. 575240

| | Tag | 2004 | | 2005 | | | | | | | | | | | | |
|-----------------|-----------------------|-----------------------|------------------------|--------------------|-------------------|-----------------------|-------------|---------------|--|-------|-------|-------|--|-------|-------|-------|
| | | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | |
| Tageswerte | 1. | 1.06 | 2.40 | 2.40 | 10.3 | 3.16 | 3.58 | 2.78 | 2.21 | 2.02 | 1.19 | 0.930 | 1.19 | 1.19 | 1.06 | |
| | 2. | 1.06 | 2.02 | 2.59 | 6.90 | 3.16 | 3.58 | 2.78 | 2.02 | 1.45 | 1.06 | 1.06 | 1.06 | 1.19 | 1.19 | 1.06 |
| | 3. | 1.06 | 1.83 | 2.59 | 7.94 | 2.97 | 3.35 | 2.59 | 2.02 | 1.45 | 1.06 | 1.06 | 1.06 | 1.19 | 1.19 | 1.06 |
| | 4. | 0.930 | 1.64 | 2.59 | 6.65 | 2.97 | 3.16 | 2.59 | 2.02 | 1.32 | 1.06 | 1.06 | 1.06 | 1.19 | 1.19 | 1.19 |
| | 5. | 1.06 | 1.64 | 2.59 | 5.90 | 2.59 | 3.16 | 2.59 | 2.21 | 1.32 | 1.06 | 1.06 | 1.06 | 1.06 | 1.32 | 1.19 |
| | 6. | 1.06 | 1.45 | 2.59 | 5.42 | 2.40 | 2.97 | 2.59 | 3.58 | 1.32 | 1.06 | 1.06 | 1.06 | 1.06 | 1.32 | 1.19 |
| | 7. | 1.06 | 1.45 | 2.40 | 4.96 | 2.40 | 3.58 | 3.35 | 2.97 | 1.45 | 1.19 | 1.06 | 1.06 | 1.06 | 1.19 | 1.19 |
| | 8. | 0.930 | 1.32 | 2.21 | 4.50 | 2.40 | 3.35 | 5.42 | 2.78 | 1.45 | 1.19 | 0.930 | 1.06 | 1.06 | 1.19 | 1.06 |
| | 9. | 0.930 | 1.32 | 2.40 | 4.27 | 2.40 | 3.58 | 4.27 | 2.40 | 1.32 | 1.19 | 0.930 | 1.06 | 1.06 | 1.19 | 1.06 |
| | 10. | 1.32 | 1.32 | 2.02 | 4.04 | 2.59 | 3.16 | 3.81 | 2.21 | 1.19 | 1.06 | 0.930 | 0.930 | 1.19 | 1.19 | 1.06 |
| | 11. | 1.19 | 1.32 | 2.02 | 4.27 | 2.78 | 3.16 | 3.16 | 2.21 | 1.19 | 1.06 | 1.19 | 0.930 | 1.19 | 1.19 | 1.06 |
| | 12. | 0.930 | 1.32 | 2.02 | 8.46 | 4.27 | 2.97 | 3.35 | 2.02 | 1.06 | 0.930 | 1.32 | 0.930 | 1.06 | 1.06 | 1.06 |
| | 13. | 0.930 | 1.32 | 2.02 | 12.6 | 4.27 | 2.97 | 2.97 | 2.02 | 1.19 | 1.06 | 1.19 | 0.930 | 1.06 | 1.06 | 1.06 |
| | 14. | 0.930 | 1.32 | 2.02 | 9.50 | 4.73 | 2.97 | 3.35 | 2.02 | 1.32 | 1.06 | 0.930 | 0.930 | 1.06 | 1.06 | 1.06 |
| | 15. | 0.800 | 1.32 | 1.83 | 8.20 | 4.50 | 3.16 | 6.65 | 2.02 | 1.19 | 1.32 | 0.800 | 0.930 | 1.06 | 1.32 | 1.32 |
| | 16. | 0.930 | 1.32 | 1.83 | 7.16 | 5.19 | 2.97 | 4.73 | 1.83 | 1.32 | 1.19 | 1.19 | 0.930 | 1.32 | 2.59 | 2.59 |
| | 17. | 1.32 | 1.32 | 1.83 | 6.40 | 5.65 | 2.97 | 4.04 | 1.83 | 1.32 | 1.06 | 1.32 | 0.930 | 1.45 | 3.35 | 3.35 |
| | 18. | 1.45 | 1.64 | 1.83 | 5.90 | 5.42 | 2.78 | 3.81 | 1.83 | 1.32 | 1.06 | 0.930 | 0.930 | 1.32 | 2.21 | 2.21 |
| | 19. | 5.65 | 2.21 | 2.21 | 5.65 | 5.65 | 4.96 | 3.58 | 1.83 | 1.32 | 0.930 | 0.800 | 0.930 | 1.19 | 1.83 | 1.83 |
| | 20. | 4.27 | 1.83 | 3.58 | 5.42 | 5.65 | 3.58 | 3.35 | 1.83 | 1.32 | 0.930 | 0.800 | 0.930 | 1.06 | 2.78 | 2.78 |
| | 21. | 3.16 | 1.45 | 26.0 | 5.19 | 5.19 | 3.16 | 3.16 | 1.64 | 1.32 | 1.06 | 0.800 | 1.19 | 2.78 | 4.73 | 4.73 |
| | 22. | 3.16 | 1.64 | 16.2 | 4.73 | 4.96 | 3.16 | 3.35 | 1.83 | 1.83 | 0.930 | 0.930 | 1.19 | 2.59 | 3.58 | 3.58 |
| | 23. | 9.76 | 1.32 | 12.6 | 4.27 | 4.73 | 3.16 | 1.64 | 1.64 | 1.45 | 0.930 | 0.930 | 1.45 | 1.64 | 3.16 | 3.16 |
| | 24. | 5.90 | 2.59 | 9.76 | 4.04 | 4.50 | 2.97 | 1.83 | 1.32 | 1.32 | 0.930 | 0.930 | 1.32 | 1.45 | 3.35 | 3.35 |
| | 25. | 4.27 | 3.35 | 8.20 | 4.04 | 4.50 | 2.97 | 2.78 | 2.02 | 1.32 | 0.930 | 0.930 | 1.19 | 1.32 | 3.16 | 3.16 |
| | 26. | 3.35 | 3.16 | 6.65 | 4.04 | 4.96 | 2.97 | 2.40 | 2.21 | 1.32 | 1.19 | 1.19 | 1.06 | 1.19 | 2.78 | 2.78 |
| | 27. | 2.97 | 2.59 | 5.65 | 3.81 | 4.50 | 3.35 | 2.21 | 1.45 | 1.19 | 1.19 | 1.32 | 0.930 | 1.19 | 2.59 | 2.59 |
| | 28. | 2.78 | 2.40 | 4.50 | 3.35 | 4.04 | 3.16 | 2.21 | 1.32 | 2.78 | 1.19 | 0.930 | 1.06 | 1.19 | 2.40 | 2.40 |
| | 29. | 2.59 | 2.40 | 4.04 | 4.04 | 4.04 | 2.97 | 2.02 | 1.32 | 1.83 | 1.06 | 0.930 | 0.930 | 1.19 | 2.21 | 2.21 |
| | 30. | 2.40 | 2.02 | 3.81 | 4.04 | 4.04 | 2.78 | 3.58 | 1.45 | 2.21 | 1.06 | 1.06 | 1.06 | 1.06 | 2.02 | 2.02 |
| | 31. | 2.40 | 1.83 | 4.04 | 4.04 | 3.81 | 3.81 | 2.59 | 1.45 | 1.45 | 0.930 | 0.930 | 0.930 | 1.06 | 2.02 | 2.02 |
| Tag | 15. | 8.+ | 15.+ | 28. | 6.+ | 18.+ | 29. | 28.+ | 12. | 12.+ | 15.+ | 10.+ | 12.+ | 1.+ | 1.+ | |
| NQ | 0.800 | 1.32 | 1.83 | 3.35 | 2.40 | 2.78 | 2.02 | 1.32 | 1.06 | 0.930 | 0.800 | 0.930 | 1.06 | 1.06 | 1.06 | |
| MQ | 2.31 | 1.81 | 4.74 | 6.00 | 4.01 | 3.22 | 3.30 | 2.02 | 1.45 | 1.07 | 1.02 | 1.07 | 1.32 | 1.98 | 1.98 | |
| HQ | 12.6 | 3.58 | 37.5 | 15.3 | 6.40 | 6.65 | 8.20 | 5.19 | 4.27 | 1.64 | 2.21 | 2.21 | 4.73 | 4.96 | 4.96 | |
| Tag | 23. | 24.+ | 21. | 13. | 17. | 19. | 15. | 6.+ | 30. | 15. | 26. | 2. | 21. | 17.+ | 17.+ | |
| h _N | mm | | | | | | | | | | | | | | | |
| h _A | mm | 11 | 9 | 24 | 28 | 20 | 16 | 17 | 10 | 7 | 5 | 5 | 7 | 10 | 10 | |
| | | 1961/2004 | | 1962/2005 44 Jahre | | | | | | | | | | | | |
| Jahr | 1976 | 1976+ | 1977+ | 1996 | 1963+ | 1996 | 1963 | 1976 | 1976 | 1976 | 1976 | 1976 | 1976 | 1976+ | 1976+ | |
| NQ | 0.680 | 0.800 | 0.800 | 0.800 | 0.930 | 1.32 | 1.12 | 0.920 | 0.680 | 0.570 | 0.680 | 0.570 | 0.680 | 0.680 | 0.800 | |
| MNQ | 1.45 | 1.81 | 2.27 | 2.69 | 3.01 | 3.46 | 2.37 | 1.92 | 1.50 | 1.30 | 1.24 | 1.21 | 1.45 | 1.79 | 1.79 | |
| MQ | 2.30 | 3.70 | 4.50 | 4.77 | 5.61 | 4.97 | 3.46 | 2.79 | 2.12 | 1.76 | 1.60 | 1.68 | 2.29 | 3.64 | 3.64 | |
| MHQ | 6.26 | 13.3 | 15.3 | 15.8 | 15.2 | 11.1 | 8.58 | 9.07 | 5.79 | 5.34 | 4.00 | 4.35 | 6.30 | 12.9 | 12.9 | |
| HQ | 46.9 | 73.0 | 75.6 | 60.1 | 70.8 | 81.2 | 30.7 | 49.9 | 16.6 | 27.6 | 13.8 | 21.0 | 46.9 | 73.0 | 73.0 | |
| HQ ₁ | 1998 | 1988 | 2003 | 1970 | 1994 | 1983 | 1971 | 1975 | 2002 | 1970 | 1998 | 1998 | 1998 | 1998 | 1988 | |
| Mh _N | mm | | | | | | | | | | | | | | | |
| Mh _A | mm | 11 | 19 | 23 | 22 | 29 | 25 | 18 | 14 | 11 | 9 | 8 | 9 | 11 | 19 | |
| Hauptwerte | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschrittene Abflüsse m ³ /s | | | | Unterschrittene Abflüsse m ³ /s | | | |
| | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | |
| | Jahr | Datum | Winter | Sommer | Jahr | Datum | Jahr | Datum | Jahr | Datum | Jahr | Datum | Jahr | Datum | Jahr | Datum |
| | NQ | m ³ /s | 0.800 | am 15.11.2004 | 0.800 | 0.800 | 0.800 | am 15.09.2005 | (365) | 26.0 | 26.0 | 55.6 | 22.4 | 7.68 | 26.0 | 26.0 |
| | MQ | m ³ /s | 2.65 | | 3.65 | 1.66 | 2.58 | | 363 | 16.2 | 16.2 | 45.9 | 19.8 | 6.90 | 16.2 | 16.2 |
| | HQ | m ³ /s | 37.5 | am 21.01.2005 | 37.5 | 8.20 | 37.5 | am 21.01.2005 | 362 | 16.2 | 16.2 | 43.3 | 17.0 | 6.55 | 16.2 | 16.2 |
| | Nq | l/(skm ²) | 1.53 | | 1.53 | 1.53 | 1.53 | | 361 | 16.2 | 16.2 | 31.1 | 15.1 | 5.97 | 16.2 | 16.2 |
| | Mq | l/(skm ²) | 5.06 | | 6.97 | 3.17 | 4.92 | | 360 | 10.3 | 10.3 | 27.4 | 14.4 | 5.78 | 10.3 | 10.3 |
| | Hq | l/(skm ²) | 71.6 | | 71.6 | 15.6 | 71.6 | | 359 | 10.3 | 9.76 | 26.5 | 13.4 | 5.50 | 10.3 | 9.76 |
| | h _N | mm | | | | | | | 358 | 10.3 | 9.50 | 25.1 | 12.8 | 5.50 | 10.3 | 9.50 |
| | h _A | mm | 159 | | 109 | 50 | 155 | | 357 | 9.50 | 8.46 | 25.1 | 12.2 | 5.50 | 9.50 | 8.46 |
| | | | 1962/2005 (*) 44 Jahre | | | | 1962/2005 | | | | | | | | | |
| | NQ | m ³ /s | 0.570 | am 22.08.1976 | 0.680 | 0.570 | 0.570 | am 22.08.1976 | 356 | 8.46 | 8.46 | 24.6 | 11.7 | 4.68 | 8.46 | 8.46 |
| | MNQ | m ³ /s | 0.948 | | 1.32 | 1.07 | 1.02 | | 350 | 6.90 | 6.90 | 18.6 | 9.60 | 3.65 | 6.90 | 6.90 |
| | MQ | m ³ /s | 3.26 | | 4.31 | 2.24 | 3.26 | | 340 | 5.90 | 5.65 | 15.0 | 7.78 | 3.28 | 5.90 | 5.65 |
| | MHQ | m ³ /s | 31.0 | | 29.1 | 13.0 | 32.5 | | 330 | 5.19 | 5.19 | 12.6 | 6.65 | 2.76 | 5.19 | 5.19 |
| | HQ | m ³ /s | 81.2 | am 20.04.1983 | 81.2 | 49.9 | 81.2 | am 20.04.1983 | 320 | 4.73 | 4.73 | 10.3 | 5.96 | 2.60 | 4.73 | 4.73 |
| | HQ ₁ | m ³ /s | | | | | | | 300 | 4.27 | 4.04 | 8.72 | 4.83 | 2.30 | 4.27 | 4.04 |
| | HQ ₅ | m ³ /s | | | | | | | 270 | 3.35 | 3.35 | 7.42 | 3.80 | 1.89 | 3.35 | 3.35 |
| | MNq | l/(skm ²) | 1.81 | | 2.52 | 2.04 | 1.95 | | 240 | 2.97 | 2.97 | 6.40 | 3.10 | 1.63 | 2.97 | 2.97 |
| Mq | l/(skm ²) | 6.22 | | 8.23 | 4.27 | 6.22 | | 210 | 2.59 | 2.59 | 5.65 | 2.60 | 1.43 | 2.59 | 2.59 | |
| MHq | l/(skm ²) | 59.2 | | 55.5 | 24.8 | 62.0 | | 183 | 2.21 | 2.21 | 4.96 | 2.25 | 1.17 | 2.21 | 2.21 | |
| Mh _N | mm | | | | | | | 150 | 1.64 | 1.45 | 4.04 | 1.91 | 1.04 | 1.64 | 1.45 | |
| Mh _A | mm | 196 | | 129 | 68 | 196 | | 130 | 1.45 | 1.45 | 3.50 | 1.76 | 1.04 | 1.45 | 1.45 | |
| | | Niedrigwasser | | | | Hochwasser | | | | | | | | | | |
| | | m ³ /s | l/(skm ²) | Datum | m ³ /s | l/(skm ²) | cm | Datum | | | | | | | | |
| 1 | 0.570 | 1.09 | 22.08.1976+ | 81.2 | 155 | | 20.04.1983+ | 110 | 1.45 | 1.32 | 3.30 | 1.63 | 1.04 | 1.45 | 1.32 | |
| 2 | 0.680 | 1.30 | 07.08.1974+ | 75.6 | 144 | | 02.01.2003 | 100 | 1.32 | 1.32 | 3.05 | 1.48 | 1.04 | 1.32 | 1.32 | |
| 3 | 0.720 | 1.37 | 01.10.1971+ | 73.0 | 139 | | 20.12.1988 | 90 | 1.19 | 1.19 | 3.05 | 1.40 | 0.920 | 1.19 | 1.19 | |
| 4 | 0.730 | 1.39 | 02.09.1873 | 70.8 | 135 | | 16.03.1984 | 80 | 1.19 | 1.19 | 2.85 | 1.31 | 0.920 | 1.19 | 1.19 | |
| 5 | 0.780 | 1.49 | 25.07.1963+ | 63.6 | 121 | | 31.12.2002 | 70 | 1.19 | 1.19 | 3.05 | 1.37 | 0.920 | 1.19 | 1.19 | |
| 6 | 0.800 | 1.53 | 17.09.2004+ | 60.1 | 115 | | 23.02.1970 | 60 | 1.19 | 1.19 | 2.85 | 1.31 | 0.920 | 1.19 | 1.19 | |
| 7 | 0.800 | 1.53 | 31.10.2001 | 50.5 | 96.4 | | 16.01.1968 | 50 | 1.19 | 1.19 | 2.85 | 1.23 | 0.920 | 1.19 | 1.19 | |
| 8 | 0.800 | 1.53 | 08.08.1998+ | 49.9 | 95.2 | | 23.06.1975 | 40 | 1.06 | 1.19 | 2.65 | 1.23 | 0.920 | 1.19 | 1.19 | |
| 9 | 0.800 | 1.53 | 23.01.1996+ | 47.6 | 90.8 | | 05.06.1981 | 30 | 1.06 | 1.06 | 2.65 | 1.12 | 0.920 | 1.19 | 1.19 | |
| 10 | 0.800 | 1.53 | 28.08.1991+ | 47.5 | 90.6 | | 31.12.1986 | 25 | 1.06 | 1.06 | 2.45 | 1.12 | 0.920 | 1.19 | 1.19 | |
| | | | | | | | | | | </ | | | | | | |

A_{Eo} : 104 km²

PNP: NN + 224.75 m

Lage: 1.5 km oberhalb Mündung links



Pegel : Bleicherode

Nr. 575250

Gewässer : Bode

Gebiet : Unstrut

m³/s

| | Tag | 2004 | | 2005 | | | | | | | | | | | | | | |
|-----------------|-----------------------|-----------------------|------------------------|---------------|-------------------|-----------------------|------------|---------------|--|-------|-------|-------|-------|----------|-------|-------|--|--|
| | | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | | |
| Tageswerte | 1. | 0.100 | 0.930 | 0.790 | 3.10 | 0.790 | 0.930 | 0.580 | 0.440 | 0.300 | 0.250 | 0.300 | 0.370 | 0.250 | 0.200 | | | |
| | 2. | 0.100 | 0.790 | 0.860 | 2.40 | 0.720 | 0.930 | 0.510 | 0.370 | 0.440 | 0.150 | 0.250 | 0.370 | 0.300 | 0.200 | | | |
| | 3. | 0.100 | 0.720 | 0.790 | 2.47 | 0.720 | 0.860 | 0.510 | 0.440 | 0.370 | 0.150 | 0.200 | 0.510 | 0.250 | 0.200 | | | |
| | 4. | 0.100 | 0.720 | 0.720 | 1.98 | 0.720 | 0.790 | 0.580 | 0.510 | 0.370 | 0.150 | 0.200 | 0.440 | 0.200 | 0.200 | | | |
| | 5. | 0.100 | 0.650 | 0.650 | 1.98 | 0.650 | 0.790 | 0.510 | 0.650 | 0.300 | 0.150 | 0.200 | 0.440 | 0.250 | 0.300 | | | |
| | 6. | 0.100 | 0.580 | 0.650 | 1.77 | 0.650 | 0.790 | 0.580 | 1.00 | 0.370 | 0.150 | 0.200 | 0.370 | 0.200 | 0.200 | | | |
| | 7. | 0.100 | 0.580 | 0.650 | 1.56 | 0.580 | 0.930 | 1.00 | 0.650 | 0.370 | 0.150 | 0.200 | 0.370 | 0.200 | 0.200 | | | |
| | 8. | 0.100 | 0.580 | 0.650 | 1.42 | 0.580 | 0.930 | 1.77 | 0.580 | 0.300 | 0.150 | 0.200 | 0.370 | 0.100 | 0.200 | | | |
| | 9. | 0.100 | 0.510 | 0.580 | 1.28 | 0.650 | 0.860 | 1.42 | 0.510 | 0.300 | 0.150 | 0.200 | 0.300 | 0.200 | 0.200 | | | |
| | 10. | 0.250 | 0.510 | 0.510 | 1.21 | 0.720 | 0.790 | 1.28 | 0.580 | 0.300 | 0.150 | 0.200 | 0.300 | 0.200 | 0.200 | | | |
| | 11. | 0.150 | 0.510 | 0.440 | 1.28 | 0.930 | 0.790 | 1.21 | 0.510 | 0.250 | 0.150 | 0.440 | 0.300 | 0.150 | 0.200 | | | |
| | 12. | 0.150 | 0.510 | 0.440 | 3.80 | 1.49 | 0.720 | 1.07 | 0.510 | 0.250 | 0.150 | 0.370 | 0.300 | 0.200 | 0.200 | | | |
| | 13. | 0.150 | 0.370 | 0.440 | 3.10 | 1.42 | 0.720 | 0.930 | 0.510 | 0.250 | 0.150 | 0.250 | 0.300 | 0.150 | 0.200 | | | |
| | 14. | 0.150 | 0.370 | 0.510 | 2.61 | 1.63 | 0.720 | 1.42 | 0.510 | 0.200 | 0.200 | 0.150 | 0.300 | 0.150 | 0.200 | | | |
| | 15. | 0.150 | 0.300 | 0.440 | 2.26 | 1.35 | 0.720 | 1.91 | 0.580 | 0.200 | 0.150 | 0.200 | 0.300 | 0.200 | 0.300 | | | |
| | 16. | 0.150 | 0.300 | 0.440 | 1.98 | 1.49 | 0.720 | 1.42 | 0.580 | 0.200 | 0.150 | 0.510 | 0.300 | 0.300 | 0.930 | | | |
| | 17. | 0.300 | 0.300 | 0.440 | 1.77 | 1.63 | 0.790 | 1.14 | 0.580 | 0.200 | 0.150 | 0.300 | 0.300 | 0.370 | 0.650 | | | |
| | 18. | 0.650 | 0.510 | 0.510 | 1.56 | 1.77 | 0.790 | 1.00 | 0.580 | 0.200 | 0.150 | 0.250 | 0.250 | 0.250 | 0.370 | | | |
| | 19. | 2.05 | 0.790 | 0.720 | 1.56 | 1.98 | 1.84 | 1.84 | 0.860 | 0.510 | 0.200 | 0.150 | 0.200 | 0.150 | 0.250 | | | |
| | 20. | 1.28 | 0.650 | 0.790 | 1.42 | 1.84 | 1.00 | 1.00 | 0.790 | 0.510 | 0.200 | 0.150 | 0.200 | 0.200 | 1.28 | | | |
| | 21. | 1.07 | 0.440 | 4.99 | 1.28 | 1.70 | 0.860 | 0.720 | 0.370 | 0.250 | 0.150 | 0.200 | 0.200 | 1.07 | 1.49 | | | |
| | 22. | 2.12 | 0.370 | 3.80 | 1.21 | 1.56 | 0.790 | 0.720 | 0.300 | 0.300 | 0.150 | 0.250 | 0.250 | 0.510 | 1.14 | | | |
| | 23. | 3.24 | 0.580 | 3.10 | 1.14 | 1.42 | 0.790 | 0.650 | 0.300 | 0.250 | 0.150 | 0.200 | 0.370 | 0.300 | 1.14 | | | |
| | 24. | 2.05 | 1.63 | 2.68 | 1.00 | 1.28 | 0.790 | 0.510 | 0.300 | 0.250 | 0.150 | 0.200 | 0.250 | 0.300 | 1.14 | | | |
| | 25. | 1.70 | 1.63 | 1.91 | 1.00 | 1.28 | 0.720 | 0.510 | 0.370 | 0.250 | 0.150 | 0.200 | 0.370 | 0.300 | 1.00 | | | |
| | 26. | 1.49 | 1.35 | 1.70 | 0.930 | 1.28 | 0.790 | 0.510 | 0.370 | 0.250 | 0.250 | 0.440 | 0.250 | 0.200 | 0.860 | | | |
| | 27. | 1.28 | 1.14 | 1.63 | 0.860 | 1.21 | 0.790 | 0.580 | 0.370 | 0.200 | 0.200 | 0.250 | 0.250 | 0.200 | 0.790 | | | |
| | 28. | 1.28 | 1.00 | 1.42 | 0.790 | 1.07 | 0.650 | 0.580 | 0.300 | 0.250 | 0.200 | 0.300 | 0.250 | 0.200 | 0.720 | | | |
| | 29. | 1.14 | 0.930 | 1.28 | 1.00 | 1.00 | 0.580 | 0.650 | 0.250 | 0.200 | 0.250 | 0.300 | 0.200 | 0.200 | 0.650 | | | |
| | 30. | 1.07 | 0.790 | 1.14 | 1.00 | 1.00 | 0.580 | 0.790 | 0.300 | 0.250 | 0.300 | 0.250 | 0.200 | 0.200 | 0.510 | | | |
| | 31. | | 0.790 | 2.19 | 0.930 | | 0.930 | 0.510 | | 0.250 | 0.370 | | 0.200 | | 0.930 | | | |
| Tag | 1.+ | 15.+ | 11.+ | 28. | 7.+ | 29.+ | 2.+ | 29. | 14.+ | 2.+ | 14. | 19. | 8. | 1.+ | | | | |
| NQ | 0.100 | 0.300 | 0.440 | 0.790 | 0.580 | 0.580 | 0.510 | 0.250 | 0.200 | 0.150 | 0.150 | 0.150 | 0.100 | 0.200 | | | | |
| MQ | 0.759 | 0.704 | 1.22 | 1.74 | 1.16 | 0.825 | 0.878 | 0.478 | 0.267 | 0.176 | 0.254 | 0.301 | 0.260 | 0.550 | | | | |
| HQ | 4.64 | 1.84 | 6.39 | 4.71 | 2.12 | 1.84 | 2.68 | 1.35 | 1.07 | 0.440 | 0.860 | 1.56 | 1.91 | 1.91 | | | | |
| Tag | 22.+ | 24. | 21. | 4. | 19. | 19. | 14.+ | 6. | 28. | 31. | 26. | 22. | 21. | 20.+ | | | | |
| h _N | mm | | | | | | | | | | | | | | | | | |
| h _A | mm | 19 | 18 | 31 | 40 | 30 | 21 | 23 | 12 | 7 | 5 | 6 | 8 | 6 | 14 | | | |
| | | 1951/2004 | | 1952/2005 | | | | | | | | | | 54 Jahre | | | | |
| Jahr | 2003+ | 1953 | 1977 | 1963 | 1996 | 1953 | 1960 | 1954 | 1963 | 1952+ | 1997 | 1953 | 2003+ | 1953 | | | | |
| NQ | 0.100 | 0.090 | 0.080 | 0.070 | 0.100 | 0.160 | 0.160 | 0.110 | 0.060 | 0.080 | 0.050 | 0.090 | 0.100 | 0.090 | | | | |
| MNQ | 0.297 | 0.432 | 0.502 | 0.624 | 0.645 | 0.689 | 0.491 | 0.356 | 0.272 | 0.221 | 0.219 | 0.241 | 0.294 | 0.431 | | | | |
| MQ | 0.612 | 1.08 | 1.24 | 1.30 | 1.48 | 1.19 | 0.809 | 0.681 | 0.486 | 0.355 | 0.336 | 0.429 | 0.610 | 1.09 | | | | |
| MHQ | 2.32 | 5.39 | 5.77 | 4.48 | 5.78 | 4.11 | 2.78 | 3.92 | 2.32 | 1.44 | 1.77 | 1.41 | 2.34 | 5.42 | | | | |
| HQ | 25.5 | 41.4 | 37.6 | 23.4 | 31.3 | 52.6 | 33.3 | 37.7 | 20.8 | 6.17 | 6.53 | 12.6 | 25.5 | 41.4 | | | | |
| Jahr | 1998 | 1988 | 1968 | 1970 | 1956 | 1983 | 1971 | 1975 | 1955 | 1981 | 1998 | 1998 | 1998 | 1988 | | | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 15 | 28 | 32 | 30 | 38 | 30 | 21 | 17 | 13 | 9 | 8 | 11 | 15 | 28 | | | |
| Hauptwerte | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschrittene Abflüsse m ³ /s | | | | | | | | | |
| | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | | |
| | Jahr | Datum | Winter | Sommer | Jahr | Datum | Jahr | Datum | Jahr | Datum | Jahr | Datum | Jahr | Datum | Jahr | Datum | | |
| | NQ | m ³ /s | 0.100 | am 01.11.2004 | 0.100 | 0.150 | 0.100 | am 08.11.2005 | | | | | | | | | | |
| | MQ | m ³ /s | 0.724 | | 1.06 | 0.393 | 0.670 | | | | | | | | | | | |
| | HQ | m ³ /s | 6.39 | am 21.01.2005 | 6.39 | 2.68 | 6.39 | am 21.01.2005 | | | | | | | | | | |
| | Nq | l/(skm ²) | 0.962 | | 0.962 | 1.44 | 0.962 | | | | | | | | | | | |
| | Mq | l/(skm ²) | 6.96 | | 10.2 | 3.78 | 6.44 | | | | | | | | | | | |
| | Hq | l/(skm ²) | 61.4 | | 61.4 | 25.8 | 61.4 | | | | | | | | | | | |
| | h _N | mm | | | | | | | | | | | | | | | | |
| | h _A | mm | 220 | | 159 | 60 | 203 | | | | | | | | | | | |
| | | | 1952/2005 (*) 54 Jahre | | | | 1952/2005 | | | | | | | | | | | |
| | NQ | m ³ /s | 0.050 | am 17.09.1997 | 0.070 | 0.050 | 0.050 | am 17.09.1997 | | | | | | | | | | |
| | MNQ | m ³ /s | 0.152 | | 0.259 | 0.178 | 0.162 | | | | | | | | | | | |
| | MQ | m ³ /s | 0.832 | | 1.15 | 0.516 | 0.832 | | | | | | | | | | | |
| | MHQ | m ³ /s | 14.0 | | 12.2 | 6.14 | 14.6 | | | | | | | | | | | |
| | HQ | m ³ /s | 52.6 | am 20.04.1983 | 52.6 | 37.7 | 52.6 | am 20.04.1983 | | | | | | | | | | |
| | HQ ₁ | m ³ /s | | | | | | | | | | | | | | | | |
| | HQ ₅ | m ³ /s | | | | | | | | | | | | | | | | |
| | MNq | l/(skm ²) | 1.46 | | 2.49 | 1.71 | 1.56 | | | | | | | | | | | |
| Mq | l/(skm ²) | 8.00 | | 11.1 | 4.96 | 8.00 | | | | | | | | | | | | |
| MHQ | l/(skm ²) | 135 | | 117 | 59.0 | 140 | | | | | | | | | | | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 252 | | 173 | 79 | 252 | | | | | | | | | | | | |
| Extremwerte | Niedrigwasser | | | | Hochwasser | | | | | | | | | | | | | |
| | | m ³ /s | l/(skm ²) | Datum | m ³ /s | l/(skm ²) | cm | Datum | | | | | | | | | | |
| | 1 | 0.050 | 0.481 | 17.09.1997 | 52.6 | 506 | | 20.04.1983 | | | | | | | | | | |
| | 2 | 0.060 | 0.577 | 30.07.1963 | 41.4 | 398 | | 19.12.1968 | | | | | | | | | | |
| | 3 | 0.070 | 0.673 | 12.02.1963 | 37.7 | 362 | | 23.06.1975 | | | | | | | | | | |
| | 4 | 0.070 | 0.673 | 10.09.1953+ | 37.6 | 362 | | 15.01.1968 | | | | | | | | | | |
| | 5 | 0.070 | 0.673 | 22.07.1952+ | 33.8 | 325 | | 04.06.1981 | | | | | | | | | | |
| | 6 | 0.080 | 0.769 | 22.01.1977 | 33.3 | 320 | | 19.05.1971 | | | | | | | | | | |
| | 7 | 0.080 | 0.769 | 25.09.1963 | 31.3 | 301 | | 04.03.1956 | | | | | | | | | | |
| | 8 | 0.090 | 0.865 | 15.08.1953+ | 25.5 | 245 | | 01.11.1998 | | | | | | | | | | |
| | 9 | 0.100 | 0.962 | 01.11.2004+ | 24.4 | 235 | | 16.03.1994 | | | | | | | | | | |
| 10 | 0.100 | 0.962 | 10.11.2003+ | 23.4 | 225 | | 23.02.1970 | | | | | | | | | | | |

(*) Abflussjahr: 1.11. des Vorjahres bis 31.10.

A_{Eo} : 201 km²

PNP: NN + 169.98 m

Lage: 52.6 km oberhalb Mündung links



m³/s

Pegel : Sundhausen

Nr. 575400

Gewässer : Helme

Gebiet : Unstrut

| | Tag | 2004 | | 2005 | | | | | | | | | | | | | | |
|-----------------|----------------|-------------------|-------------------|-----------------------|-------------|-------------------|-----------------------|-----------------|------------|------------------|-------|-----------------|-------|------------------|-------|-------|----------|--|
| | | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | | |
| Tageswerte | 1. | 0.480 | 1.06 | 1.06 | 13.5 | 1.48 | 1.38 | 1.48 | 1.06 | 0.660 | 0.560 | 0.660 | 0.720 | 0.560 | 0.560 | | | |
| | 2. | 0.480 | 0.900 | 1.14 | 5.52 | 1.48 | 1.38 | 1.58 | 1.06 | 0.660 | 0.520 | 0.660 | 0.780 | 0.600 | 0.520 | | | |
| | 3. | 0.480 | 0.780 | 1.14 | 5.37 | 1.48 | 1.30 | 1.48 | 1.06 | 0.660 | 0.520 | 0.660 | 0.660 | 0.560 | 0.520 | | | |
| | 4. | 0.480 | 0.720 | 1.38 | 3.85 | 1.38 | 1.30 | 1.48 | 1.06 | 0.660 | 0.560 | 0.660 | 0.720 | 0.600 | 0.520 | | | |
| | 5. | 0.480 | 0.660 | 1.22 | 3.13 | 1.38 | 1.30 | 1.48 | 1.14 | 0.600 | 0.520 | 0.660 | 0.660 | 0.600 | 0.560 | | | |
| | 6. | 0.520 | 0.660 | 1.14 | 2.65 | 1.30 | 1.30 | 1.48 | 1.58 | 0.600 | 0.560 | 0.600 | 0.660 | 0.600 | 0.560 | | | |
| | 7. | 0.520 | 0.660 | 1.06 | 2.20 | 1.30 | 1.38 | 2.20 | 1.22 | 0.600 | 0.560 | 0.660 | 0.660 | 0.560 | 0.560 | | | |
| | 8. | 0.560 | 0.660 | 0.980 | 1.88 | 1.30 | 1.38 | 5.37 | 1.22 | 0.660 | 0.600 | 0.660 | 0.660 | 0.520 | 0.600 | | | |
| | 9. | 0.480 | 0.600 | 0.900 | 1.68 | 1.48 | 1.38 | 3.25 | 1.22 | 0.600 | 0.560 | 0.660 | 0.660 | 0.600 | 0.660 | | | |
| | 10. | 0.480 | 0.600 | 0.840 | 1.68 | 1.58 | 1.30 | 2.53 | 1.22 | 0.600 | 0.560 | 0.660 | 0.600 | 0.560 | 0.600 | | | |
| | 11. | 0.480 | 0.600 | 0.780 | 1.78 | 1.68 | 1.30 | 2.09 | 1.14 | 0.600 | 0.560 | 0.840 | 0.600 | 0.560 | 0.600 | | | |
| | 12. | 0.480 | 0.600 | 0.780 | 9.00 | 3.49 | 1.30 | 1.88 | 1.14 | 0.600 | 0.600 | 0.720 | 0.660 | 0.560 | 0.600 | | | |
| | 13. | 0.480 | 0.600 | 0.780 | 11.4 | 3.13 | 1.30 | 1.68 | 1.14 | 0.600 | 0.600 | 0.660 | 0.660 | 0.600 | 0.600 | | | |
| | 14. | 0.480 | 0.600 | 1.06 | 6.00 | 3.01 | 1.30 | 2.20 | 1.14 | 0.600 | 0.660 | 0.600 | 0.660 | 0.560 | 0.600 | | | |
| | 15. | 0.480 | 0.600 | 1.06 | 4.23 | 2.31 | 1.38 | 5.22 | 1.14 | 0.600 | 0.720 | 0.660 | 0.660 | 0.560 | 0.900 | | | |
| | 16. | 0.440 | 0.720 | 0.900 | 3.25 | 1.98 | 1.38 | 2.89 | 1.06 | 0.600 | 0.600 | 0.780 | 0.660 | 0.780 | 6.16 | | | |
| | 17. | 0.780 | 0.600 | 0.840 | 2.77 | 1.78 | 1.38 | 2.20 | 0.980 | 0.600 | 0.600 | 0.660 | 0.660 | 0.900 | 5.07 | | | |
| | 18. | 1.22 | 0.900 | 0.900 | 2.42 | 2.77 | 1.48 | 1.88 | 0.980 | 0.600 | 0.560 | 0.600 | 0.720 | 0.900 | 2.53 | | | |
| | 19. | 5.22 | 1.88 | 1.06 | 2.20 | 3.61 | 2.20 | 1.68 | 0.980 | 0.600 | 0.560 | 0.600 | 0.660 | 0.720 | 1.78 | | | |
| | 20. | 3.37 | 1.30 | 1.78 | 2.09 | 3.01 | 1.48 | 1.58 | 0.980 | 0.600 | 0.560 | 0.560 | 0.720 | 0.720 | 5.52 | | | |
| | 21. | 2.77 | 0.840 | 23.0 | 1.98 | 2.42 | 1.38 | 1.38 | 0.980 | 0.600 | 0.600 | 0.900 | 0.560 | 2.09 | 7.20 | | | |
| | 22. | 3.25 | 0.720 | 11.4 | 1.88 | 2.09 | 1.38 | 1.30 | 0.980 | 0.720 | 0.600 | 0.840 | 0.600 | 1.38 | 4.77 | | | |
| | 23. | 10.0 | 0.780 | 6.64 | 1.78 | 1.78 | 1.38 | 1.30 | 0.840 | 0.660 | 0.600 | 0.660 | 0.660 | 0.840 | 4.10 | | | |
| | 24. | 5.22 | 2.42 | 4.49 | 1.68 | 1.58 | 1.38 | 1.22 | 0.900 | 0.600 | 0.600 | 0.660 | 0.660 | 0.720 | 3.73 | | | |
| | 25. | 2.65 | 2.77 | 3.37 | 1.58 | 1.58 | 1.38 | 1.14 | 0.980 | 0.600 | 0.600 | 0.520 | 0.720 | 0.720 | 3.37 | | | |
| | 26. | 1.68 | 2.20 | 2.65 | 1.58 | 1.58 | 1.38 | 1.06 | 0.900 | 0.560 | 0.600 | 0.660 | 0.720 | 0.660 | 2.77 | | | |
| | 27. | 1.30 | 1.58 | 2.20 | 1.48 | 1.38 | 1.68 | 1.06 | 0.720 | 0.600 | 0.600 | 0.600 | 0.600 | 0.600 | 2.20 | | | |
| | 28. | 1.38 | 1.14 | 1.98 | 1.38 | 1.48 | 1.48 | 1.06 | 0.720 | 0.900 | 0.600 | 0.600 | 0.560 | 0.600 | 1.78 | | | |
| | 29. | 1.30 | 1.06 | 1.68 | 1.58 | 1.58 | 1.38 | 1.06 | 0.660 | 0.600 | 0.600 | 0.600 | 0.560 | 0.560 | 1.48 | | | |
| | 30. | 1.14 | 1.06 | 1.48 | 1.48 | 1.48 | 1.48 | 1.48 | 0.660 | 0.720 | 0.600 | 0.600 | 0.560 | 0.560 | 1.30 | | | |
| | 31. | 1.14 | 1.06 | 4.23 | 1.38 | 1.38 | 1.14 | 1.14 | 0.560 | 0.560 | 0.600 | 0.560 | 0.560 | 0.560 | 1.22 | | | |
| Hauptwerte | Tag | 16. | 9.+ | 11.+ | 28. | 6.+ | 3.+ | 26.+ | 29.+ | 26.+ | 2.+ | 25. | 21.+ | 8.+ | 2.+ | | | |
| | NQ | 0.440 | 0.600 | 0.780 | 1.38 | 1.30 | 1.30 | 1.06 | 0.660 | 0.560 | 0.520 | 0.520 | 0.560 | 0.520 | 0.080 | | | |
| | MQ | 1.64 | 1.01 | 2.71 | 3.57 | 1.91 | 1.41 | 1.90 | 1.03 | 0.626 | 0.584 | 0.660 | 0.650 | 0.709 | 2.06 | | | |
| | HQ | 11.0 | 3.25 | 31.2 | 27.3 | 4.23 | 3.61 | 7.60 | 1.88 | 1.68 | 0.900 | 1.06 | 0.980 | 3.61 | 11.6 | | | |
| | Tag | 23. | 24. | 21. | 1. | 12. | 18. | 15. | 25.+ | 28. | 14. | 11. | 1.+ | 21. | 16. | | | |
| | h _N | mm | | | | | | | | | | | | | | | | |
| | h _A | mm | 21 | 13 | 36 | 43 | 25 | 18 | 25 | 13 | 8 | 8 | 9 | 9 | 9 | 27 | | |
| | | | 1957/2004 | | 1958/2005 | | | | | | | | | | | | 48 Jahre | |
| | Jahr | | 1982 | 1983 | 1968 | 1980+ | 1972 | 1996 | 1980+ | 1980 | 1991+ | 1991+ | 1982+ | 1991 | 1982 | 1983 | | |
| | NQ | m ³ /s | 0.210 | 0.080 | 0.090 | 0.210 | 0.320 | 0.360 | 0.430 | 0.320 | 0.280 | 0.210 | 0.210 | 0.210 | 0.210 | 0.080 | | |
| | MNQ | m ³ /s | 0.604 | 0.723 | 0.766 | 0.998 | 1.11 | 1.20 | 0.966 | 0.766 | 0.672 | 0.561 | 0.555 | 0.560 | 0.596 | 0.713 | | |
| | MQ | m ³ /s | 1.17 | 1.93 | 2.28 | 2.41 | 2.58 | 1.94 | 1.45 | 1.21 | 0.945 | 0.806 | 0.798 | 0.873 | 1.16 | 1.94 | | |
| | MHQ | m ³ /s | 5.10 | 10.1 | 12.8 | 11.2 | 10.7 | 5.87 | 5.19 | 6.60 | 2.74 | 3.20 | 2.28 | 2.80 | 5.13 | 10.1 | | |
| | HQ | m ³ /s | 52.5 | 44.2 | 48.0 | 33.2 | 47.7 | 32.3 | 30.2 | 41.0 | 11.4 | 28.0 | 20.1 | 37.0 | 52.5 | 44.2 | | |
| | Jahr | | 1998 | 2002 | 2003 | 1970 | 2000 | 1983 | 1971 | 1981 | 1972 | 1970 | 1998 | 1998 | 1998 | 2002 | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 15 | 26 | 30 | 29 | 34 | 25 | 19 | 16 | 13 | 11 | 10 | 12 | 15 | 26 | | | |
| Extremwerte | | | Niedrigwasser | | | | Hochwasser | | | | | | | | | | | |
| | | | m ³ /s | l/(skm ²) | Datum | m ³ /s | l/(skm ²) | cm | Datum | | | | | | | | | |
| | 1 | | 0.080 | 0.398 | 14.12.1983+ | 52.5 | 261 | | 01.11.1998 | | | | | | | | | |
| | 2 | | 0.090 | 0.448 | 12.01.1968+ | 48.0 | 239 | | 02.01.2003 | | | | | | | | | |
| | 3 | | 0.100 | 0.498 | 10.01.1986 | 47.7 | 237 | | 09.03.2000 | | | | | | | | | |
| | 4 | | 0.100 | 0.498 | 03.01.1980+ | 45.3 | 225 | | 18.03.1994 | | | | | | | | | |
| | 5 | | 0.100 | 0.498 | 04.12.1979+ | 44.2 | 220 | | 30.12.2002 | | | | | | | | | |
| | 6 | | 0.100 | 0.498 | 07.01.1979 | 41.0 | 204 | | 04.06.1981 | | | | | | | | | |
| | 7 | | 0.180 | 0.896 | 04.01.1970+ | 38.8 | 193 | | 19.12.1988 | | | | | | | | | |
| | 8 | | 0.200 | 0.995 | 01.12.1967+ | 37.5 | 187 | | 28.10.1998 | | | | | | | | | |
| | 9 | | 0.210 | 1.04 | 31.08.1996+ | 35.7 | 178 | | 12.01.1993 | | | | | | | | | |
| | 10 | | 0.210 | 1.04 | 25.08.1991+ | 35.7 | 178 | | 30.12.1986 | | | | | | | | | |
| | Dauertabelle | | | 2005 | | | | 2005 | | | | 1958/2005 | | | | | | |
| | | | | Abflussjahr (*) | | Kalenderjahr | | Abflussjahr (*) | | Kalenderjahr | | 1958/2005 | | 48 Kalenderjahre | | | | |
| | | | | Jahr | | Datum | | Jahr | | Datum | | Obere Hüllwerte | | Mittlere Werte | | | | |
| | | Winter | | Sommer | | | | | | Untere Hüllwerte | | | | | | | | |
| | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | | | | | |
| | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | | | | | |
| | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | | | | | |
| | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | | | | | |
| | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | | | | | |
| | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | | | | | |
| | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | | | | | |
| | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | | | | | |
| | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | | | | | |
| | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | 2005 | | | | | | |

(*) Abflussjahr: 1.11. des Vorjahres bis 31.10.

A_{Eo} : 304 km²

PNP: NN + 182.56 m

Lage: 11.0 km oberhalb Mündung links



Pegel : Nordhausen

Nr. 575500

Gewässer : Zorge

Gebiet : Unstrut

m³/s

| Tag | 2004 | | 2005 | | | | | | | | | | | | | |
|------------------------|-----------------------|-------|-----------------------|-------|--------|-------------|-------------------|-------|----------------------------|-------|-----------|-------|-----------|-------|------------------|--|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | |
| 1. | 0.500 | 4.10 | 4.30 | 7.70 | 3.10 | 4.10 | 2.70 | 2.30 | 0.800 | 0.700 | 0.350 | 0.450 | 0.600 | 0.600 | | |
| 2. | 0.500 | 3.70 | 4.30 | 6.50 | 2.90 | 3.70 | 2.70 | 1.95 | 0.800 | 0.700 | 0.350 | 0.450 | 0.600 | 0.500 | | |
| 3. | 0.500 | 3.30 | 4.50 | 6.75 | 2.90 | 3.50 | 2.70 | 1.95 | 0.700 | 0.600 | 0.350 | 0.450 | 0.600 | 0.500 | | |
| 4. | 0.500 | 2.90 | 5.75 | 6.50 | 2.70 | 3.10 | 2.70 | 1.95 | 0.700 | 0.600 | 0.350 | 0.400 | 0.600 | 0.600 | | |
| 5. | 0.500 | 2.70 | 5.75 | 6.25 | 2.70 | 2.90 | 2.70 | 1.95 | 0.600 | 0.600 | 0.300 | 0.400 | 0.600 | 1.35 | | |
| 6. | 0.500 | 2.50 | 6.00 | 5.75 | 2.30 | 2.90 | 2.70 | 2.10 | 0.600 | 0.600 | 0.300 | 0.350 | 0.600 | 1.65 | | |
| 7. | 0.600 | 2.30 | 6.00 | 5.50 | 2.10 | 3.50 | 4.30 | 1.95 | 0.600 | 0.700 | 0.300 | 0.350 | 0.600 | 1.50 | | |
| 8. | 0.600 | 1.95 | 5.75 | 5.00 | 2.30 | 3.50 | 6.25 | 1.80 | 0.600 | 0.600 | 0.300 | 0.350 | 0.500 | 1.65 | | |
| 9. | 0.600 | 1.80 | 5.50 | 5.00 | 2.10 | 3.50 | 5.75 | 1.50 | 0.600 | 0.600 | 0.300 | 0.350 | 0.500 | 1.80 | | |
| 10. | 0.600 | 1.80 | 5.00 | 5.00 | 1.95 | 3.10 | 5.75 | 1.35 | 0.500 | 0.600 | 0.300 | 0.350 | 0.500 | 1.65 | | |
| 11. | 0.600 | 1.65 | 4.75 | 6.25 | 2.10 | 2.90 | 5.25 | 1.35 | 0.450 | 0.600 | 0.300 | 0.350 | 0.450 | 1.65 | | |
| 12. | 0.500 | 1.65 | 4.50 | 14.0 | 3.30 | 2.90 | 5.25 | 1.35 | 0.500 | 0.500 | 0.300 | 0.350 | 0.450 | 1.50 | | |
| 13. | 0.500 | 1.50 | 4.30 | 32.5 | 2.90 | 2.90 | 4.75 | 1.20 | 0.500 | 0.500 | 0.300 | 0.350 | 0.450 | 1.50 | | |
| 14. | 0.600 | 1.35 | 4.75 | 23.0 | 2.90 | 2.90 | 5.00 | 1.05 | 0.500 | 0.700 | 0.300 | 0.300 | 0.450 | 1.35 | | |
| 15. | 0.600 | 1.20 | 4.30 | 16.8 | 2.90 | 2.90 | 5.75 | 1.05 | 0.450 | 0.900 | 0.300 | 0.300 | 0.450 | 1.65 | | |
| 16. | 0.500 | 1.05 | 3.90 | 13.0 | 4.10 | 2.70 | 5.00 | 1.05 | 0.500 | 0.700 | 0.600 | 0.300 | 0.600 | 6.75 | | |
| 17. | 1.20 | 1.20 | 3.70 | 10.8 | 9.45 | 2.70 | 4.75 | 1.05 | 0.450 | 0.700 | 0.500 | 0.300 | 0.700 | 9.45 | | |
| 18. | 5.50 | 1.80 | 4.10 | 8.75 | 20.0 | 2.70 | 4.50 | 0.900 | 0.450 | 0.600 | 0.400 | 0.300 | 0.800 | 6.75 | | |
| 19. | 9.10 | 1.80 | 4.50 | 7.70 | 21.2 | 6.75 | 4.30 | 0.900 | 0.450 | 0.600 | 0.350 | 0.300 | 0.700 | 5.50 | | |
| 20. | 6.75 | 1.35 | 6.50 | 6.75 | 16.4 | 5.00 | 4.10 | 0.900 | 0.450 | 0.500 | 0.350 | 0.300 | 0.700 | 5.25 | | |
| 21. | 5.50 | 1.05 | 19.6 | 6.00 | 13.0 | 4.50 | 3.90 | 0.900 | 0.450 | 0.500 | 0.350 | 0.350 | 0.900 | 6.25 | | |
| 22. | 5.25 | 1.05 | 18.4 | 5.50 | 10.8 | 4.10 | 3.90 | 0.900 | 0.700 | 0.500 | 0.350 | 0.400 | 0.900 | 6.50 | | |
| 23. | 16.4 | 1.65 | 14.8 | 5.00 | 8.75 | 3.90 | 3.70 | 0.900 | 0.700 | 0.450 | 0.300 | 0.500 | 0.800 | 6.75 | | |
| 24. | 16.0 | 6.75 | 12.2 | 4.50 | 7.70 | 3.70 | 3.50 | 0.800 | 0.600 | 0.450 | 0.300 | 0.700 | 0.700 | 7.70 | | |
| 25. | 11.9 | 9.80 | 10.2 | 4.30 | 7.35 | 3.30 | 3.30 | 0.800 | 0.600 | 0.450 | 0.300 | 1.20 | 0.700 | 8.40 | | |
| 26. | 7.70 | 9.45 | 8.40 | 4.10 | 7.35 | 3.30 | 3.10 | 0.800 | 0.600 | 0.450 | 0.450 | 1.35 | 0.700 | 7.70 | | |
| 27. | 6.25 | 7.70 | 7.35 | 3.70 | 6.25 | 3.70 | 3.10 | 0.800 | 0.600 | 0.450 | 0.450 | 1.05 | 0.700 | 6.50 | | |
| 28. | 5.50 | 6.50 | 6.50 | 3.10 | 5.75 | 3.50 | 2.90 | 0.800 | 1.20 | 0.450 | 0.400 | 0.800 | 0.600 | 5.50 | | |
| 29. | 4.75 | 5.75 | 5.75 | | 5.50 | 3.10 | 2.70 | 0.800 | 0.900 | 0.400 | 0.400 | 0.700 | 0.600 | 4.75 | | |
| 30. | 4.30 | 4.75 | 5.00 | | 4.75 | 2.90 | 3.50 | 0.800 | 1.20 | 0.400 | 0.450 | 0.600 | 0.600 | 4.10 | | |
| 31. | | 4.30 | 5.50 | | 4.30 | | 2.70 | | 0.800 | 0.400 | | 0.600 | | 3.70 | | |
| Tag | 1.+ | 16.+ | 17. | 28. | 10. | 16.+ | 1.+ | 24.+ | 11.+ | 29.+ | 5.+ | 14.+ | 11.+ | 2.+ | | |
| NQ | 0.500 | 1.05 | 3.70 | 3.10 | 1.95 | 2.70 | 2.70 | 0.800 | 0.450 | 0.400 | 0.300 | 0.300 | 0.450 | 0.500 | | |
| MQ | 3.83 | 3.24 | 6.83 | 8.42 | 6.19 | 3.47 | 3.97 | 1.26 | 0.631 | 0.565 | 0.355 | 0.494 | 0.622 | 3.90 | | |
| HQ | 20.4 | 10.8 | 21.2 | 37.0 | 23.0 | 10.2 | 7.35 | 2.50 | 2.10 | 1.20 | 0.700 | 1.65 | 1.05 | 12.6 | | |
| Tag | 23. | 25. | 21. | 13. | 18.+ | 19. | 7.+ | 1. | 28. | 15. | 16.+ | 26. | 21.+ | 16. | | |
| h _N | mm | | | | | | | | | | | | | | | |
| h _A | mm | 33 | 29 | 60 | 67 | 55 | 30 | 35 | 11 | 6 | 5 | 3 | 4 | 5 | 34 | |
| 1953/2004 | | | 1954/2005 | | | | | | | | | | | | 52 Jahre | |
| Jahr | 1991 | 1976 | 1977 | 1960 | 1963 | 1960 | 1959 | 1966 | 1959 | 1991+ | 1959+ | 1966 | 1991 | 1976 | | |
| NQ | 0.150 | 0.280 | 0.100 | 0.080 | 0.240 | 0.470 | 0.270 | 0.080 | 0.100 | 0.150 | 0.100 | 0.050 | 0.150 | 0.280 | | |
| MNQ | 1.26 | 1.72 | 2.12 | 2.43 | 2.36 | 2.76 | 1.74 | 0.910 | 0.734 | 0.591 | 0.608 | 0.764 | 1.26 | 1.72 | | |
| MQ | 3.08 | 5.31 | 5.95 | 5.62 | 6.43 | 5.57 | 2.99 | 2.13 | 1.54 | 1.15 | 1.19 | 1.84 | 3.09 | 5.37 | | |
| MHQ | 9.80 | 19.8 | 23.1 | 15.6 | 21.9 | 12.7 | 6.70 | 7.33 | 4.65 | 3.10 | 3.69 | 6.42 | 9.80 | 20.0 | | |
| HQ | 85.6 | 87.1 | 91.9 | 49.5 | 95.1 | 63.3 | 24.9 | 46.5 | 29.6 | 11.4 | 23.8 | 81.4 | 85.6 | 87.1 | | |
| Jahr | 1998 | 1954 | 1987 | 2002 | 1956 | 1994 | 1965 | 1977 | 1956 | 1970 | 1957 | 1998 | 1998 | 1954 | | |
| Mh _N | mm | | | | | | | | | | | | | | | |
| Mh _A | mm | 26 | 47 | 52 | 45 | 57 | 47 | 26 | 18 | 14 | 10 | 16 | 26 | 47 | | |
| Abflussjahr (*) | | | Kalenderjahr | | | | Unterschrittene | | Abflüsse m ³ /s | | | | | | | |
| 2005 | | | 2005 | | | | Abfluss- | | 1954/2005 | | | | | | | |
| Jahr | | | Datum | | Winter | | Sommer | | Abfluss- | | Kalender- | | 1954/2005 | | 52 Kalenderjahre | |
| | | | | | | | | | jahr (*) | | jahr | | Obere | | Mittlere | |
| | | | | | | | | | 2005 | | 2005 | | Hüllwerte | | Werte | |
| | | | | | | | | | 2005 | | 2005 | | Hüllwerte | | Hüllwerte | |
| NQ | m ³ /s | 0.300 | am 05.09.2005 | 0.500 | 0.300 | 0.300 | am 05.09.2005 | (365) | 32.5 | 32.5 | 87.1 | 32.8 | 7.64 | | | |
| MQ | m ³ /s | 3.24 | | 5.30 | 1.22 | 3.03 | | 364 | 23.0 | 23.0 | 75.2 | 27.9 | 7.64 | | | |
| HQ | m ³ /s | 37.0 | am 13.02.2005 | 37.0 | 7.35 | 37.0 | am 13.02.2005 | 363 | 21.2 | 21.2 | 67.3 | 24.1 | 7.64 | | | |
| Nq | l/(skm ²) | 0.987 | | 1.64 | 0.987 | 0.987 | | 362 | 20.0 | 20.0 | 53.2 | 21.9 | 7.00 | | | |
| Mq | l/(skm ²) | 10.7 | | 17.4 | 4.01 | 9.97 | | 361 | 19.6 | 19.6 | 52.7 | 20.5 | 7.00 | | | |
| Hq | l/(skm ²) | 122 | | 122 | 24.2 | 122 | | 360 | 18.4 | 18.4 | 40.0 | 19.0 | 7.00 | | | |
| h _N | mm | | | | | | | 359 | 16.8 | 16.8 | 37.5 | 17.8 | 6.60 | | | |
| h _A | mm | 336 | | 273 | 64 | 314 | | 358 | 16.8 | 16.8 | 37.5 | 17.0 | 6.60 | | | |
| 1954/2005 (*) 52 Jahre | | | 1954/2005 | | | | Dauertabelle | | 357 | 16.8 | 16.8 | 37.5 | 16.2 | 6.48 | | |
| NQ | m ³ /s | 0.050 | am 22.10.1966 | 0.080 | 0.050 | 0.050 | am 22.10.1966 | 356 | 16.8 | 14.8 | 37.5 | 16.2 | 6.48 | | | |
| MNQ | m ³ /s | 0.350 | | 0.909 | 0.400 | 0.375 | | 355 | 16.8 | 14.8 | 37.5 | 16.2 | 6.48 | | | |
| MQ | m ³ /s | 3.56 | | 5.33 | 1.81 | 3.56 | | 350 | 12.2 | 12.2 | 24.6 | 13.3 | 4.88 | | | |
| MHQ | m ³ /s | 41.1 | | 39.1 | 13.7 | 41.5 | | 340 | 9.10 | 8.40 | 18.1 | 10.3 | 4.21 | | | |
| HQ | m ³ /s | 95.1 | am 04.03.1956 | 95.1 | 81.4 | 95.1 | am 04.03.1956 | 330 | 7.35 | 7.35 | 14.1 | 8.50 | 3.60 | | | |
| HQ ₁ | m ³ /s | | | | | | | 320 | 6.50 | 6.50 | 12.4 | 7.25 | 3.24 | | | |
| HQ ₅ | m ³ /s | | | | | | | 300 | 5.75 | 5.75 | 10.4 | 5.61 | 2.53 | | | |
| MNq | l/(skm ²) | 1.15 | | 2.99 | 1.32 | 1.23 | | 270 | 4.75 | 4.50 | 8.36 | 4.08 | 1.95 | | | |
| Mq | l/(skm ²) | 11.7 | | 17.5 | 5.95 | 11.7 | | 240 | 3.70 | 3.50 | 6.20 | 3.16 | 1.35 | | | |
| MHQ | l/(skm ²) | 135 | | 129 | 45.1 | 137 | | 210 | 3.10 | 2.90 | 4.94 | 2.48 | 0.750 | | | |
| Mh _N | mm | | | | | | | 183 | 2.10 | 1.65 | 4.20 | 2.07 | 0.460 | | | |
| Mh _A | mm | 369 | | 274 | 95 | 369 | | 150 | 1.20 | 0.900 | 3.40 | 1.62 | 0.400 | | | |
| Niedrigwasser | | | Hochwasser | | | | Dauertabelle | | 130 | 0.900 | 0.800 | 3.00 | 1.35 | 0.340 | | |
| m ³ /s | | | l/(skm ²) | | Datum | | m ³ /s | | l/(skm ²) | | cm | | Datum | | | |
| 1 | 0.050 | 0.164 | 22.10.1966 | 95.1 | 313 | 04.03.1956 | 120 | 0.800 | 0.700 | 3.00 | 1.20 | 0.340 | | | | |
| 2 | 0.080 | 0.263 | 25.06.1966+ | 87.1 | 302 | 01.01.1987 | 110 | 0.700 | 0.700 | 2.60 | 0.960 | 0.230 | | | | |
| 3 | 0.080 | 0.263 | 09.02.1960 | 87.1 | 287 | 27.12.1954+ | 90 | 0.700 | 0.700 | 2.42 | 0.840 | 0.230 | | | | |
| 4 | 0.100 | 0.329 | 10.09.1997+ | 86.3 | 284 | 30.12.1986 | 80 | 0.600 | 0.600 | 2.24 | 0.800 | 0.190 | | | | |
| 5 | 0.100 | 0.329 | 07.10.1989 | 85.6 | 282 | 01.11.1998 | 70 | 0.600 | 0.500 | 2.24 | 0.700 | 0.190 | | | | |
| 6 | 0.100 | 0.329 | 03.09.1976+ | 85.3 | 281 | 06.01.1982 | 60 | 0.500 | 0.500 | 2.06 | 0.620 | 0.190 | | | | |
| 7 | 0.100 | 0.329 | 12.07.1959+ | 82.3 | 271 | 11.03.1981 | 50 | 0.500 | 0.500 | 2.06 | 0.560 | 0.190 | | | | |
| 8 | 0.130 | 0.428 | 10.07.1960 | 81.4 | 268 | 28.10.1998 | 40 | 0.450 | 0.450 | 1.88 | 0.480 | 0.190 | | | | |
| 9 | 0.140 | 0.461 | 05.10.1964+ | 80.7 | 265 | 19.12.1965 | 30 | 0.400 | | | | | | | | |

A_{E0} : 62.3 km²

PNP: NN + 303.64 m

Lage: 7.0 km oberhalb Mündung rechts



Pegel : Ilfeld

Gewässer : Bere

Gebiet : Unstrut

Nr. 575660

m³/s

| Tag | 2004 | | 2005 | | | | | | | | | | | | | | | | | | |
|------------------------|-----------------------|-------|-----------------------|-------|-------------|-------|-------------------|-------|-----------------------|-------|---|-------|--------------|-------|------------------|-------|------------------|-------|-------|-------|-------|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | | | | | | |
| 1. | 0.110 | 0.480 | 0.880 | 1.06 | 0.620 | 0.940 | 0.670 | 0.320 | 0.110 | 0.110 | 0.045 | 0.170 | 0.140 | 0.170 | | | | | | | |
| 2. | 0.110 | 0.440 | 0.880 | 0.880 | 0.670 | 0.880 | 0.620 | 0.290 | 0.110 | 0.080 | 0.045 | 0.200 | 0.140 | 0.110 | | | | | | | |
| 3. | 0.080 | 0.400 | 0.880 | 1.00 | 0.620 | 0.820 | 0.570 | 0.290 | 0.080 | 0.080 | 0.045 | 0.140 | 0.140 | 0.140 | | | | | | | |
| 4. | 0.080 | 0.400 | 1.00 | 0.940 | 0.570 | 0.720 | 0.570 | 0.260 | 0.080 | 0.080 | 0.045 | 0.110 | 0.140 | 0.230 | | | | | | | |
| 5. | 0.080 | 0.360 | 1.06 | 0.940 | 0.570 | 0.670 | 0.570 | 0.290 | 0.060 | 0.080 | 0.045 | 0.080 | 0.200 | 0.720 | | | | | | | |
| 6. | 0.110 | 0.320 | 1.20 | 0.940 | 0.570 | 0.620 | 0.570 | 0.320 | 0.060 | 0.110 | 0.040 | 0.080 | 0.200 | 0.570 | | | | | | | |
| 7. | 0.140 | 0.290 | 1.13 | 0.880 | 0.940 | 0.880 | 1.06 | 0.260 | 0.080 | 0.110 | 0.040 | 0.080 | 0.170 | 0.480 | | | | | | | |
| 8. | 0.110 | 0.290 | 1.13 | 0.880 | 0.520 | 0.820 | 1.20 | 0.260 | 0.140 | 0.080 | 0.040 | 0.060 | 0.140 | 0.480 | | | | | | | |
| 9. | 0.110 | 0.260 | 1.06 | 0.940 | 0.520 | 0.720 | 1.13 | 0.260 | 0.110 | 0.110 | 0.040 | 0.060 | 0.140 | 0.440 | | | | | | | |
| 10. | 0.170 | 0.230 | 1.00 | 1.00 | 0.480 | 0.620 | 1.20 | 0.230 | 0.110 | 0.080 | 0.040 | 0.060 | 0.140 | 0.400 | | | | | | | |
| 11. | 0.170 | 0.200 | 0.940 | 1.34 | 0.480 | 0.620 | 1.13 | 0.230 | 0.060 | 0.080 | 0.045 | 0.060 | 0.110 | 0.320 | | | | | | | |
| 12. | 0.170 | 0.200 | 0.880 | 4.00 | 0.570 | 0.570 | 1.00 | 0.230 | 0.060 | 0.080 | 0.050 | 0.060 | 0.110 | 0.320 | | | | | | | |
| 13. | 0.140 | 0.200 | 0.880 | 10.5 | 0.520 | 0.570 | 0.940 | 0.230 | 0.050 | 0.080 | 0.050 | 0.060 | 0.110 | 0.320 | | | | | | | |
| 14. | 0.170 | 0.170 | 0.820 | 6.09 | 0.480 | 0.520 | 1.06 | 0.230 | 0.050 | 0.200 | 0.050 | 0.060 | 0.110 | 0.320 | | | | | | | |
| 15. | 0.140 | 0.140 | 0.720 | 4.08 | 0.480 | 0.480 | 1.20 | 0.200 | 0.050 | 0.260 | 0.050 | 0.050 | 0.110 | 0.360 | | | | | | | |
| 16. | 0.140 | 0.170 | 0.620 | 3.12 | 0.880 | 0.480 | 0.940 | 0.170 | 0.060 | 0.140 | 0.290 | 0.050 | 0.170 | 1.13 | | | | | | | |
| 17. | 0.320 | 0.170 | 0.570 | 2.56 | 2.96 | 0.480 | 0.940 | 0.140 | 0.060 | 0.110 | 0.170 | 0.050 | 0.230 | 1.13 | | | | | | | |
| 18. | 0.880 | 0.230 | 0.820 | 2.08 | 6.45 | 0.520 | 0.940 | 0.170 | 0.060 | 0.080 | 0.080 | 0.060 | 0.230 | 0.880 | | | | | | | |
| 19. | 0.880 | 0.170 | 0.820 | 1.76 | 6.64 | 2.24 | 0.880 | 0.140 | 0.050 | 0.060 | 0.060 | 0.060 | 0.170 | 0.820 | | | | | | | |
| 20. | 0.720 | 0.140 | 1.62 | 1.55 | 4.61 | 1.62 | 0.820 | 0.110 | 0.050 | 0.060 | 0.060 | 0.060 | 0.170 | 0.820 | | | | | | | |
| 21. | 0.570 | 0.140 | 3.68 | 1.34 | 3.68 | 1.41 | 0.770 | 0.110 | 0.060 | 0.060 | 0.050 | 0.080 | 0.230 | 0.940 | | | | | | | |
| 22. | 0.820 | 0.170 | 3.60 | 1.13 | 2.96 | 1.34 | 0.720 | 0.110 | 0.110 | 0.060 | 0.050 | 0.140 | 0.230 | 0.940 | | | | | | | |
| 23. | 2.72 | 0.290 | 2.96 | 1.00 | 2.48 | 1.13 | 0.620 | 0.110 | 0.110 | 0.060 | 0.050 | 0.320 | 0.200 | 0.940 | | | | | | | |
| 24. | 2.08 | 1.48 | 2.48 | 0.880 | 2.24 | 1.00 | 0.570 | 0.080 | 0.080 | 0.060 | 0.050 | 0.200 | 0.200 | 1.27 | | | | | | | |
| 25. | 1.48 | 1.76 | 2.00 | 0.820 | 2.16 | 0.880 | 0.520 | 0.080 | 0.080 | 0.060 | 0.050 | 0.400 | 0.200 | 1.41 | | | | | | | |
| 26. | 1.13 | 1.69 | 1.69 | 0.770 | 2.16 | 0.820 | 0.480 | 0.080 | 0.080 | 0.080 | 0.170 | 0.440 | 0.200 | 1.41 | | | | | | | |
| 27. | 0.940 | 1.55 | 1.41 | 0.670 | 1.84 | 1.00 | 0.440 | 0.080 | 0.080 | 0.060 | 0.140 | 0.260 | 0.170 | 1.20 | | | | | | | |
| 28. | 0.880 | 1.27 | 1.27 | 0.880 | 1.62 | 0.820 | 0.400 | 0.060 | 0.260 | 0.060 | 0.080 | 0.230 | 0.200 | 1.06 | | | | | | | |
| 29. | 0.770 | 1.06 | 1.13 | 1.48 | 1.48 | 0.670 | 0.360 | 0.060 | 0.170 | 0.060 | 0.110 | 0.200 | 0.170 | 0.940 | | | | | | | |
| 30. | 0.670 | 0.880 | 0.940 | 1.27 | 1.27 | 0.670 | 0.670 | 0.080 | 0.320 | 0.060 | 0.200 | 0.170 | 0.170 | 0.820 | | | | | | | |
| 31. | 0.770 | 0.770 | 1.00 | 1.13 | 1.13 | 0.440 | 0.440 | 0.170 | 0.170 | 0.050 | 0.170 | 0.170 | 0.170 | 0.770 | | | | | | | |
| Tag | 3.+ | 15.+ | 17. | 27. | 10.+ | 15.+ | 29. | 28.+ | 13.+ | 31. | 6.+ | 15.+ | 11.+ | 2. | | | | | | | |
| NQ | 0.080 | 0.140 | 0.570 | 0.670 | 0.480 | 0.480 | 0.360 | 0.060 | 0.050 | 0.050 | 0.040 | 0.050 | 0.110 | 0.110 | | | | | | | |
| MQ | 0.563 | 0.526 | 1.32 | 1.93 | 1.72 | 0.851 | 0.774 | 0.183 | 0.097 | 0.088 | 0.076 | 0.138 | 0.168 | 0.705 | | | | | | | |
| HQ | 3.20 | 1.92 | 3.92 | 12.7 | 7.47 | 3.76 | 1.84 | 0.360 | 0.620 | 0.440 | 0.520 | 0.620 | 0.230 | 2.32 | | | | | | | |
| Tag | 23. | 25. | 21. | 13. | 18.+ | 19. | 7. | 1.+ | 30. | 14. | 16. | 26. | 5.+ | 16. | | | | | | | |
| h _N | mm | | | | | | | | | | | | | | | | | | | | |
| h _A | mm | 23 | 23 | 57 | 75 | 74 | 35 | 33 | 8 | 4 | 4 | 3 | 6 | 7 | 30 | | | | | | |
| 1951/2004 | | | 1952/2005 | | | | | | | | | | | | 54 Jahre | | | | | | |
| Jahr | 1962 | 1969 | 1970+ | 1970+ | 1996 | 1974 | 1993 | 1976+ | 1976 | 1962+ | 1959 | 1959+ | 1962 | 1969 | | | | | | | |
| NQ | 0.020 | 0.040 | 0.010 | 0.010 | 0.080 | 0.130 | 0.060 | 0.050 | 0.010 | 0.030 | 0.020 | 0.020 | 0.020 | 0.040 | | | | | | | |
| MNQ | 0.286 | 0.391 | 0.484 | 0.560 | 0.545 | 0.616 | 0.308 | 0.196 | 0.151 | 0.124 | 0.122 | 0.171 | 0.286 | 0.378 | | | | | | | |
| MQ | 0.815 | 1.45 | 1.62 | 1.44 | 1.73 | 1.56 | 0.640 | 0.515 | 0.375 | 0.266 | 0.278 | 0.476 | 0.809 | 1.44 | | | | | | | |
| MHQ | 2.67 | 6.15 | 6.83 | 4.35 | 5.95 | 4.28 | 1.76 | 1.49 | 1.19 | 1.19 | 1.14 | 2.02 | 2.65 | 6.17 | | | | | | | |
| HQ | 20.5 | 57.5 | 31.5 | 19.5 | 26.5 | 43.5 | 9.70 | 9.70 | 7.13 | 4.7 | 7.76 | 34.0 | 20.5 | 57.5 | | | | | | | |
| Jahr | 1998 | 1965 | 1987 | 2002 | 1981 | 1994 | 1971 | 1986 | 1955 | 2002 | 1957 | 1998 | 1998 | 1965 | | | | | | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 34 | 62 | 70 | 56 | 74 | 65 | 28 | 21 | 16 | 11 | 12 | 20 | 34 | 62 | | | | | | |
| Abflussjahr (*) | | | 2005 | | | | Kalenderjahr | | | | Unterschiedene Abflüsse m ³ /s | | | | | | | | | | |
| | | | Jahr | | Datum | | Jahr | | Datum | | Abflussjahr (*) | | Kalenderjahr | | 1952/2005 | | 54 Kalenderjahre | | | | |
| | | | | | | | | | | | 2005 | | 2005 | | Obere Hüllwerte | | Mittlere Werte | | | | |
| | | | | | | | | | | | 2005 | | 2005 | | Untere Hüllwerte | | | | | | |
| NQ | m ³ /s | 0.040 | am 06.09.2005 | 0.080 | 0.040 | 0.040 | am 06.09.2005 | (365) | 10.5 | 10.5 | 37.1 | 9.18 | 2.65 | | | | | | | | |
| MQ | m ³ /s | 0.682 | | 1.14 | 0.227 | 0.664 | | 364 | 6.64 | 6.64 | 29.7 | 7.50 | 2.48 | | | | | | | | |
| HQ | m ³ /s | 12.7 | am 13.02.2005 | 12.7 | 1.84 | 12.7 | am 13.02.2005 | 363 | 6.45 | 6.45 | 19.3 | 6.68 | 2.32 | | | | | | | | |
| Nq | l/(skm ²) | 0.642 | | 1.28 | 0.642 | 0.642 | | 362 | 6.09 | 6.09 | 16.1 | 6.05 | 2.24 | | | | | | | | |
| Mq | l/(skm ²) | 10.9 | | 18.3 | 3.64 | 10.7 | | 361 | 4.61 | 4.61 | 16.1 | 5.60 | 2.16 | | | | | | | | |
| Hq | l/(skm ²) | 204 | | 204 | 29.5 | 204 | | 360 | 4.08 | 4.08 | 11.0 | 5.27 | 2.00 | | | | | | | | |
| h _N | mm | | | | | | | 359 | 4.00 | 4.00 | 10.3 | 4.71 | 1.92 | | | | | | | | |
| h _A | mm | 345 | | 286 | 58 | 336 | | 358 | 4.00 | 4.00 | 9.39 | 4.57 | 1.71 | | | | | | | | |
| 1952/2005 (*) 54 Jahre | | | 1952/2005 | | | | 1952/2005 | | 357 | | 4.00 | 4.00 | 10.3 | 4.71 | 1.92 | | | | | | |
| NQ | m ³ /s | 0.010 | am 11.07.1976 | 0.010 | 0.010 | 0.010 | am 11.07.1976 | 356 | 2.72 | 2.56 | 6.55 | 3.69 | 1.51 | | | | | | | | |
| MNQ | m ³ /s | 0.074 | | 0.174 | 0.089 | 0.075 | | 355 | 2.00 | 1.76 | 5.56 | 2.88 | 1.20 | | | | | | | | |
| MQ | m ³ /s | 0.929 | | 1.44 | 0.425 | 0.927 | | 354 | 1.62 | 1.48 | 4.25 | 2.36 | 1.03 | | | | | | | | |
| MHQ | m ³ /s | 12.8 | | 12.2 | 4.07 | 13.3 | | 353 | 1.34 | 1.27 | 3.30 | 2.01 | 0.870 | | | | | | | | |
| HQ | m ³ /s | 57.5 | am 19.12.1965 | 57.5 | 34.0 | 57.5 | am 19.12.1965 | 352 | 1.13 | 1.06 | 2.65 | 1.50 | 0.590 | | | | | | | | |
| HQ ₁ | m ³ /s | | | | | | | 351 | 0.940 | 0.940 | 1.98 | 1.04 | 0.440 | | | | | | | | |
| HQ ₅ | m ³ /s | | | | | | | 350 | 0.770 | 0.720 | 1.68 | 0.770 | 0.290 | | | | | | | | |
| MNq | l/(skm ²) | 1.19 | | 2.79 | 1.43 | 1.20 | | 349 | 0.570 | 0.570 | 1.29 | 0.580 | 0.200 | | | | | | | | |
| Mq | l/(skm ²) | 14.9 | | 23.1 | 6.82 | 14.9 | | 348 | 0.360 | 0.360 | 1.04 | 0.470 | 0.140 | | | | | | | | |
| MHq | l/(skm ²) | 205 | | 196 | 65.3 | 213 | | 347 | 0.230 | 0.230 | 0.770 | 0.370 | 0.130 | | | | | | | | |
| Mh _N | mm | | | | | | | 346 | 0.200 | 0.200 | 0.720 | 0.300 | 0.110 | | | | | | | | |
| Mh _A | mm | 470 | | 361 | 108 | 469 | | 345 | 0.170 | 0.170 | 0.670 | 0.270 | 0.110 | | | | | | | | |
| Niedrigwasser | | | Hochwasser | | | | Dauertabelle | | 110 | | 0.140 | 0.140 | 0.620 | 0.240 | 0.080 | | | | | | |
| m ³ /s | | | l/(skm ²) | | Datum | | m ³ /s | | l/(skm ²) | | cm | | Datum | | 100 | | 0.140 | 0.140 | 0.570 | 0.220 | 0.060 |
| 1 | | | 0.010 | | 11.07.1976+ | | 57.5 | | 923 | | 19.12.1965 | | 90 | | 0.110 | 0.110 | 0.570 | 0.210 | 0.050 | | |
| 2 | | | 0.010 | | 19.01.1972+ | | 43.5 | | 698 | | 13.04.1994 | | 80 | | 0.110 | 0.110 | 0.520 | 0.180 | 0.050 | | |
| 3 | | | 0.010 | | 07.01.1970+ | | 34.0 | | 546 | | 28.10.1998 | | 70 | | 0.110 | 0.110 | 0.480 | 0.160 | 0.050 | | |
| 4 | | | 0.020 | | 09.10.1991+ | | 33.3 | | 535 | | 24.12.1967 | | 60 | | 0.080 | 0.080 | 0.440 | 0.150 | 0.050 | | |
| 5 | | | 0.020 | | 31.10.1962+ | | 31.5 | | 506 | | 01.01.1987 | | 50 | | 0.080 | 0.080 | 0.400 | 0.120 | 0.050 | | |
| 6 | | | 0.020 | | 20.09.1959+ | | 30.5 | | 490 | | 06.01.1982 | | 40 | | 0.080 | 0.080 | 0.400 | 0.120 | 0.020 | | |
| 7 | | | 0.040 | | 14.08.2003+ | | 29.0 | | 465 | | 31.12. | | | | | | | | | | |

A_{Eo} : 1255 km²

PNP: NN + 253.41 m

Lage: 171.0 km oberhalb Mündung rechts



m³/s

Pegel : Greiz

Gewässer : Weiße Elster

Gebiet : Weiße Elster

Nr. 576470

| Tageswerte | Tag | 2004 | | 2005 | | | | | | | | | | | | | |
|-----------------|---|-------------------|-------------------|-----------------------|-------------|-------------------|-----------------------|------|------------|------|-------|-------|------|------|------|-------|----------|
| | | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | |
| 1. | | 7.34 | 22.3 | 16.9 | 14.2 | 15.9 | 28.5 | 5.53 | K3.34 | 11.4 | 2.67 | K4.69 | 9.66 | 5.32 | 3.17 | | |
| 2. | | 6.19 | 17.3 | 23.7 | 13.5 | 15.2 | 23.2 | 5.32 | K3.00 | 9.94 | 2.83 | K5.11 | 10.5 | 4.08 | 3.00 | | |
| 3. | | 4.90 | 15.5 | 24.6 | 16.6 | 14.5 | 21.3 | 4.48 | K2.83 | 8.07 | 16.9 | K4.28 | 9.66 | 4.90 | 3.00 | | |
| 4. | | 4.69 | 15.9 | 24.2 | 21.3 | 13.8 | 18.8 | 9.11 | K2.83 | 5.75 | 11.4 | K4.08 | 6.88 | 5.11 | 3.00 | | |
| 5. | | 4.28 | 13.2 | 22.7 | 19.6 | 13.5 | 16.6 | 11.6 | K2.83 | 6.65 | 6.88 | K3.52 | 6.19 | 6.88 | 4.48 | | |
| 6. | | 4.28 | 12.3 | 22.3 | 14.8 | 12.9 | 14.5 | 9.11 | K4.48 | 7.11 | 5.53 | K3.34 | 5.75 | 6.19 | 4.28 | | |
| 7. | | 4.48 | 10.8 | 19.6 | 11.9 | 12.3 | 14.5 | 8.84 | K4.90 | 6.42 | 5.97 | K3.00 | 5.75 | 5.75 | 3.70 | | |
| 8. | | 5.11 | 10.2 | 18.8 | 10.5 | 12.3 | 13.8 | 7.82 | K4.28 | 6.19 | 5.75 | K2.83 | 6.42 | 3.52 | 3.89 | | |
| 9. | | 5.32 | 8.84 | 19.2 | 8.84 | 13.8 | 13.5 | 7.34 | K3.70 | 5.75 | 5.97 | K2.67 | 6.88 | 3.34 | 4.08 | | |
| 10. | | 6.65 | 7.82 | 16.6 | 9.11 | 13.2 | 11.9 | 6.88 | K3.52 | 5.32 | 5.11 | K2.67 | 7.11 | 2.67 | 3.89 | | |
| 11. | | 6.42 | 7.82 | 15.5 | 24.2 | 13.2 | 9.94 | 6.19 | K4.08 | 5.11 | 4.28 | K4.90 | 6.19 | 2.83 | 4.08 | | |
| 12. | | 6.88 | 7.82 | 14.5 | 79.6 | 14.2 | 8.32 | 5.97 | K3.17 | 3.52 | 4.08 | K8.58 | 6.19 | 2.83 | 4.08 | | |
| 13. | | 9.66 | 7.82 | 14.2 | 130 | 13.2 | 8.32 | 5.75 | K3.34 | 2.25 | 4.28 | K11.4 | 6.19 | 2.67 | 3.89 | | |
| 14. | | 9.94 | 7.82 | 13.8 | 83.2 | 11.9 | 7.58 | 5.75 | K3.00 | 2.13 | 5.53 | K9.11 | 5.97 | 2.67 | 3.89 | | |
| 15. | | 9.38 | 7.82 | 13.2 | 66.7 | 12.3 | 7.34 | 6.19 | K3.17 | 2.13 | 5.53 | K7.11 | 6.19 | 2.83 | 4.48 | | |
| 16. | | 10.5 | 7.34 | 12.9 | 59.0 | 18.0 | 8.84 | 5.97 | K2.83 | 2.02 | 6.19 | K11.1 | 5.97 | 3.52 | 9.11 | | |
| 17. | | 13.2 | 6.88 | 11.9 | 50.4 | 50.4 | 8.58 | 7.11 | K2.83 | 1.92 | 6.19 | K15.9 | 6.19 | 3.34 | 9.11 | | |
| 18. | | 18.0 | 9.11 | 10.8 | 42.8 | 79.6 | 7.34 | 7.58 | K2.83 | 2.13 | 4.48 | K12.9 | 5.75 | 3.34 | 7.82 | | |
| 19. | | 38.8 | 9.66 | 10.8 | 42.0 | 91.6 | 9.66 | 5.11 | K2.52 | 2.83 | 4.08 | K10.2 | 5.53 | 3.00 | 7.11 | | |
| 20. | | 3.34 | 7.82 | 11.6 | 37.3 | 74.8 | 9.38 | 4.90 | K2.52 | 2.38 | 3.52 | K8.84 | 5.75 | 3.52 | 8.07 | | |
| 21. | | 37.3 | 5.97 | 31.4 | 29.5 | 60.1 | 7.34 | 4.90 | K2.67 | 3.17 | 3.52 | K7.11 | 5.75 | 5.11 | 9.38 | | |
| 22. | | 35.9 | 5.53 | 31.9 | 24.2 | 54.6 | 7.11 | 5.53 | K3.34 | 4.08 | 4.69 | K5.97 | 5.97 | 4.28 | 8.84 | | |
| 23. | | 55.7 | 5.97 | 23.2 | 23.7 | 50.4 | 6.65 | 5.75 | K2.52 | 3.70 | 18.4 | K4.90 | 5.32 | 4.08 | 9.38 | | |
| 24. | | 50.4 | 10.5 | 19.6 | 20.5 | 47.4 | 6.19 | 5.53 | K2.52 | 3.00 | 17.3 | K5.11 | 5.97 | 3.89 | 11.1 | | |
| 25. | | 45.5 | 15.5 | 18.0 | 16.2 | 45.5 | 6.65 | 4.48 | K2.38 | 3.17 | 12.3 | K4.48 | 5.75 | 3.89 | 13.2 | | |
| 26. | | 41.2 | 17.7 | 18.0 | 16.2 | 47.4 | 6.88 | 4.28 | K3.52 | 3.17 | 9.11 | K5.32 | 5.75 | 3.52 | 14.2 | | |
| 27. | | 38.8 | 15.5 | 17.3 | 16.2 | 43.7 | 6.88 | 4.28 | K2.83 | 2.67 | 6.42 | K6.19 | 5.53 | 3.34 | 11.9 | | |
| 28. | | 35.9 | 14.2 | 14.8 | 16.2 | 38.8 | 7.11 | 5.97 | K2.67 | 2.38 | 5.11 | K4.48 | 5.53 | 3.17 | 11.4 | | |
| 29. | | 32.4 | 13.5 | 14.2 | 35.9 | 6.88 | 6.88 | 3.70 | K2.38 | 2.83 | 4.90 | K6.19 | 5.53 | 3.17 | 10.8 | | |
| 30. | | 26.6 | 12.9 | 13.5 | 37.3 | 6.42 | 6.42 | 3.17 | K9.11 | 6.88 | 4.69 | K5.75 | 5.53 | 3.17 | 11.4 | | |
| 31. | | | 12.9 | 13.8 | | 34.0 | | 5.75 | | 3.34 | 4.69 | | 5.75 | | 11.4 | | |
| Hauptwerte | Tag | 20. | 22. | 18.+ | 9. | 14. | 24. | 30. | 25.+ | 17. | 1. | 9.+ | 23. | 10.+ | 2.+ | | |
| | NQ | 3.34 | 5.53 | 10.8 | 8.84 | 11.9 | 6.19 | 3.17 | 2.38 | 1.92 | 2.67 | 2.67 | 5.32 | 2.67 | 3.00 | | |
| | MQ | 19.3 | 11.1 | 17.9 | 32.8 | 32.6 | 11.0 | 6.13 | 3.33 | 4.43 | 6.72 | 6.39 | 6.36 | 3.86 | 7.13 | | |
| | HQ | 62.3 | 23.2 | 38.8 | 166 | 98.8 | 31.4 | 15.9 | 23.7 | 18.4 | 26.6 | 22.7 | 12.6 | 8.32 | 16.9 | | |
| | Tag | 23. | 1. | 21. | 13. | 19. | 1. | 4. | 30. | 1. | 23. | 16. | 2. | 5. | 26. | | |
| | h _N | mm | | | | | | | | | | | | | | | |
| | h _A | mm | 40 | 24 | 38 | 63 | 70 | 23 | 13 | 7 | 9 | 14 | 13 | 14 | 8 | 15 | |
| | | | 1924/2004 | | 1925/2005 | | | | | | | | | | | | 72 Jahre |
| | Jahr | | 1929+ | 1953 | 1934 | 1963 | 1963 | 1930 | 1934 | 1934 | 1934 | 1952 | 1934 | 1934 | 1933 | 1953 | |
| | NQ | m ³ /s | 1.48 | 0.980 | 1.48 | 1.50 | 1.50 | 2.51 | 1.61 | 1.00 | 0.960 | 0.830 | 1.08 | 1.22 | 1.48 | 0.980 | |
| | MNQ | m ³ /s | 5.10 | 5.07 | 6.00 | 7.22 | 8.52 | 8.12 | 5.30 | 4.55 | 4.23 | 3.75 | 3.77 | 3.82 | 5.08 | 5.07 | |
| | MQ | m ³ /s | 8.68 | 10.4 | 12.3 | 13.4 | 17.5 | 15.0 | 10.2 | 9.11 | 9.00 | 6.93 | 6.34 | 7.14 | 8.61 | 10.5 | |
| | MHQ | m ³ /s | 20.3 | 27.5 | 31.9 | 31.7 | 39.4 | 31.3 | 27.4 | 33.5 | 35.9 | 27.2 | 18.5 | 18.4 | 20.2 | 28.1 | |
| | HQ | m ³ /s | 138 | 155 | 166 | 166 | 113 | 112 | 160 | 205 | 558 | 244 | 132 | 82.2 | 138 | 155 | |
| | Jahr | | 2002 | 1974 | 2003 | 2005 | 2000 | 1988 | 1978 | 1961 | 1954 | 1955 | 1995 | 1966 | 2002 | 1974 | |
| Mh _N | mm | | | | | | | | | | | | | | | | |
| Mh _A | mm | 18 | 22 | 26 | 26 | 37 | 31 | 22 | 19 | 19 | 15 | 13 | 15 | 18 | 22 | | |
| Extremwerte | | | Niedrigwasser | | | | Hochwasser | | | | | | | | | | |
| | | | m ³ /s | l/(skm ²) | Datum | m ³ /s | l/(skm ²) | cm | Datum | | | | | | | | |
| | 1 | | 0.830 | 0.661 | 18.08.1952 | 558 | 445 | | 11.07.1954 | | | | | | | | |
| | 2 | | 0.880 | 0.701 | 04.08.1935 | 244 | 194 | | 01.08.1955 | | | | | | | | |
| | 3 | | 0.900 | 0.717 | 22.07.1928 | 213 | 170 | | 06.07.1958 | | | | | | | | |
| | 4 | | 0.960 | 0.765 | 08.07.1934 | 205 | 163 | | 22.08.1970 | | | | | | | | |
| | 5 | | 0.980 | 0.781 | 13.12.1953 | 205 | 163 | | 10.06.1961 | | | | | | | | |
| | 6 | | 1.08 | 0.861 | 16.09.1934 | 166 | 132 | | 13.02.2005 | | | | | | | | |
| | 7 | | 1.27 | 1.01 | 17.12.1933 | 160 | 127 | | 08.05.1978 | | | | | | | | |
| | 8 | | 1.38 | 1.10 | 06.07.1930+ | 155 | 124 | | 08.12.1974 | | | | | | | | |
| | 9 | | 1.50 | 1.20 | 10.07.1964 | 146 | 116 | | 21.05.1941 | | | | | | | | |
| | 10 | | 1.50 | 1.20 | 01.02.1963+ | 144 | 115 | | 19.06.1926 | | | | | | | | |
| | (*) Abflussjahr: 1.11. des Vorjahres bis 31.10. Ausfalljahr: KJ 1928-1929, 1944-1950; AJ 1929; AJ 1945-1950 | | | | | | | | | | | | | | | | |
| | Beeinflussung durch TS-Steuerung | | | | | | | | | | | | | | | | |
| | 60 Tage Verkrautung | | | | | | | | | | | | | | | | |

A_{E0} : 2186 km²

PNP: NN + 180.79 m

Lage: 116.0 km oberhalb Mündung links



m³/s

Pegel : Gera-Langenberg

Gewässer : Weiße Elster

Gebiet : Weiße Elster

Nr. 576520

| Tag | 2004 | | 2005 | | | | | | | | | | | | | |
|-----------------|------------------------|------------------------|------------------------|---------------|-------------------|------------------------|---------------|---------------|---------------|---------------|--|--------------|------------------|------------------|--------|-----------|
| | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | |
| 1. | 7.70 | 24.1 | 23.6 | 24.5 | R 21.0 | 36.4 | K 8.46 | K 6.70 | K 15.0 | K 3.81 | K 6.70 | K 10.4 | 7.35 | 5.02 | | |
| 2. | 8.46 | 20.2 | 35.0 | 23.6 | R 20.2 | 30.9 | K 7.70 | K 5.02 | K 14.2 | K 4.00 | K 7.00 | K 15.0 | 5.71 | 4.80 | | |
| 3. | 5.71 | 18.9 | 37.8 | 26.0 | R 19.3 | 28.2 | K 7.00 | K 5.02 | K 10.4 | K 12.9 | K 7.00 | K 15.0 | 6.17 | 4.60 | | |
| 4. | 6.17 | 20.2 | 33.1 | 33.7 | R 18.5 | 25.2 | K 9.60 | K 4.80 | K 8.08 | K 18.9 | K 6.17 | K 10.8 | 6.70 | 4.80 | | |
| 5. | 5.71 | 17.2 | 28.7 | 29.8 | 17.6 | 23.6 | K 15.9 | K 4.80 | K 6.42 | K 11.2 | K 5.25 | K 9.22 | 8.46 | 5.02 | | |
| 6. | 5.02 | 15.9 | 27.6 | R 24.1 | 17.2 | 21.9 | K 12.9 | K 5.48 | K 10.4 | K 9.22 | K 4.80 | K 8.84 | 8.84 | 6.17 | | |
| 7. | 5.25 | 14.2 | 25.0 | T 18.9 | 16.3 | 21.0 | K 13.3 | K 7.00 | K 7.00 | K 8.84 | K 4.80 | K 8.46 | 8.08 | 5.94 | | |
| 8. | 6.17 | 13.3 | 22.8 | T 16.7 | 16.7 | 21.0 | K 11.6 | K 6.70 | K 7.35 | K 8.46 | K 4.40 | K 9.22 | 6.42 | 5.48 | | |
| 9. | 6.42 | 12.0 | 22.8 | T 15.0 | 19.3 | 20.2 | K 10.8 | K 5.71 | K 6.70 | K 8.46 | K 4.40 | K 9.22 | 5.25 | 5.48 | | |
| 10. | 8.08 | 10.8 | 21.0 | R 16.3 | 17.6 | 18.9 | K 10.0 | K 4.60 | K 6.70 | K 7.70 | K 4.40 | K 9.60 | 5.02 | 5.48 | | |
| 11. | 8.08 | 10.4 | 19.7 | 27.6 | 17.2 | 16.3 | K 8.84 | K 5.25 | K 7.00 | K 6.42 | K 9.22 | K 8.84 | 4.40 | 5.48 | | |
| 12. | 8.08 | 10.4 | 19.3 | 93.4 | 18.5 | 13.7 | K 7.70 | K 4.60 | K 5.25 | K 6.42 | K 8.46 | K 8.46 | 4.40 | 5.48 | | |
| 13. | 11.2 | 10.4 | 18.9 | 164 | 18.5 | 13.3 | K 7.35 | K 4.00 | K 4.20 | K 6.70 | K 15.0 | K 8.84 | 4.40 | 5.71 | | |
| 14. | 13.3 | 10.4 | 18.0 | 115 | 18.5 | 13.3 | K 7.70 | K 3.81 | K 3.62 | K 6.70 | K 12.4 | K 9.22 | 4.20 | 5.48 | | |
| 15. | 11.6 | 10.8 | 18.0 | 87.8 | 20.2 | 12.9 | K 8.84 | K 3.81 | K 3.43 | K 7.70 | K 9.60 | K 8.84 | 4.80 | 5.94 | | |
| 16. | 11.2 | 10.0 | 16.7 | 76.1 | 28.7 | 12.4 | K 8.46 | K 3.81 | K 3.62 | K 7.70 | K 11.6 | K 8.84 | 4.80 | 10.4 | | |
| 17. | 13.3 | 9.22 | 15.4 | 68.1 | 76.1 | 14.6 | K 8.46 | K 3.43 | K 3.43 | K 9.22 | K 19.7 | K 8.84 | 5.71 | 14.2 | | |
| 18. | 18.0 | 11.6 | 14.2 | 57.7 | 109 | 15.0 | K 11.6 | K 3.62 | K 3.11 | K 7.00 | K 17.2 | K 8.84 | 5.71 | 11.2 | | |
| 19. | 39.3 | 13.3 | 14.2 | 55.1 | 116 | 12.9 | K 8.46 | K 3.26 | K 4.00 | K 6.42 | K 14.2 | K 8.84 | 5.25 | 9.60 | | |
| 20. | 51.1 | 11.2 | 14.6 | 51.1 | 102 | 13.7 | K 7.35 | K 3.26 | K 4.20 | K 5.71 | K 12.4 | K 8.08 | 5.25 | 10.0 | | |
| 21. | 45.4 | R 8.46 | 32.0 | 43.1 | 81.5 | 11.2 | K 7.00 | K 3.26 | K 4.40 | K 5.48 | K 10.8 | K 7.70 | 7.00 | 13.7 | | |
| 22. | 38.6 | T 8.46 | 48.6 | 34.3 | 72.5 | 10.8 | K 8.46 | K 4.80 | K 5.02 | K 6.42 | K 8.84 | K 8.08 | 7.00 | 13.3 | | |
| 23. | 63.7 | T 8.46 | 34.3 | 32.5 | 65.5 | 9.60 | K 8.84 | K 4.00 | K 5.25 | K 18.0 | K 7.35 | K 7.70 | 6.42 | 13.3 | | |
| 24. | 64.8 | 11.6 | 28.2 | 32.0 | 61.1 | 9.22 | K 10.0 | K 3.11 | K 4.80 | K 24.1 | K 7.00 | K 7.70 | 6.42 | 14.6 | | |
| 25. | 54.3 | 18.5 | 27.1 | 25.5 | 57.7 | 9.60 | K 7.00 | K 3.62 | K 4.40 | K 17.2 | K 6.70 | K 7.70 | 5.71 | 15.9 | | |
| 26. | 48.6 | 22.3 | 27.1 | 22.8 | 59.4 | 10.0 | K 7.00 | K 4.20 | K 4.40 | K 15.9 | K 6.17 | K 7.35 | 5.94 | 17.2 | | |
| 27. | 47.0 | 21.9 | 27.1 | 23.2 | 55.1 | 10.4 | K 6.70 | K 4.20 | K 4.00 | K 11.2 | K 8.84 | K 7.35 | 5.48 | 15.0 | | |
| 28. | 43.1 | 23.2 | 25.0 | 21.9 | 50.2 | 10.4 | K 6.42 | K 3.26 | K 3.81 | K 8.46 | K 7.00 | K 7.35 | 5.25 | 14.2 | | |
| 29. | 37.8 | 22.3 | 23.6 | | 43.8 | 9.60 | K 7.70 | K 3.43 | K 3.43 | K 7.35 | K 7.35 | K 7.35 | 5.25 | 13.3 | | |
| 30. | 29.8 | 21.9 | 22.8 | | 47.8 | 9.22 | K 5.48 | K 6.42 | K 9.22 | K 7.00 | K 10.0 | K 7.35 | 5.25 | 12.9 | | |
| 31. | | 21.5 | 22.3 | | 44.6 | | K 5.25 | | K 5.48 | K 6.42 | | K 7.35 | | 13.7 | | |
| Tag | 6. | 21.+ | 18.+ | 9. | 7. | 24.+ | 31. | 24. | 18. | 1. | 8.+ | 26.+ | 14. | 3. | | |
| NQ | 5.02 | 8.46 | 14.2 | 15.0 | 16.3 | 9.22 | 5.25 | 3.11 | 3.11 | 3.81 | 4.40 | 7.35 | 4.20 | 4.60 | | |
| MQ | 24.1 | 14.9 | 24.7 | 45.0 | 43.5 | 16.2 | 8.79 | 4.50 | 6.07 | 9.39 | 8.82 | 8.92 | 5.89 | 9.46 | | |
| HQ | 75.2 | 25.0 | 54.3 | 192 | 124 | 39.3 | 18.5 | 17.6 | 20.2 | 27.6 | 22.8 | 15.9 | 11.2 | 19.3 | | |
| Tag | 23. | 1.+ | 22. | 13. | 19. | 1. | 5. | 30. | 1. | 23.+ | 17. | 2.+ | 5. | 26. | | |
| h _N | mm | | | | | | | | | | | | | | | |
| h _A | mm | 29 | 18 | 30 | 50 | 53 | 19 | 11 | 5 | 7 | 12 | 10 | 11 | 7 | | |
| | | 1950/2004 | | 1951/2005 | | | | | | | | | | 55 Jahre | | |
| Jahr | | 1964 | 1953 | 1954+ | 1954 | 1963 | 1993+ | 1955 | 1964 | 1964 | 1952 | 1964 | 1964 | 1964 | 1953 | |
| NQ | m ³ /s | 3.00 | 1.90 | 3.20 | 2.83 | 4.00 | 4.20 | 3.69 | 2.44 | 1.90 | 2.04 | 2.26 | 2.80 | 3.00 | 1.90 | |
| MNQ | m ³ /s | 7.36 | 7.66 | 9.35 | 10.9 | 12.3 | 11.5 | 7.63 | 6.93 | 5.85 | 5.49 | 5.71 | 5.79 | 7.33 | 7.64 | |
| MQ | m ³ /s | 12.2 | 16.1 | 18.3 | 19.9 | 25.2 | 21.6 | 14.4 | 13.2 | 12.8 | 10.2 | 9.19 | 10.2 | 12.1 | 16.1 | |
| MHQ | m ³ /s | 25.3 | 41.2 | 44.3 | 45.5 | 58.0 | 47.8 | 34.8 | 46.5 | 46.3 | 44.6 | 24.1 | 26.0 | 25.2 | 41.3 | |
| HQ | m ³ /s | 178 | 216 | 164 | 192 | 197 | 232 | 187 | 290 | 667 | 516 | 168 | 137 | 178 | 216 | |
| Jahr | | 2002 | 1974 | 2003 | 2005 | 1956 | 1980 | 1978 | 1965 | 1954 | 1981 | 1995 | 1974 | 2002 | 1974 | |
| Mh _N | mm | | | | | | | | | | | | | | | |
| Mh _A | mm | 14 | 20 | 22 | 22 | 31 | 26 | 18 | 16 | 16 | 12 | 11 | 12 | 14 | 20 | |
| Hauptwerte | | | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschrittene Abflüsse m ³ /s | | | | | |
| | | | 2005 | | 2005 | | 2005 | | 2005 | | 1951/2005 | | 55 Kalenderjahre | | | |
| | | | Jahr | Datum | Winter | Sommer | Jahr | Datum | Jahr | Datum | Abflussjahr (*) | Kalenderjahr | 1951/2005 | 55 Kalenderjahre | Untere | Hüllwerte |
| | | | | | | | | | | | | | | | | |
| | NQ | m ³ /s | 3.11 | am 24.06.2005 | 5.02 | 3.11 | 3.11 | am 24.06.2005 | 3.11 | am 24.06.2005 | (365) | 164 | 164 | 631 | 112 | 18.2 |
| | MQ | m ³ /s | 17.7 | | 27.9 | 7.76 | 15.8 | | 15.8 | | 364 | 116 | 116 | 505 | 96.3 | 17.6 |
| | HQ | m ³ /s | 192 | am 13.02.2005 | 192 | 27.6 | 192 | am 13.02.2005 | 192 | am 13.02.2005 | 363 | 115 | 115 | 475 | 84.8 | 17.6 |
| | Nq | l/(s km ²) | 1.42 | | 2.30 | 1.42 | 1.42 | | 1.42 | | 361 | 109 | 109 | 246 | 74.4 | 17.6 |
| | Mq | l/(s km ²) | 8.10 | | 12.8 | 3.55 | 7.23 | | 7.23 | | 360 | 102 | 102 | 167 | 68.5 | 17.0 |
| | Hq | l/(s km ²) | 87.8 | | 87.8 | 12.6 | 87.8 | | 87.8 | | 359 | 93.4 | 93.4 | 128 | 64.6 | 17.0 |
| | h _N | mm | | | | | | | | | 358 | 87.8 | 87.8 | 127 | 61.4 | 17.0 |
| | h _A | mm | 255 | | 200 | 56 | 228 | | 228 | | 357 | 81.5 | 81.5 | 126 | 58.8 | 17.0 |
| | | | 1951/2005 (*) 55 Jahre | | | | 1951/2005 | | | | | | | | | |
| | NQ | m ³ /s | 1.90 | am 12.07.1964 | 1.90 | 1.90 | 1.90 | am 12.07.1964 | 1.90 | am 12.07.1964 | 356 | 81.5 | 81.5 | 124 | 56.4 | 17.0 |
| | MNQ | m ³ /s | 4.03 | | 5.61 | 4.32 | 4.05 | | 4.05 | | 355 | 63.7 | 59.4 | 105 | 46.3 | 15.8 |
| MQ | m ³ /s | 15.2 | | 18.9 | 11.7 | 15.2 | | 15.2 | | 340 | 50.2 | 43.8 | 71.3 | 37.5 | 12.6 | |
| MHQ | m ³ /s | 133 | | 87.7 | 104 | 137 | | 137 | | 330 | 39.3 | 32.5 | 58.8 | 31.8 | 10.7 | |
| HQ | m ³ /s | 667 | am 12.07.1954 | 232 | 667 | 667 | am 12.07.1954 | 667 | am 12.07.1954 | 320 | 32.5 | 27.6 | 50.4 | 27.7 | 9.40 | |
| HQ ₁ | m ³ /s | | | | | | | | | 300 | 24.5 | 22.3 | 39.6 | 22.5 | 8.20 | |
| HQ ₅ | m ³ /s | | | | | | | | | 270 | 21.0 | 17.6 | 35.7 | 17.5 | 6.12 | |
| MNq | l/(s km ²) | 1.84 | | 2.57 | 1.98 | 1.85 | | 1.85 | | 240 | 16.7 | 14.2 | 29.1 | 14.2 | 5.28 | |
| Mq | l/(s km ²) | 6.95 | | 8.65 | 5.35 | 6.95 | | 6.95 | | 210 | 13.3 | 10.8 | 24.5 | 11.8 | 4.52 | |
| MHq | l/(s km ²) | 60.8 | | 40.1 | 47.6 | 62.7 | | 62.7 | | 183 | 10.8 | 9.22 | 20.6 | 10.1 | 4.28 | |
| Mh _N | mm | | | | | | | | | 150 | 9.22 | 8.08 | 17.8 | 8.27 | 4.04 | |
| Mh _A | mm | 219 | | 135 | 85 | 219 | | 219 | | 130 | 8.84 | 7.70 | 16.9 | 7.50 | 4.04 | |
| | | Niedrigwasser | | | | Hochwasser | | | | | | | | | | |
| | | m ³ /s | l/(s km ²) | Datum | m ³ /s | l/(s km ²) | cm | Datum | | | | | | | | |
| 1 | | 1.90 | 0.869 | 12.07.1964+ | 667 | 305 | | 12.07.1954 | | | | | | | | |
| 2 | | 1.90 | 0.869 | 24.12.1953 | 516 | 236 | | 10.08.1981 | | | | | | | | |
| 3 | | 2.04 | 0.933 | 19.08.1952+ | 290 | 133 | | 11.06.1965 | | | | | | | | |
| 4 | | 2.30 | 1.05 | 16.09.2004 | 246 | 113 | | 02.08.1955 | | | | | | | | |
| 5 | | 2.61 | 1.19 | 26.06.1955 | 237 | 108 | | 06.07.1958 | | | | | | | | |
| 6 | | 2.70 | 1.24 | 30.07.2002 | 232 | 106 | | 28.04.1980 | | | | | | | | |
| 7 | | 2.83 | 1.29 | 26.08.2001 | 231 | 106 | | 22.08.1970 | | | | | | | | |
| 8 | | 2.83 | 1.29 | 08.02.1954 | 219 | 100 | | 24.06.1975 | | | | | | | | |
| 9 | | 3.00 | 1.37 | 13.12.1983 | 216 | 98.8 | | 08.12.1974 | | | | | | | | |
| 10 | | 3.11 | 1.42 | 13.08.2003+ | 210 | 96.1 | | 10.06.1961 | | | | | | | | |

(*) Abflussjahr: 1.11. des Vorjahres bis 31.10.

A_{Eo} : 297 km²

PNP: NN + 238.29 m

Lage: 7.0 km oberhalb Mündung rechts



m³/s

Pegel : Weida

Gewässer : Weida

Gebiet : Weiße Elster

Nr. 577320

| | Tag | 2004 | | 2005 | | | | | | | | | | | | | | |
|-----------------|-----------------------|-----------------------|------------------------|-----------------------|-----------|-------------------|-----------------------|---------------|----------------------------------|-------|--|---------------|-------------------|------------------|------------------|-------|----------|--|
| | | Nov | Dez | Jan | Feb | Mrz | Apr | Mai | Jun | Jul | Aug | Sep | Okt | Nov | Dez | | | |
| Tageswerte | 1. | 0.380 | 1.22 | 2.86 | 4.57 | 3.88 | 3.88 | K 0.624 | K 1.14 | 0.686 | 0.380 | 0.380 | 0.624 | 0.328 | 0.328 | | | |
| | 2. | 0.282 | 0.624 | 7.51 | 4.05 | 3.71 | 3.71 | K 0.562 | K 1.14 | 0.562 | 0.380 | 0.328 | 1.01 | 0.438 | R 0.328 | | | |
| | 3. | 0.282 | 0.562 | 7.51 | 4.05 | 3.20 | 2.37 | K 0.500 | K 1.22 | 0.438 | 1.14 | 0.380 | 0.748 | 0.328 | R 0.328 | | | |
| | 4. | 0.282 | 0.500 | 4.39 | 5.11 | 1.22 | 2.23 | K 0.562 | K 1.22 | 0.380 | 0.811 | 0.328 | 0.686 | 0.380 | 0.380 | | | |
| | 5. | 0.282 | 0.438 | 3.03 | 3.88 | 1.22 | 2.37 | K 0.686 | K 1.14 | 0.562 | 0.624 | 0.328 | 0.500 | 0.562 | 0.380 | | | |
| | 6. | 0.282 | 0.438 | 1.97 | 2.86 | 1.14 | 2.10 | K 0.748 | K 1.14 | 0.562 | 0.562 | 0.328 | 0.438 | 0.380 | 0.328 | | | |
| | 7. | 0.328 | 0.380 | 1.73 | 1.97 | 1.07 | 1.40 | K 0.748 | K 1.31 | 0.438 | 0.624 | 0.282 | 0.562 | 0.328 | 0.328 | | | |
| | 8. | 0.438 | 0.380 | 1.50 | 1.31 | 1.97 | 1.07 | K 0.748 | K 1.31 | 0.380 | 0.562 | 0.282 | 0.500 | 0.328 | 0.328 | | | |
| | 9. | 0.438 | 0.328 | 1.31 | 1.97 | 2.69 | 1.31 | K 0.875 | K 0.875 | 0.380 | 0.562 | 0.282 | 0.380 | 0.328 | 0.328 | | | |
| | 10. | 0.500 | 0.282 | 1.22 | 2.69 | 0.940 | 1.07 | K 0.875 | K 0.328 | 0.380 | 0.500 | 0.282 | 0.328 | 0.328 | 0.282 | | | |
| | 11. | 0.562 | 0.282 | 1.22 | 5.47 | 0.940 | 0.624 | K 0.811 | 0.438 | 0.500 | 0.500 | 0.686 | 0.328 | 0.328 | 0.282 | | | |
| | 12. | 0.624 | 0.282 | 1.14 | 14.1 | 0.940 | 0.624 | K 0.438 | 0.380 | 0.380 | 0.438 | 0.562 | 0.624 | 0.380 | 0.328 | | | |
| | 13. | 0.940 | 0.282 | 0.811 | 20.1 | 1.01 | 0.562 | K 0.438 | 0.328 | 0.328 | 0.380 | 0.686 | 1.14 | 0.328 | 0.328 | | | |
| | 14. | 0.875 | 0.438 | 0.940 | 16.2 | 3.03 | 0.686 | K 0.438 | 0.328 | 0.328 | 0.380 | 0.500 | 1.14 | 0.328 | 0.328 | | | |
| | 15. | 0.686 | 0.624 | 1.07 | 12.3 | 2.37 | 0.748 | K 0.562 | 0.282 | 0.328 | 0.438 | 0.438 | 1.14 | 0.380 | 0.380 | | | |
| | 16. | 0.624 | 0.282 | 0.624 | 10.5 | 3.54 | 0.811 | K 0.438 | 0.282 | 0.328 | 0.438 | 0.748 | 1.14 | 0.438 | 0.748 | | | |
| | 17. | 0.562 | 0.380 | 0.562 | 9.97 | 12.6 | 0.748 | K 0.748 | 0.282 | 0.328 | 0.380 | 0.811 | 1.14 | 0.438 | 0.811 | | | |
| | 18. | 0.624 | 0.686 | 0.686 | 9.51 | 16.8 | 0.811 | K 1.22 | 0.282 | 0.380 | 0.380 | 0.686 | 1.14 | 0.380 | 0.624 | | | |
| | 19. | 1.97 | 0.380 | 0.748 | 9.05 | 16.2 | 0.686 | K 1.22 | 0.240 | 0.438 | 0.328 | 0.500 | 0.811 | 0.328 | 0.624 | | | |
| | 20. | 1.73 | 0.438 | 0.748 | 8.82 | 11.5 | 0.624 | K 1.22 | 0.282 | 0.438 | 0.328 | 0.500 | 0.328 | 0.380 | 0.686 | | | |
| | 21. | 1.50 | 0.875 | 4.75 | 8.38 | 8.38 | 0.624 | K 1.22 | 0.240 | 0.380 | 0.380 | 0.500 | 0.328 | 0.562 | 1.01 | | | |
| | 22. | 1.61 | 1.50 | 7.51 | 7.94 | 7.72 | 0.500 | K 1.22 | 0.328 | 0.438 | 0.380 | 0.500 | 0.328 | 0.500 | 1.01 | | | |
| | 23. | 3.54 | 1.61 | 6.46 | 8.38 | 6.88 | 0.438 | K 1.40 | 0.282 | 0.380 | 0.940 | 0.438 | 0.282 | 0.438 | 1.01 | | | |
| | 24. | 2.86 | 1.73 | 4.93 | 8.16 | 5.86 | 0.438 | K 1.31 | 0.240 | 0.328 | 0.811 | 0.438 | 0.328 | 0.500 | 1.01 | | | |
| | 25. | 1.97 | 1.14 | 6.26 | 4.93 | 5.66 | 0.438 | K 1.22 | 0.380 | 0.328 | 0.686 | 0.328 | 0.328 | 0.500 | 1.01 | | | |
| | 26. | 2.23 | 1.73 | 6.46 | 3.20 | 5.66 | 0.500 | K 1.40 | 0.562 | 0.282 | 0.624 | 0.380 | 0.282 | 0.438 | 0.940 | | | |
| | 27. | 4.05 | 2.10 | 6.67 | 3.54 | 5.29 | 0.562 | K 1.40 | 0.380 | 0.282 | 0.500 | 0.500 | 0.282 | 0.380 | 0.940 | | | |
| | 28. | 3.88 | 5.47 | 6.26 | 2.23 | 4.75 | 0.624 | K 1.40 | 0.282 | 0.282 | 0.438 | 0.500 | 0.282 | 0.438 | 0.875 | | | |
| | 29. | 2.37 | 5.11 | 6.06 | | 3.54 | 0.686 | K 1.31 | 0.282 | 0.282 | 0.438 | 0.686 | 0.282 | 0.380 | 0.811 | | | |
| | 30. | 1.31 | 5.47 | 6.06 | | 5.47 | 0.624 | K 0.875 | 0.686 | 0.686 | 0.438 | 0.686 | 0.282 | 0.380 | R 0.748 | | | |
| | 31. | | 4.39 | 4.57 | | 4.39 | | K 0.875 | | 0.380 | 0.380 | | 0.282 | | R 0.748 | | | |
| Hauptwerte | Tag | 2.+ | 10.+ | 17. | 8. | 10.+ | 23.+ | 12.+ | 19.+ | 26.+ | 19.+ | 7.+ | 23.+ | 1.+ | 10.+ | | | |
| | NQ | 0.282 | 0.282 | 0.562 | 1.31 | 0.940 | 0.438 | 0.438 | 0.240 | 0.282 | 0.328 | 0.282 | 0.282 | 0.328 | 0.282 | | | |
| | MQ | 1.27 | 1.30 | 3.47 | 6.97 | 4.95 | 1.13 | 0.906 | 0.587 | 0.406 | 0.521 | 0.476 | 0.580 | 0.398 | 0.600 | | | |
| | HQ | 4.75 | 6.06 | 9.51 | 22.2 | 18.3 | 4.93 | 2.10 | 1.40 | 1.73 | 2.10 | 1.40 | 1.22 | 0.940 | 1.14 | | | |
| | Tag | 23. | 28. | 2. | 13. | 17.+ | 1.+ | 19. | 6. | 30. | 3. | 11. | 15.+ | 5.+ | 27. | | | |
| | h _N | mm | | | | | | | | | | | | | | | | |
| | h _A | mm | 11 | 12 | 31 | 57 | 45 | 10 | 8 | 5 | 4 | 5 | 4 | 5 | 3 | 5 | | |
| | | | 1922/2004 | | 1923/2005 | | | | | | | | | | | | 81 Jahre | |
| | Jahr | | 1953 | 1953 | 1954 | 1954+ | 1954 | 1960 | 1966 | 1934 | 1930+ | 1950 | 1961 | 1947 | 1953 | 1953 | | |
| | NQ | m ³ /s | 0.030 | 0.020 | 0.030 | 0.070 | 0.140 | 0.040 | 0.030 | 0.030 | 0.010 | 0.000 | 0.000 | 0.030 | 0.030 | 0.020 | | |
| | MNQ | m ³ /s | 0.576 | 0.624 | 0.793 | 1.01 | 1.05 | 0.803 | 0.545 | 0.421 | 0.366 | 0.287 | 0.348 | 0.366 | 0.559 | 0.594 | | |
| | MQ | m ³ /s | 1.33 | 1.60 | 2.16 | 2.49 | 3.14 | 2.35 | 1.52 | 1.11 | 1.11 | 0.823 | 0.761 | 0.966 | 1.29 | 1.52 | | |
| | MHQ | m ³ /s | 4.14 | 5.00 | 6.59 | 7.20 | 9.61 | 7.34 | 6.30 | 9.07 | 6.31 | 5.06 | 2.95 | 3.56 | 3.92 | 4.90 | | |
| | HQ | m ³ /s | 29.4 | 32.1 | 32.0 | 34.4 | 56.0 | 60.9 | 75.4 | 123 | 124.7 | 139 | 26.7 | 32.4 | 29.4 | 32.1 | | |
| | Jahr | | 2002 | 1974 | 1953 | 1923 | 1942 | 1980 | 1941 | 1953 | 1954 | 1924 | 1924 | 1974 | 2002 | 1974 | | |
| Mh _N | mm | | | | | | | | | | | | | | | | | |
| Mh _A | mm | 12 | 14 | 19 | 20 | 28 | 21 | 14 | 13 | 10 | 7 | 7 | 9 | 11 | 14 | | | |
| Hauptwerte | | | Abflussjahr (*) | | | | Kalenderjahr | | | | Unterschnittene Abflüsse m ³ /s | | | | | | | |
| | | | 2005 | | | | 2005 | | | | 2005 | | | | | | | |
| | | | Jahr | Datum | Winter | Sommer | Jahr | Datum | Unter schreitungs dauer in Tagen | | Abfluss-jahr (*) | Kalender-jahr | 1923/2005 | 81 Kalenderjahre | | | | |
| | | | | | | | | | | | 2005 | 2005 | Oberere Hüllwerte | Mittlere Werte | Untere Hüllwerte | | | |
| | NQ | m ³ /s | 0.240 | am 19.06.2005 | 0.282 | 0.240 | 0.240 | am 19.06.2005 | (365) | 20.1 | 20.1 | 82.6 | 17.2 | 1.69 | | | | |
| | MQ | m ³ /s | 1.85 | | 3.14 | 0.580 | 1.72 | | 364 | 16.8 | 16.8 | 71.0 | 14.6 | 1.26 | | | | |
| | HQ | m ³ /s | 22.2 | am 13.02.2005 | 22.2 | 2.10 | 22.2 | am 13.02.2005 | 363 | 16.8 | 16.8 | 29.8 | 12.6 | 1.18 | | | | |
| | Nq | l/(skm ²) | 0.809 | | 0.950 | 0.809 | 0.809 | | 362 | 16.8 | 16.8 | 26.0 | 11.3 | 1.18 | | | | |
| | Mq | l/(skm ²) | 6.24 | | 10.6 | 1.95 | 5.80 | | 361 | 14.1 | 14.1 | 23.7 | 10.6 | 1.18 | | | | |
| | Hq | l/(skm ²) | 74.8 | | 74.8 | 7.08 | 74.8 | | 360 | 12.6 | 12.6 | 23.3 | 9.88 | 1.18 | | | | |
| | h _N | mm | | | | | | | 359 | 12.3 | 12.3 | 21.4 | 9.36 | 1.18 | | | | |
| | h _A | mm | 197 | | 166 | 31 | 183 | | 358 | 11.5 | 11.5 | 20.6 | 8.83 | 1.09 | | | | |
| | | | 1923/2005 (*) 82 Jahre | | | | 1923/2005 | | | | Dauertabelle | | | | | | | |
| | NQ | m ³ /s | 0.000 | am 02.09.1961 | 0.020 | 0.000 | 0.000 | am 02.09.1961 | 240 | 1.22 | 1.01 | 4.78 | 1.26 | 0.450 | | | | |
| | MNQ | m ³ /s | 0.173 | | 0.346 | 0.193 | 0.176 | | 210 | 0.875 | 0.811 | 3.97 | 0.950 | 0.380 | | | | |
| MQ | m ³ /s | 1.64 | | 2.19 | 1.11 | 1.63 | | 183 | 0.748 | 0.686 | 3.06 | 0.760 | 0.270 | | | | | |
| MHQ | m ³ /s | 24.5 | | 15.6 | 18.2 | 24.6 | | 150 | 0.624 | 0.562 | 2.61 | 0.600 | 0.240 | | | | | |
| HQ | m ³ /s | 139 | am 15.08.1924 | 60.9 | 139 | 139 | am 15.08.1924 | 130 | 0.562 | 0.500 | 2.47 | 0.520 | 0.200 | | | | | |
| HQ ₁ | m ³ /s | | | | | | | 120 | 0.500 | 0.500 | 2.34 | 0.490 | 0.180 | | | | | |
| HQ ₅ | m ³ /s | | | | | | | 110 | 0.500 | 0.500 | 2.22 | 0.460 | 0.140 | | | | | |
| MNq | l/(skm ²) | 0.583 | | 1.17 | 0.650 | 0.593 | | 100 | 0.438 | 0.438 | 2.11 | 0.420 | 0.130 | | | | | |
| Mq | l/(skm ²) | 5.53 | | 7.38 | 3.74 | 5.49 | | 90 | 0.380 | 0.380 | 2.00 | 0.370 | 0.090 | | | | | |
| MHq | l/(skm ²) | 82.6 | | 52.6 | 61.3 | 82.9 | | 80 | 0.380 | 0.380 | 1.90 | 0.350 | 0.070 | | | | | |
| Mh _N | mm | | | | | | | 70 | 0.380 | 0.380 | 1.80 | 0.320 | 0.070 | | | | | |
| Mh _A | mm | 174 | | 115 | 59 | 173 | | 60 | 0.328 | 0.380 | 1.70 | 0.280 | 0.050 | | | | | |
| Extremwerte | | | Niedrigwasser | | | | Hochwasser | | | | | | | | | | | |
| | | | m ³ /s | l/(skm ²) | Datum | m ³ /s | l/(skm ²) | cm | Datum | | | | | | | | | |
| | 1 | 0.000 | | 02.09.1961+ | 139 | 468 | | 15.08.1924 | | | | | | | | | | |
| | 2 | 0.000 | | 10.08.1950+ | 124 | 418 | | 11.07.1954 | | | | | | | | | | |
| | 3 | 0.010 | 0.034 | 16.07.1935+ | 123 | 415 | | 28.06.1953 | | | | | | | | | | |
| | 4 | 0.010 | 0.034 | 03.07.1934+ | 104 | 351 | | 11.06.1965 | | | | | | | | | | |
| | 5 | 0.010 | 0.034 | 06.07.1930+ | 75.4 | 254 | | 21.05.1941 | | | | | | | | | | |
| | 6 | 0.020 | 0.067 | 26.12.1953+ | 60.9 | 205 | | 27.04.1980+ | | | | | | | | | | |
| | 7 | 0.020 | 0.067 | 20.09.1947+ | 56.0 | 189 | | 19.03.1942 | | | | | | | | | | |
| | 8 | 0.020 | 0.067 | 12.09.1937 | 52.4 | 177 | | 06.07.1958 | | | | | | | | | | |
| | 9 | 0.030 | 0.101 | 24.05.1966+ | 43.5 | 147 | | 22.08.1970 | | | | | | | | | | |
| 10 | 0.040 | 0.135 | 31.07.1970 | 41.3 | 139 | | 24.05.1926 | | | | | | | | | | | |

(*) Abflussjahr: 1.11. des Vorjahres bis 31.10. Ausfalljahr: KJ 1928-1929; AJ 1929;

